

cInput Reference Manual

by cMonkeys

(Ward Dewaele and Deozaan)



Note

cInput 2 is a commercial release and is not free.

We tried to keep the price low so everyone can still afford it. If for some reason you can not afford the price you can use Custom InputManager 1.x which still works fine. It can be found on the [UnifyCommunity Wiki](#).

If you really need to use cInput 2 and can't afford the price then drop us an [email](#) with your motivations and we'll see if we can get you a freebie.

Get cInput 2 from [our website](#) or from the [Asset Store](#)!

[Table of Contents](#)

Table of Contents

[How to Get Started With cInput](#)

[Initial Setup](#)

[Setting Up the Default Keys](#)

[Using Modifier Keys](#)

[Using cInput to Control Your Game](#)

[Changing the Keys from the Defaults](#)

[Changing Keys From Script](#)

[Using the Built-In GUI](#)

[Making a Custom GUI Menu](#)

[Variables and Properties](#)

[allowDuplicates](#)

[deadzone](#)

[externalInputs](#)

[gravity](#)

[length](#)

[scanning](#)

[sensitivity](#)

[Methods](#)

[AddModifier](#)

[Parameters](#) - [Description](#) - [Example](#)

[AxisInverted](#)

[Parameters](#) - [Returns](#) - [Description](#) - [Example](#)

[Calibrate](#)

[ChangeKey](#)

[Parameters](#) - [Description](#) - [Example](#)

[Clear](#)

[ForbidKey](#)

[Parameters](#) - [Description](#) - [Example](#)

[GetAxis](#)

[Parameters](#) - [Returns](#) - [Description](#) - [Example](#)

[GetAxisRaw](#)

[Parameters](#) - [Returns](#) - [Description](#) - [Example](#)

[GetButton](#)

[GetButtonDown](#)

[GetButtonUp](#)

[GetKey](#)

[Parameters](#) - [Returns](#) - [Description](#) - [Example](#)

[GetKeyDown](#)

[Parameters](#) - [Returns](#) - [Description](#) - [Example](#)

[GetKeyUp](#)

[Parameters](#) - [Returns](#) - [Description](#) - [Example](#)

[GetText](#)

[Parameters](#) - [Description](#) - [Example](#)

[Init](#)

[Description](#) - [Example](#)

[IsAxisDefined](#)

[Parameters](#) - [Returns](#) - [Description](#) - [Example](#)

[IsKeyDefined](#)

[Parameters](#) - [Returns](#) - [Description](#) - [Example](#)

[LoadExternal](#)

[Parameters](#) - [Description](#) - [Example](#)

[RemoveModifier](#)

[Parameters](#) - [Description](#) - [Example](#)

[ResetInputs](#)

[Description](#) - [Example](#)

[SetAxis](#)

[Parameters](#) - [Description](#) - [Example](#)

[SetAxisDeadzone](#)

[Parameters](#) - [Description](#) - [Example](#)

[SetAxisGravity](#)

[Parameters](#) - [Description](#) - [Example](#)

[SetAxisSensitivity](#)

[Parameters](#) - [Description](#) - [Example](#)

[SetKey](#)

[Parameters](#) - [Description](#) - [Example](#)

[Valid Inputs](#)

[Keyboard Inputs](#) - [Mouse Inputs](#) - [Gamepad Inputs](#)

How to Get Started With cInput

Initial Setup

1. Use the "Edit -> Project Settings -> cInput -> Replace InputManager.asset file" menu command in the Unity Editor to create an InputManager.asset file designed to work with cInput.
2. Place *cInput.cs* somewhere in your Assets/Plugins folder (or a subfolder of that directory) and it will automatically be accessible from your other scripts. This step should happen automatically if you import the unitypackage file.
3. cInput comes with some optional helper classes that can make it easier to do certain things such as the Keys class which gives you AutoComplete on key names. These should also go somewhere within the Assets/Plugins folder. Again, this should happen automatically if you import the unitypackage file.

Setting Up the Default Keys

The first thing to do is to create a setup script that will run once before any of your other scripts try to get input from cInput. Define your keys first (using [SetKey](#)) and then any axes (using [SetAxis](#)) in the Awake() or Start() function of that setup script. This script only needs to run once, so if you put it in the first scene the player will see (e.g., splash screen or loading screen) then you don't need to include it in any other scenes. cInput will persist when loading new scenes.

```
// this creates a new key called "Left" and binds A and the Left Arrow to the key  
cInput.SetKey("Left", "A", "LeftArrow");  
// this uses Keys.D and Keys.RightArrow to accomplish something similar  
cInput.SetKey("Right", Keys.D, Keys.RightArrow);  
// uses "Left" and "Right" inputs previously defined with SetKey to create a new axis  
cInput.SetAxis("Horizontal Movement", "Left", "Right");
```

For a full list of acceptable inputs see the [Valid Inputs](#) section. Additionally, you can use the included Keys class (cKeys.cs) to let autocomplete/Intellisense help you type in the correct keys. Many of the examples in this documentation take advantage of the Keys class that comes in the cKeys.cs file.

Using Modifier Keys

cInput supports the use of modifier keys. You can designate a key to be used as a modifier with [AddModifier](#). Note that once a key has been designated as a modifier, it is forbidden from being used as an input all by itself. In other words, if you designate LeftShift as a modifier, then it can be used in multiple key combinations such as LeftShift+T and LeftShift+1, but it cannot be used alone as just LeftShift. To define a key to use a modifier by default, set it with [SetKey](#), passing in the modifiers you want to use.

Using cInput to Control Your Game

Once your inputs are defined in your setup script, you'll probably want to use those inputs to control your game. This is very simple to do using cInput's [GetKey](#), [GetKeyDown](#), [GetKeyUp](#), or [GetAxis](#) functions, which all work in the same way that Unity's Input functions of the same name do. For example:

```
// this will only trigger once each time the "Jump" button is pressed
if (cInput.GetKeyDown("Jump")) {
    // jumping code here
}

// this will trigger repeatedly while the "Shoot" button is held down
if (cInput.GetKey("Shoot")) {
    // shooting code here
}

// this will trigger once each time the "Grenade" button is released
if (cInput.GetKeyUp("Grenade")) {
    // throw grenade code here
}

// movement based on analog or virtual analog axis
float dx = cInput.GetAxis("Horizontal");
```

Changing the Keys from the Defaults

Changing Keys From Script

For information on how to change keybindings from script, see the [ChangeKey](#) documentation.

Using the Built-In GUI

cInput comes with a built-in GUI to make it simple to change which inputs are bound to which actions. This is great for rapid prototyping since it allows you to adjust the controls without having to invest a lot of time into a custom GUI. Simply call cGUI.ToggleGUI() to show or hide the built-in GUI menu, and assign a GUISkin to cGUI.cSkin to change the way it looks. cInput includes a GUISkin for your convenience. You can also optionally change the color/alpha of the GUI using cGUI.bgColor. For more specific information on how to use cGUI, please see the included cGUI reference manual.

Making a Custom GUI Menu

Admittedly, even though you can customize the look of the built-in GUI with cSkin, it still won't fit the design or theme for every game. With that in mind, there are functions included in cInput which will assist in the process of making your own custom menu for changing your controls.

A quick note: explaining how to make a GUI in Unity is beyond the scope of this document. To learn more about how to make GUIs in Unity, see the [GUI Scripting Guide](#) section in the online [Unity Reference Manual](#). This section will only explain the methods that cInput provides which will assist you in making your own GUI menu for displaying and changing the keybindings in your game.

There are a few methods and properties you will likely want to use when creating a GUI menu to display the current keybindings and allow players to change them or reset them back to defaults. They are the [GetText](#), [ChangeKey](#), [ResetInputs](#) functions and the [length](#) property.

Basically, the idea is to use a *for* loop to iterate through all of the inputs and create buttons the player can click on in order to change the keybindings while in game. For example:

```
private Vector2 _scrollPosition = new Vector2();

void OnGUI() {
    _scrollPosition = GUILayout.BeginScrollView(_scrollPosition);
    GUILayout.BeginHorizontal();

    GUILayout.BeginVertical();
    GUILayout.Label("Action");
    for (int n = 0; n < cInput.length; n++) {
        GUILayout.Label(cInput.GetText(n, 0));
    }
    GUILayout.EndVertical();

    GUILayout.BeginVertical();
    GUILayout.Label("Primary");
    for (int n = 0; n < cInput.length; n++) {
        if (GUILayout.Button(cInput.GetText(n, 1)) && Input.GetMouseButtonUp(0)) {
            cInput.ChangeKey(n, 1);
        }
    }
    GUILayout.EndVertical();

    GUILayout.BeginVertical();
    GUILayout.Label("Secondary");
    for (int n = 0; n < cInput.length; n++) {
        if (GUILayout.Button(cInput.GetText(n, 2)) && Input.GetMouseButtonUp(0)) {
            cInput.ChangeKey(n, 2);
        }
    }
    GUILayout.EndVertical();

    GUILayout.EndHorizontal();
    GUILayout.EndScrollView();

    GUILayout.BeginHorizontal();
    if (GUILayout.Button("Reset to Defaults") && Input.GetMouseButtonUp(0)) {
        cInput.ResetInputs();
    }
}
```

```
if (GUILayout.Button("Close") && Input.GetMouseButtonUp(0)) {  
    cInput.ShowMenu(false);  
}  
GUILayout.EndHorizontal();  
}
```

Script Reference

Variables and Properties

allowDuplicates

bool allowDuplicates

Description

If set to true, clInput will allow the same inputs to be used for multiple actions.

deadzone

float deadzone

Description

Values less than this will register as 0 on the virtual axis. Default value is 0.001f.

externalInputs

string externalInputs

Description

A string containing all the clInput settings. **Read-only**. Use this with [LoadExternal](#) to save and load clInput settings somewhere other than PlayerPrefs.

gravity

float gravity

Description

How fast the virtual axis value will return to 0. Default value is 3.0f.

length

int length

Description

How many keys have been defined using [SetKey](#). **Read-only**. Useful for [making a custom GUI menu](#).

scanning

bool scanning

Description

Whether or not cInput is currently scanning for a keypress/input to bind to an action. **Read-only**. Useful for [making a custom GUI menu](#).

sensitivity

float **sensitivity**

Description

How fast the virtual axis value will reach 1. Default value is 3.0f.

Script Reference

Methods

AddModifier

AddModifier(modifierKey: KeyCode) : void

AddModifier(modifier: string) : void

Parameters

modifierKey They keycode of the key to be used as a modifier.

modifier They string name of the key to be used as a modifier. Allows you to use the Keys class.

Description

Designates **modifier** or **modifierKey** to be used as a modifier. Note that a modifier key cannot be used as a standalone input key.

Example

```
// allows LeftShift to be used as a modifier key
cInput.AddModifier(KeyCode.LeftShift);
```

AxisInverted

AxisInverted(axisName: string, [inversionStatus: bool]) : bool

Parameters

axisName The name/description of the axis you want to invert.

inversionStatus If true, axis will be inverted. If false, axis will not be inverted.

Returns

bool Whether or not **axisName** is inverted.

Description

Inverts the **axisName** axis. If **inversionStatus** is not passed in, AxisInverted will simply return the inversion status of **axisName**. If **inversionStatus** is passed in, then this axis's inversion will be set to the boolean value and return that value. For more information, see [Making a Custom GUI Menu](#).

Example

```
// this toggles the inversion status of "Horizontal"
```

```
clInput.AxisInverted("Horizontal", !clInput.AxisInverted("Horizontal"));
// this makes a toggle button in the GUI
clInput.AxisInverted("Horizontal", GUILayout.Toggle(clInput.AxisInverted("Horizontal"), "Invert Axis"));
```

Calibrate

Calibrate() : void

Description

This calibrates analog inputs to their default/neutral position.

ChangeKey

**ChangeKey(name: string, [input: int], [mouseAx: bool], [mouseBut: bool],
[joyAx: bool], [joyBut: bool], [keyb: bool])** : void

**ChangeKey(index: int, [input: int], [mouseAx: bool], [mouseBut: bool],
[joyAx: bool], [joyBut: bool], [keyb: bool])** : void

**ChangeKey(name: string, primary: string, [secondary: string], [primaryModifier: string],
[secondaryModifier: string])** : void

Parameters

name	The name/description of the key you wish to change.
index	The index number of the key you wish to change. Useful for custom GUIs .
input	Which input to change. 1 for primary (default). 2 for secondary.
mouseAx	Use mouse axes for input? Defaults to <i>false</i> .
mouseBut	Use mouse buttons for input? Defaults to <i>true</i> .
joyAx	Use gamepad axes (analog sticks/buttons) for input? Defaults to <i>true</i> .
joyBut	Use gamepad buttons for input? Defaults to <i>true</i> .
keyb	Use keyboard buttons for input? Defaults to <i>true</i> .

Description

Waits for player input, then assigns that input to trigger this key. All inputs are monitored by default except mouse axes. All arguments except **name** or **index** are optional and will use their default values if not explicitly passed in. Note that you can also use ChangeKey in the same way as [SetKey](#).

Example

```
// the next input pressed will be assigned as the primary input for "Pause"
clInput.ChangeKey("Pause");
clInput.ChangeKey("Pause", 1); // this does the same thing as the previous line
// the next input pressed will be assigned as the secondary input for "Pause"
clInput.ChangeKey("Pause", 2);
// only gamepad axes and buttons will be accepted for the primary "Accelerate" input
clInput.ChangeKey("Accelerate", false, false, true, true, false);
// only the keyboard can be used for the secondary "Jump" input
clInput.ChangeKey("Jump", 2, false, false, false, false, true);
// using ChangeKey like SetKey to change the primary and secondary inputs for "Up"
```

```
clInput.ChangeKey("Up", "W", Keys.UpArrow);
```

Clear

Clear() : *void*

Description

Clears all data stored by clInput from PlayerPrefs. This can fix problems that may occur when changing the number or order of inputs used by clInput.

ForbidKey

ForbidKey(key: KeyCode) : *void*

ForbidKey(keyString: string) : *void*

Parameters

key The KeyCode of the key to forbid.

keyString A string representing the KeyCode of the key to forbid.

Description

Forbids the key from being used as input for clInput.

Example

```
// forbid the use of the number 1 as an input
clInput.ForbidKey(KeyCode.Alpha1);
// forbid the use of "tab" and "space" as an input
clInput.ForbidKey(Keys.Tab);
clInput.ForbidKey("Space");
```

GetAxis

GetAxis(description: string) : *float*

Parameters

description The name of the axis, as defined in [SetAxis](#).

Returns

float A value between -1 and 1 inclusive.

Description

Returns the value of the axis or virtual axis.

Example

```
// move the transform horizontally with the "Horizontal Movement" axis
float horizMovement = clInput.GetAxis("Horizontal Movement");
```

```
float h = 60 * horizMovement * Time.deltaTime;  
transform.Translate(h, 0, 0);
```

GetAxisRaw

GetAxisRaw(description: *string*) : *float*

Parameters

description The name of the axis, as defined in [SetAxis](#).

Returns

float A value between -1 and 1 inclusive.

Description

Returns the value of the virtual axis identified by **description** with no smoothing filtering applied. The value will be in the range -1...1 for keyboard and joystick input. Since input is not smoothed, keyboard input will always be either -1, 0 or 1. This is useful if you want to do all smoothing of keyboard input processing yourself.

Example

```
// move the transform horizontally with the "Horizontal Movement" axis  
transform.Translate(cInput.GetAxisRaw("Horizontal Movement"), 0, 0);
```

GetButton

GetButton(description: *string*) : *boolean*

Description

This works in exactly the same way as [cInput.GetKey\(\)](#).

GetButtonDown

GetButtonDown(description: *string*) : *boolean*

Description

This works in exactly the same way as [cInput.GetKeyDown\(\)](#).

GetButtonUp

GetButtonUp(description: *string*) : *boolean*

Description

This works in exactly the same way as [cInput.GetKeyUp\(\)](#).

GetKey

GetKey(description: *string*) : *boolean*

Parameters

description The name of the key, as defined in [SetKey](#).

Returns

boolean True if the key is being held down.

Description

Use this to determine if a key is being held down. GetKey returns true *repeatedly* while the user holds down the key, and returns false if the key is not being pressed. The use of [GetKeyDown](#) or [GetKeyUp](#) is recommended if you want to trigger an event only once per keypress, e.g., for jumping.

Example

```
// prints the message repeatedly, as long the player keeps pressing the "Shoot" input
if (cInput.GetKey("Shoot")) {
    Debug.Log("The player is shooting.");
}
```

GetKeyDown

GetKeyDown(description: *string*) : *boolean*

Parameters

description The name of the key, as defined in [SetKey](#).

Returns

boolean True only once each time the key is first pressed down.

Description

Use this to determine if a key has been pressed. GetKeyDown returns true *only once* when the key is first pressed down. The use of [GetKey](#) is recommended if you want to trigger an event repeatedly while the key is being held down, e.g., for continuous movement.

Example

```
// prints the message just once when the player starts pressing the key
if (cInput.GetKeyDown("Jump")) {
    Debug.Log("You pressed the jump button!");
}
```

GetKeyUp

GetKeyUp(description: *string*) : *boolean*

Parameters

description The name of the key, as defined in [SetKey](#).

Returns

boolean True only once each time the key is released.

Description

Use this to determine if a key has been released. GetKeyUp returns true *only once* when the key is first released. The use of [GetKey](#) is recommended if you want to trigger an event repeatedly while the key is being held down, e.g., for continuous movement.

Example

```
// prints the message just once when the player releases the key.  
if (cInput.GetKeyUp("Jump")) {  
    Debug.Log("You released the jump button!");  
}
```

GetText

GetText(description: *string*, [input: *int*]) : *string*

GetText(index: *int*, [input: *int*]) : *string*

Parameters

description The name/description of the key you want to get the text for.

index The index number of the key you want to get the text for.

input Which input you want to get the text for.

Description

Returns the text of the input used for the key. Note that **input** is optional and if omitted will default to 0 if you pass in the index or 1 if you pass in a string. Pass in 0 for **input** to get the name of the action. Pass in 1 or 2 for **input** to get the name of the primary or secondary inputs assigned to the key/axis. This is useful for displaying to the player which input is assigned to what key in a GUI. For more information on how to use this function in the creation of a GUI, see [Making a Custom GUI](#).

Example

```
cInput.SetKey("Shoot", Keys.LeftControl, Keys.RightControl); // index for this key is 0 in this example  
Debug.Log(cInput.GetText("Shoot")); // displays "LeftControl"  
Debug.Log(cInput.GetText("Shoot", 1)); // also displays "LeftControl"  
Debug.Log(cInput.GetText("Shoot", 2)); // displays "RightControl"  
Debug.Log(cInput.GetText("Shoot", 0)); // displays "Shoot"  
Debug.Log(cInput.GetText(0)); // displays "Shoot"  
Debug.Log(cInput.GetText(0, 0)); // also displays "Shoot"  
Debug.Log(cInput.GetText(0, 1)); // displays "LeftControl"
```

```
Debug.Log(cInput.GetText(0, 2); // displays "RightControl"
```

Init

Description

Use this to manually initialize the cInput object. Normally you won't need to use this since cInput will create the cInput object automatically, but there are [some situations](#) which might require you to manually call this method.

Example

```
// manually create the cInput object  
cInput.Init();
```

IsAxisDefined

IsAxisDefined(axisName: string) : boolean

Parameters

axisName The name of the axis, as defined in [SetAxis](#).

Returns

boolean True if **axisName** exists.

Description

Use this to determine if an axis exists by the name of **axisName**. Note that you will probably never need to use this method unless you are a developer making a separate script/plugin and you want to make it compatible with cInput.

Example

```
// make sure user has defined this axis  
if (cInput.IsAxisDefined("Horizontal")) {  
    // do cInput stuff  
} else {  
    // fallback to non-cInput stuff?  
}
```

IsKeyDefined

IsKeyDefined(keyName: string) : boolean

Parameters

keyName The name of the key, as defined in [SetKey](#).

Returns

boolean True if **keyName** exists.

Description

Use this to determine if a key exists by the name of **keyName**. Note that you will probably never need to use this method unless you are a developer making a separate script/plugin and you want to make it compatible with cInput.

Example

```
// make sure user has defined this key
if (cInput.IsKeyDefined("Left")) {
    // do cInput stuff
} else {
    // fallback to non-cInput stuff?
}
```

LoadExternal

LoadExternal(externString: string) : void

Parameters

externString A string containing all of the cInput settings.

Description

Use this to load cInput settings from some source other than PlayerPrefs. This is used in conjunction with [externalInputs](#).

Example

```
// loads the cInput settings from an external text file
string external = System.IO.File.ReadAllText(Application.dataPath + "/settings.cInput");
cInput.LoadExternal(external);
```

RemoveModifier

RemoveModifier(modifierKey: KeyCode) : void

RemoveModifier(modifier: string) : void

Parameters

modifierKey They keycode of the key to stop using as a modifier.

modifier They string name of the key to stop using as a modifier.

Description

Removes **modifier** or **modifierKey** from being used as a modifier. Note that a modifier key cannot be used as a standalone input key. This function allows the key to be used again for normal inputs.

Example

```
// allows LeftShift to be used as a normal input key  
cInput.RemoveModifier(KeyCode.LeftShift);
```

ResetInputs

ResetInputs() : void

Description

Resets all controls back to the defaults as defined in [SetKey](#).

Example

```
// reset the inputs back to default  
cInput.ResetInputs();
```

SetAxis

SetAxis(name: string, negative: string, positive: string, [sensitivity: float], [gravity: float], [deadzone: float]) : void

SetAxis(name: string, input: string, [sensitivity: float], [gravity: float], [deadzone: float]) : void

Parameters

name	The description of what the axis is used for.
negative	The input which provides the negative value of the axis.
positive/input	The input which provides the positive value of the axis.
sensitivity	Optional. The sensitivity for this axis. Default is 3.
gravity	Optional. How fast the axis returns to 0 when input stops. Default is 3.
deadzone	Optional. How fast the axis returns to 0 when input stops. Default is 0.001.

Description

Creates an axis out of two inputs, which must be previously set with the [SetKey](#) function. The first input will be the negative axis, the second input the positive axis. Note that if only one input is passed in then the axis will only return positive values (unless [inverted](#)). You can optionally assign the sensitivity, gravity, or deadzone of the axis by passing in **sensitivity**, **gravity**, and **deadzone** respectively. Additionally, you can use [SetAxisSensitivity](#), [SetAxisGravity](#), and [SetAxisDeadzone](#) if you want to change these optional values for an axis after it has already been created.

Also note that setting up axes is not required and you should only do this if you require analog-like controls instead of digital controls. An axis input can be analog (e.g., gamepad axis) or digital (e.g., keyboard button) or even a combination of the two. A virtual analog axis will be created if necessary.

Example

```
// uses "Left" and "Right" inputs previously defined with SetKey to create a new axis  
cInput.SetAxis("Horizontal Movement", "Left", "Right");  
// or the same as above but with increased sensitivity
```

```
cInput.SetAxis("Horizontal Movement", "Left", "Right", 4.5f);  
// uses only a single input as an axis (e.g., for a gas pedal in a driving game)  
cInput.SetAxis("Acceleration", "Gas");  
// or the same as above but with decreased sensitivity  
cInput.SetAxis("Acceleration", "Gas", 1.5f);
```

SetAxisDeadzone

SetAxisDeadzone(axisName: string, deadzone: float) : void

Parameters

axisName The name of the axis you want to change sensitivity for.
deadzone The value to use for deadzone.

Description

Sets the deadzone for **axisName** to **deadzone**.

Example

```
// sets the deadzone for a previously defined axis  
cInput.SetAxisDeadzone("Horizontal Movement", 0.1f);
```

SetAxisGravity

SetAxisGravity(axisName: string, gravity: float) : void

Parameters

axisName The name of the axis you want to change sensitivity for.
gravity The value to use for gravity.

Description

Sets the gravity of **axisName** to **gravity**.

Example

```
// sets the gravity of a previously defined axis  
cInput.SetAxisGravity("Horizontal Movement", 0.3f);
```

SetAxisSensitivity

SetAxisSensitivity(axisName: string, sensitivity: float) : void

Parameters

axisName The name of the axis you want to change sensitivity for.
sensitivity The value to use for sensitivity.

Description

Sets the sensitivity of **axisName** to **sensitivity**.

Example

```
// sets the sensitivity of a previously defined axis  
cInput.SetAxisSensitivity("Horizontal Movement", 0.5f);
```

SetKey

SetKey(name: *string*, primary: *string*, [secondary: *string*], [primaryModifier: *string*], [secondaryModifier: *string*]) : *void*

Parameters

name	The description of what the key is used for.
primary	The primary input to be used for this key.
secondary	Optional secondary input to be used for this key. Defaults to None if left blank.
primaryModifier	Optional modifier key to be used for the primary input.
secondaryModifier	Optional modifier key to be used for the secondary input.

Description

Defines the default primary input (keyboard button or gamepad/mouse axis) and optionally the secondary input to the keymap. Also optionally assigns modifier keys.

Example

```
// this creates a new key called "Left" and binds A and the Left Arrow to the key  
cInput.SetKey("Left", "A", "LeftArrow");  
// this uses Keys.D and Keys.RightArrow to accomplish something similar  
cInput.SetKey("Right", Keys.D, Keys.RightArrow);  
// creates a new key called "Pause" and binds Escape to the key  
cInput.SetKey("Pause", Keys.Escape); // note that secondary input defaults to None  
// creates a new key called "Target" with LeftControl as a modifier. This means Ctrl-T is the "Target"  
key.  
cInput.SetKey("Target", Keys.T, Keys.None, Keys.LeftControl, Keys.None);
```

Valid Inputs

Keyboard Inputs

Alpha0	F3	KeypadPeriod	Slash
Alpha1	F4	KeypadPlus	Space
Alpha2	F5	LeftAlt	SysReq
Alpha3	F6	LeftApple	Tab
Alpha4	F7	LeftArrow	Underscore
Alpha5	F8	LeftBracket	UpArrow
Alpha6	F9	LeftControl	A
Alpha7	F10	LeftParen	B
Alpha8	F11	LeftShift	C
Alpha9	F12	LeftWindows	D
AltGr	F13	Less	E
Ampersand	F14	Menu	F
Asterisk	F15	Minus	G
At	Greater	Numlock	H
BackQuote	Hash	PageDown	I
Backslash	Help	PageUp	J
Backspace	Home	Pause	K
Break	Insert	Period	L
CapsLock	Keypad0	Plus	M
Caret	Keypad1	Print	N
Clear	Keypad2	Question	O
Colon	Keypad3	Quote	P
Comma	Keypad4	Return	Q
Delete	Keypad5	RightAlt	R
Dollar	Keypad6	RightApple	S
DoubleQuote	Keypad7	RightArrow	T
DownArrow	Keypad8	RightBracket	U
End	Keypad9	RightControl	V
Equals	KeypadDivide	RightParen	W
Escape	KeypadEnter	RightShift	X
Exclaim	KeypadEquals	RightWindows	Y
F1	KeypadMinus	ScrollLock	Z
F2	KeypadMultiply	Semicolon	

Mouse Inputs

Mouse0	Mouse3	Mouse6	Mouse Down
Mouse1	Mouse4	Mouse Wheel Down	Mouse Left
Mouse2	Mouse5	Mouse Wheel Up	Mouse Right
			Mouse Up

Gamepad Inputs

JoystickButton0	Joystick2Button4	Joystick4Button8	Joy1 Axis 1-	Joy3 Axis 1-
JoystickButton1	Joystick2Button5	Joystick4Button9	Joy1 Axis 1+	Joy3 Axis 1+
JoystickButton2	Joystick2Button6	Joystick4Button10	Joy1 Axis 2-	Joy3 Axis 2-
JoystickButton3	Joystick2Button7	Joystick4Button11	Joy1 Axis 2+	Joy3 Axis 2+
JoystickButton4	Joystick2Button8	Joystick4Button12	Joy1 Axis 3-	Joy3 Axis 3-
JoystickButton5	Joystick2Button9	Joystick4Button13	Joy1 Axis 3+	Joy3 Axis 3+
JoystickButton6	Joystick2Button10	Joystick4Button14	Joy1 Axis 4-	Joy3 Axis 4-
JoystickButton7	Joystick2Button11	Joystick4Button15	Joy1 Axis 4+	Joy3 Axis 4+
JoystickButton8	Joystick2Button12	Joystick4Button16	Joy1 Axis 5-	Joy3 Axis 5-
JoystickButton9	Joystick2Button13	Joystick4Button17	Joy1 Axis 5+	Joy3 Axis 5+
JoystickButton10	Joystick2Button14	Joystick4Button18	Joy1 Axis 6-	Joy3 Axis 6-
JoystickButton11	Joystick2Button15	Joystick4Button19	Joy1 Axis 6+	Joy3 Axis 6+
JoystickButton12	Joystick2Button16		Joy1 Axis 7-	Joy3 Axis 7-
JoystickButton13	Joystick2Button17	Xbox1TriggerLeft	Joy1 Axis 7+	Joy3 Axis 7+
JoystickButton14	Joystick2Button18	Xbox1TriggerRight	Joy1 Axis 8-	Joy3 Axis 8-
JoystickButton15	Joystick2Button19	Xbox2TriggerLeft	Joy1 Axis 8+	Joy3 Axis 8+
JoystickButton16	Joystick3Button0	Xbox2TriggerRight	Joy1 Axis 9-	Joy3 Axis 9-
JoystickButton17	Joystick3Button1	Xbox3TriggerLeft	Joy1 Axis 9+	Joy3 Axis 9+
JoystickButton18	Joystick3Button2	Xbox3TriggerRight	Joy1 Axis 10-	Joy3 Axis 10-
JoystickButton19	Joystick3Button3	Xbox4TriggerLeft	Joy1 Axis 10+	Joy3 Axis 10+
Joystick1Button0	Joystick3Button4	Xbox4TriggerRight	Joy2 Axis 1-	Joy4 Axis 1-
Joystick1Button1	Joystick3Button5		Joy2 Axis 1+	Joy4 Axis 1+
Joystick1Button2	Joystick3Button6		Joy2 Axis 2-	Joy4 Axis 2-
Joystick1Button3	Joystick3Button7		Joy2 Axis 2+	Joy4 Axis 2+
Joystick1Button4	Joystick3Button8		Joy2 Axis 3-	Joy4 Axis 3-
Joystick1Button5	Joystick3Button9		Joy2 Axis 3+	Joy4 Axis 3+
Joystick1Button6	Joystick3Button10		Joy2 Axis 4-	Joy4 Axis 4-
Joystick1Button7	Joystick3Button11		Joy2 Axis 4+	Joy4 Axis 4+
Joystick1Button8	Joystick3Button12		Joy2 Axis 5-	Joy4 Axis 5-
Joystick1Button9	Joystick3Button13		Joy2 Axis 5+	Joy4 Axis 5+
Joystick1Button10	Joystick3Button14		Joy2 Axis 6-	Joy4 Axis 6-
Joystick1Button11	Joystick3Button15		Joy2 Axis 6+	Joy4 Axis 6+
Joystick1Button12	Joystick3Button16		Joy2 Axis 7-	Joy4 Axis 7-
Joystick1Button13	Joystick3Button17		Joy2 Axis 7+	Joy4 Axis 7+
Joystick1Button14	Joystick3Button18		Joy2 Axis 8-	Joy4 Axis 8-
Joystick1Button15	Joystick3Button19		Joy2 Axis 8+	Joy4 Axis 8+
Joystick1Button16	Joystick4Button0		Joy2 Axis 9-	Joy4 Axis 9-
Joystick1Button17	Joystick4Button1		Joy2 Axis 9+	Joy4 Axis 9+
Joystick1Button18	Joystick4Button2		Joy2 Axis 10-	Joy4 Axis 10-
Joystick1Button19	Joystick4Button3		Joy2 Axis 10+	Joy4 Axis 10+
Joystick2Button0	Joystick4Button4			
Joystick2Button1	Joystick4Button5			
Joystick2Button2	Joystick4Button6			
Joystick2Button3	Joystick4Button7			