

COMPONENT

Vulnerabilities

TECHNOLOGY DURATION EXECUTION

Javascript 2s 10/12/2020 - 9:56

Resumo ISSUES SCORE CVSS SECURITY 20 7.40 26/100 **Issues** CWE cvss SEVERITY ISSUE **Description:** File contains sensitive information written directly, such as usernames, passwords, keys, etc. **Recommendation:** Credentials must not be stored in the Git code or repository. There are 'Secrets Management' solutions that can CWE-312 7.40 High be used to store secrets or use Pipeline resources. Class: users.dev.js (59:35) Method: db.query("UPDATE users" + " SET password = "" + req.query.password + """ + " WHERE id = " + req.session.user.id, function (err, rows, _fields) { Description: File contains sensitive information written directly, such as usernames, passwords, keys, etc. Recommendation: CWE-312 7.40 Credentials must not be stored in the Git code or repository. There are 'Secrets Management' solutions that can be used to store secrets or use Pipeline resources. **Class:** users.js (65:9) Method: " SET password = "" + req.query.password + """ + **Description:** Using the 'redirect' function can cause an Open Redirect. CWE-601 4.00 Class: session.dev.js (7:5) Method: res.redirect('/users/login'); **Description:** Using the 'redirect' function can cause an Open Redirect. CWE-601 4.00 Class: index.dev.js (14:3) Method: res.redirect('/dashboard');

Term of use of this document

The information contained in this document, its appendices and attachments are confidential and considered privileged.

1 di 3



CWE	cvss	SEVERITY	ISSUE
CWE-601	4.00	Medium	Description: Using the 'redirect' function can cause an Open Redirect. Class: todo.dev.js (31:7) Method: res.redirect('/todo');
CWE-601	4.00	Medium	Description: Using the 'redirect' function can cause an Open Redirect. Class: users.dev.js (35:7) Method: res.redirect(failedLoginReturnURL);
CWE-601	4.00	Medium	Description: Using the 'redirect' function can cause an Open Redirect. Class: users.dev.js (48:9) Method: res.redirect(failedLoginReturnURL);
CWE-601	4.00	Medium	Description: Using the 'redirect' function can cause an Open Redirect. Class: users.dev.js (50:9) Method: res.redirect(failedLoginReturnURL);
CWE-601	4.00	Medium	Description: Using the 'redirect' function can cause an Open Redirect. Class: users.dev.js (53:9) Method: res.redirect('/dashboard');
CWE-601	4.00	Medium	Description: Using the 'redirect' function can cause an Open Redirect. Class: users.dev.js (70:5) Method: res.redirect('/');
CWE-601	4.00	Medium	Description: Using the 'redirect' function can cause an Open Redirect. Class: users.dev.js (72:5) Method: res.redirect(failedLoginReturnURL);
CWE-601	4.00	Medium	Description: Using the 'redirect' function can cause an Open Redirect. Class: index.js (9:3) Method: res.redirect('/dashboard');
CWE-601	4.00	Medium	Description: Using the 'redirect' function can cause an Open Redirect. Class: todo.js (30:17) Method: res.redirect('/todo');

Term of use of this document

The information contained in this document, its appendices and attachments are confidential and considered privileged.

2 di 3



CWE	CVSS	SEVERITY	ISSUE
CWE-601	4.00	Medium	Description: Using the 'redirect' function can cause an Open Redirect. Class: users.js (32:4) Method: res.redirect(failedLoginReturnURL);
CWE-601	4.00	Medium	Description: Using the 'redirect' function can cause an Open Redirect. Class: users.js (50:6) Method: res.redirect(failedLoginReturnURL);
CWE-601	4.00	Medium	Description: Using the 'redirect' function can cause an Open Redirect. Class: users.js (52:6) Method: res.redirect(failedLoginReturnURL);
CWE-601	4.00	Medium	Description: Using the 'redirect' function can cause an Open Redirect. Class: users.js (55:6) Method: res.redirect('/dashboard');
CWE-601	4.00	Medium	Description: Using the 'redirect' function can cause an Open Redirect. Class: users.js (80:3) Method: res.redirect('/');
CWE-601	4.00	Medium	Description: Using the 'redirect' function can cause an Open Redirect. Class: users.js (82:3) Method: res.redirect(failedLoginReturnURL);
CWE-601	4.00	Medium	Description: Using the 'redirect' function can cause an Open Redirect. Class: session.js (5:3) Method: res.redirect('/users/login');

Term of use of this document

The information contained in this document, its appendices and attachments are confidential and considered privileged.

3 di 3