References

Besse, J., & Courtillot, V. (1991). Revised and synthetic apparent polar wander paths of the African, Eurasian, North American and Indian plates, and true polar wander since 200 Ma. *Journal of Geophysical Research*, *96*(B3), 4029–4050. https://doi.org/10.1029/90JB01916

Besse, J., & Courtillot, V. (2002). Apparent and true polar wander and the geometry of the geomagnetic field over the last 200 Myr. *Journal of Geophysical Research*, *107*(B11), EPM 6-1–EPM 6-31. https://doi.org/10.1029/2000JB000050

Butler, R. F. (1992). *Paleomagnetism: Magnetic domains to geologic terranes.* Boston: Blackwell Scientific Publications.

Cromwell, G., Johnson, C. L., Tauxe, L., Constable, C. G., & Jarboe, N. A. (2018). PSV10: A global data set for 0–10 Ma time-averaged field and paleosecular variation studies. *Geochemistry, Geophysics, Geosystems*, *19*(5), 1533–1558. https://doi.org/10.1002/2017GC007318

Cych, B., Morzfeld, M., Heslop, D., Maher, S., Gee, J., & Tauxe, L. (2023). Thermal Resolution of Unblocking Temperatures (TROUT): A method for "unmixing" multi-component magnetizations. *Geochemistry, Geophysics, Geosystems*, *24*(6), e2023GC010920. https://doi.org/10.1029/2023GC010920

Deenen, M. H. L., Langereis, C. G., van Hinsbergen, D. J. J., & Biggin, A. J. (2011). Geomagnetic secular variation and the statistics of palaeomagnetic directions. *Geophysical Journal International*, *186*(2), 509–520. https://doi.org/10.1111/j.1365-246X.2011.05050.x

de Oliveira, W. P., Hartmann, G. A., Terra-Nova, F., Brandt, D., Biggin, A. J., Engbers, Y. A., ... Moncinhatto, T. R. (2021). Paleosecular variation and the time-averaged geomagnetic field since 10 Ma. *Geochemistry, Geophysics, Geosystems*, *22*(10), e2021GC010063. https://doi.org/10.1029/2021GC010063

Engbers, Y. A., Bono, R. K., & Biggin, A. J. (2022). PSVM: A global database for the Miocene indicating elevated paleosecular variation relative to the last 10 Myrs. *Geochemistry, Geophysics, Geosystems*, *23*(8), e2022GC010480. https://doi.org/10.1029/2022GC010480

Engbers, Y. A., Thallner, D., Bono, R. K., Sprain, C. J., Murray, M. J., Bristol, K., ... Biggin, A. J. (2024). A global paleosecular variation database for the Paleogene: Stationary secular variation behavior since the Triassic? *Geochemistry, Geophysics, Geosystems*, *25*(6), e2023GC011203. https://doi.org/10.1029/2023GC011203

Fisher, R. (1953). Dispersion on a sphere. *Proceedings of the Royal Society of London. Series A, Mathematical and Physical Sciences*, *217*(1130), 295–305. https://doi.org/10.1098/rspa.1953.0064

Gallo, L. C., Domeier, M., Sapienza, F., Swanson-Hysell, N. L., Vaes, B., Zhang, Y., ... van der Boon, A. (2023). Embracing uncertainty to resolve polar wander: A case study of Cenozoic North America. *Geophysical Research Letters*, *50*(11), e2023GL103436. https://doi.org/10.1029/2023GL103436

Halls, H. C. (1978). The use of converging remagnetization circles in palaeomagnetism. *Physics of the Earth and Planetary Interiors*, *16*(1), 1–11. https://doi.org/10.1016/0031-9201(78)90095-X

Heslop, D., & Roberts, A. P. (2016). Analyzing paleomagnetic data: To anchor or not to anchor? *Journal of Geophysical Research: Solid Earth*, *121*(11), 7742–7753. https://doi.org/10.1002/2016JB013387

Heslop, D., & Roberts, A. P. (2020). Uncertainty propagation in hierarchical paleomagnetic reconstructions. *Journal of Geophysical Research: Solid Earth*, *125*(6), e2020JB019488. https://doi.org/10.1029/2020JB019488

Jackson, M. J., Banerjee, S. K., Marvin, J. A., Lu, R., & Gruber, W. (1991). Detrital remanence, inclination errors, and anhysteretic remanence anisotropy:

quantitative model and experimental results. *Geophysical Journal International*, *104*(1), 95–103. https://doi.org/10.1111/j.1365-246X.1991.tb02496.x

Jarboe, N. A., Koppers, A. A. P., Tauxe, L., Minnett, R., & Constable, C. (2012). *The online MagIC database: Data archiving, compilation, and visualization for the geomagnetic, paleomagnetic and rock magnetic communities.* Abstract GP31A-1063 presented at 2012 Fall Meeting, AGU, San Francisco, CA, 3–7 December.

Johnson, C. L., Constable, C. G., Tauxe, L., Barendregt, R., Brown, L. L., Coe, R. S., … Stone, D. B. (2008). Recent investigations of the 0–5 Ma geomagnetic field recorded by lava flows. *Geochemistry, Geophysics, Geosystems*, *9*(4), Q04032. https://doi.org/10.1029/2007GC001696

Kent, J. T. (1982). The Fisher-Bingham distribution on the sphere. *Journal of the Royal Statistical Society: Series B (Methodological)*, *44*(1), 71–80. https://doi.org/10.1111/j.2517-6161.1982.tb01189.x

Kirschvink, J. L. (1980). The least-squares line and plane and the analysis of palaeomagnetic data. *Geophysical Journal of the Royal Astronomical Society*, *62*(3), 699–718. https://doi.org/10.1111/j.1365-246X.1980.tb02601.x

Koymans, M. R., Langereis, C. G., Pastor-Galán, D., & van Hinsbergen, D. J. J. (2016). Paleomagnetism.org: An online multi-platform open source environment for paleomagnetic data analysis. *Computers & Geosciences*, *93*, 127–137. https://doi.org/10.1016/j.cageo.2016.05.007

Koymans, M. R., van Hinsbergen, D. J. J., Pastor-Galán, D., Vaes, B., & Langereis, C. G. (2020). Towards FAIR paleomagnetic data management through Paleomagnetism.org 2.0. *Geochemistry, Geophysics, Geosystems*, *21*(2), e2019GC008838. https://doi.org/10.1029/2019GC008838

Langereis, C. G., Krijgsman, W., Muttoni, G., & Menning, M. (2010). Magnetostratigraphy – concepts, definitions, and applications. *Newsletters on Stratigraphy*, *43*(3), 207–233. https://doi.org/10.1127/0078-0421/2010/0043-0207

McElhinny, M. W., & McFadden, P. L. (2000). *Paleomagnetism: Continents and oceans* (Vol. 73). San Diego: Academic Press.

McFadden, P. L., & McElhinny, M. W. (1988). The combined analysis of remagnetization circles and direct observations in palaeomagnetism. *Earth and Planetary Science Letters*, *87*(1–2), 161–172. https://doi.org/10.1016/0012-821X(88)90072-6

Meert, J. G., Pivarunas, A. F., Evans, D. A., Pisarevsky, S. A., Pesonen, L. J., Li, Z.-X., … Salminen, J. M. (2020). The magnificent seven: A proposal for modest revision of the quality index. *Tectonophysics*, *790*, 228549. https://doi.org/10.1016/j.tecto.2020.228549

Pierce, J., Zhang, Y., Hodgin, E. B., & Swanson-Hysell, N. L. (2022). Quantifying inclination shallowing and representing flattening uncertainty in sedimentary paleomagnetic poles. *Geochemistry, Geophysics, Geosystems*, *23*(11), e2022GC010682. https://doi.org/10.1029/2022GC010682

Pisarevsky, S. A., Li, Z. X., Tetley, M. G., Liu, Y., & Beardmore, J. P. (2022). An updated internet-based Global Paleomagnetic Database. *Earth-Science Reviews*, *235*, 104258. https://doi.org/10.1016/j.earscirev.2022.104258

Sauerbier, J. (2026). *Demagnetization data and the interpreted paleomagnetic directions of Eocene-Oligocene rocks from the Grenadine Islands (Southern Lesser Antilles) (Sauerbier et al., 2026, AGU Tectonics).* [Dataset]. figshare. https://doi.org/10.6084/m9.figshare.28815698

Sauerbier, J. D. C., Philippon, M., Dekkers, M. J., Cornée, J.-J., BouDagher-Fadel, M. K., & van Hinsbergen, D. J. J. (2026). Rotation in the southeastern Caribbean arc (Grenadines) accommodated by back-arc basin inversion. *Tectonics*, *45*(4), e2025TC009223. https://doi.org/10.1029/2025TC009223

Schettino, A., & Scotese, C. R. (2005). Apparent polar wander paths for the major continents (200 Ma to the present day): a palaeomagnetic reference frame

for global plate tectonic reconstructions. *Geophysical Journal International*, *163*(2), 727–759. https://doi.org/10.1111/j.1365-246X.2005.02638.x

Swanson-Hysell, N. L., Zhang, Y., Macdonald, F. A., Koran, I., Tasistro-Hart, A. R., & Jay, A. F. (2025). Oman was on the northern margin of a wide late Tonian Mozambique Ocean. *Geology*, *53*(11), 909–913. https://doi.org/10.1130/G53450.1

Swanson-Hysell, N. L., Zhang, Y., Macdonald, F. A., Koran, I., Tasistro-Hart, A. R., & Jay, A. F. (2026). *Oman was on the northern margin of a wide late Tonian Mozambique Ocean.* (Version 2) [Dataset]. Magnetics Information Consortium (MagIC). https://doi.org/10.7288/V4/MAGIC/20884

Tauxe, L. (2010). *Essentials of paleomagnetism.* Berkeley: University of California Press.

Tauxe, L., Heslop, D., & Gilder, S. A. (2024). Assessing paleosecular variation averaging and correcting paleomagnetic inclination shallowing. *Journal of Geophysical Research: Solid Earth*, *129*(8), e2024JB029502. https://doi.org/10.1029/2024JB029502

Tauxe, L., & Kent, D. V. (2004). A simplified statistical model for the geomagnetic field and the detection of shallow bias in paleomagnetic inclinations: was the ancient magnetic field dipolar? In J. E. T. Channell, D. V. Kent, W. Lowrie, & J. G. Meert (Eds.), *Timescales of the paleomagnetic field* (Vol. 145, pp. 101–115). Washington, DC: American Geophysical Union. https://doi.org/10.1029/145GM08

Tauxe, L., Shaar, R., Jonestrask, L., Swanson-Hysell, N. L., Minnett, R., Koppers, A. A. P., … Fairchild, L. (2016). PmagPy: Software package for paleomagnetic data analysis and a bridge to the Magnetics Information Consortium (MagIC) Database. *Geochemistry, Geophysics, Geosystems*, *17*(6), 2450–2463. https://doi.org/10.1002/2016GC006307

Torsvik, T. H., Müller, R. D., Van der Voo, R., Steinberger, B., & Gaina, C. (2008). Global plate motion frames: Toward a unified model. *Reviews of Geophysics*, *46*(3), RG3004. https://doi.org/10.1029/2007RG000227

Torsvik, T. H., Van der Voo, R., Preeden, U., Mac Niocaill, C., Steinberger, B., Doubrovine, P. V., … Cocks, L. R. M. (2012). Phanerozoic polar wander, palaeogeography and dynamics. *Earth-Science Reviews*, *114*(3–4), 325–368. https://doi.org/10.1016/j.earscirev.2012.06.007

Vaes, B., Gallo, L. C., & van Hinsbergen, D. J. J. (2022). On pole position: Causes of dispersion of the paleomagnetic poles behind apparent polar wander paths. *Journal of Geophysical Research: Solid Earth*, *127*(4), e2022JB023953. https://doi.org/10.1029/2022JB023953

Vaes, B., van Hinsbergen, D. J. J., van de Lagemaat, S. H. A., van der Wiel, E., Lom, N., Advokaat, E. L., … Langereis, C. G. (2023). A global apparent polar wander path for the last 320 Ma calculated from site-level paleomagnetic data. *Earth-Science Reviews*, *245*, 104547. https://doi.org/10.1016/j.earscirev.2023.104547

Van der Voo, R. (1990). The reliability of paleomagnetic data. *Tectonophysics*, *184*(1), 1–9. https://doi.org/10.1016/0040-1951(90)90116-P

Wilkinson, M. D., Dumontier, M., Aalbersberg, I. J., Appleton, G., Axton, M., Baak, A., … Mons, B. (2016). The FAIR guiding principles for scientific data management and stewardship. *Scientific Data*, *3*(1), 160018. https://doi.org/10.1038/sdata.2016.18

Zhang, Y., Swanson-Hysell, N. L., Domeier, M., Gallo, L., Sapienza, F., & Osorio Afanador, D. A. (2026). Enriching paleogeographic reconstruction through the integration of Bayesian age models into site-based apparent polar wander paths. *Journal of Geophysical Research: Solid Earth*, *131*(9), e2026JB034561. https://doi.org/10.1029/2026JB034561