

Robotic Inference: Classification Network

Hsin-Wen Chang

Abstract—In this project, NVIDIA DIGITS workflow are used for rapidly prototype ideas that can be deployed on the Jetson near real time. With DIGITS prototype classification networks and training a CNN on the supplied data and also train another CNN using public Dataset.

Index Terms—Robotic inference, image classification, Udacity, NVIDIA DIGITS, deep learning.

1 INTRODUCTION

THE introduction should provide some material regarding the history of the problem, why it is important and what is intended to be achieved. If there exists any previous attempts to solve this problem, this is a great place to note these while conveying the differences in your approach (if any). The intent is to provide enough information for the reader to understand why this problem is interesting and setting up the conversation for the solution you have provided Use this space to introduce your robotic inference idea and how you wish to apply it. If you have any papers / sites you have referenced for your idea, please make sure to cite them.

1.1 Supplied Data set

Subsection text here.

1.1.1 Supplied Data set

Subsubsection text here.

TABLE 1
Table

One	Two
Three	Four
Three	Four

2 BACKGROUND / FORMULATION

At this stage, you should begin diving into the technical details of your approach by explaining to the reader how parameters were defined, what type of network was chosen, and the reasons these items were performed. This should be factual and authoritative, meaning you should not use language such as I think this will work or Maybe a network with this architecture is better... Instead, focus on items similar to, A 3-layer network architecture was chosen with X, Y, and Z parameters Explain why you chose the network you did for the supplied data set and then why you chose the network used for your robotic inference project. [1]

- example
- 1) example




Fig. 1. Supplied Data set.

3 DATA ACQUISITION

This section should discuss the data set. Items to include are the number of images, size of the images, the types of images (RGB, Grayscale, etc.), how these images were collected (including the method). Providing this information is critical if anyone would like to replicate your results. After all, the intent of reports such as these are to convey information and build upon ideas so you want to ensure others can validate your process. Justifying why you gathered data in this way is a helpful point, but sometimes this may be omitted here if the problem has been stated clearly in the introduction. It is a great idea here to have at least one or two images showing what your data looks like for the reader to visualize.

4 RESULTS

This is typically the hardest part of the report for many. You want to convey your results in an unbiased fashion. If you results are good, you can objectively note this. Similarly, you may do this if they are bad as well. You do not want to justify your results here with discussion; this is a topic for the next session. Present the results of your robotics project model and the model you used for the supplied data with the appropriate accuracy and inference time For demonstrating your results, it is incredibly useful to have

some charts, tables, and/or graphs for the reader to review. This makes ingesting the information quicker and easier.




Fig. 2. VGG16 pretrained model

```

DIGITS Workspace
+ Terminal 1 x Terminal 2 x
Please enter the Job ID: 20190627-003710-4552

Calculating average inference time over 10 samples...
deploy: /opt/DIGITS/digits/jobs/20190627-003710-4552/deploy.prototxt
model: /opt/DIGITS/digits/jobs/20190627-003710-4552/snapshot_iter_150.caffemodel
output: softmax
iterations: 5
avgRuns: 10
Input "data": 3x227x227
Output "softmax": 1000x1x1
name=data, bindingIndex=0, buffers.size()=2
name=softmax, bindingIndex=1, buffers.size()=2
Average over 10 runs is 4.58817 ms.
Average over 10 runs is 4.59004 ms.
Average over 10 runs is 4.61103 ms.
Average over 10 runs is 4.40373 ms.
Average over 10 runs is 4.08736 ms.

Calculating model accuracy...

% Total    % Received % Xferd  Average Speed   Time    Time     Time  Current
   Dload  Upload   Total             Spent    Left     Speed
100 11950  100  9634  100  2316    793    190  0:00:12  0:00:12 --:--:-- 1769

Your model accuracy is 75.4098360656 %
root@290b0e3bfd3f:/home/workspace#

```

Fig. 3. Evaluate training result in DIGITS Workspace




Fig. 4. Learning rate vs Epochs

5 DISCUSSION

This is the only section of the report where you may include your opinion. However, make sure your opinion is based on facts. If your results are poor, make mention of what may

be the underlying issues. If the results are good, why do you think this is the case? Again, avoid writing in the first person (i.e. Do not use words like I or me). If you really find yourself struggling to avoid the word I or me; sometimes, this can be avoided with the use of the word one. As an example: instead of : I think the accuracy on my dataset is low because the images are too small to show the necessary detail try: one may believe the accuracy on the dataset is low because the images are too small to show the necessary detail. They say the same thing, but the second avoids the first person. Reflect on which is more important, inference time or accuracy, in regards to your robotic inference project.

6 CONCLUSION / FUTURE WORK

This section is intended to summarize your report. Your summary should include a recap of the results, did this project achieve what you attempted, and is this a commercially viable product? For Future work, address areas of work that you may not have addressed in your report as possible next steps. For future work, this could be due to time constraints, lack of currently developed methods / technology, and areas of application outside of your current implementation. Again, avoid the use of the first-person.

REFERENCES

- [1] L. Lamport, *LATEX: a document preparation system: user's guide and reference manual*. Addison-wesley, 1994.