



ATTJAVE (C#)



NEXT (GO)

⊛ TO BE ENHANCED

data folder

output folder

SCRAPER

LINKS

./"html-links.txt"

MANIFESTI

./"manifesti-list".json

COURSE NAME
COURSE LOCATION
DEGREE TYPE
URL

PLAIN LINKS
ONE PER ROW

HTML FILES

./"html"/id/page.html

ALL HTML FILES
OBTAINED BY
EACH LINK

PARSER

RANKING

./"RANKINGS"/school/year/filename.json
FILENAME:
SCH - YEAR - n FASE(- n GRAD) LANG (-extraew)

LAST UPDATE
SCHOOL
YEAR
URL → GENERATE
ORDER ⊛
SUMMARY (STATS)
MERIT TABLE (1)
COURSE TABLES (N)

PARSER

MANIFESTI

./"MANIFESTI"/degree-type.json

DEG-TYPE: STRING
DATA: MAP[COURSE
NAME]
MAP[COURSE
LOCATION] URL

INDEXES

./index_name.json → (ACTUAL:) SCH-YEAR, YEAR-SCH, S-Y-COURSE

⊛

HASH
MATRICOLE

./"hashMatricole"/hh.json

h = hexadecimal

STATS

./"stats"/"by year"/year.json

DATEFOUND

./"ranking Found Dates.json"