

DATA SET DESCRIPTION

Hourly mean of station observations of wind speed ca. 10 m above ground in m/s for Germany

Version v19.3 & recent

Cite data set as: DWD Climate Data Center (CDC): Hourly mean of station observations of wind speed ca. 10 m above

ground in m/s for Germany, version v19.3, last accessed: <date>.

INTENT OF THE DATASET

This data are from DWD stations operated for climatological and climate related applications (partner stations not included). Comprehensive station metadata (station relocation, instrument change, time zones, change of algorithms) are included. The most recent data have not completed the full quality control as applied to the versioned period.

POINT OF CONTACT

Deutscher Wetterdienst CDC - Vertrieb Klima und Umwelt Frankfurter Straße 135 63067 Offenbach

Tel.: + 49 (0) 69 8062-4400 Fax.: + 49 (0) 69 8062-4499 Mail: klima.vertrieb@dwd.de

DATA DESCRIPTION

Spatial coverage	Germany
------------------	---------

Temporal coverage 1893-01-01 until - yesterday

Temporal resolution hourly

Units **GEOM** Die Geometrie des Spatial Data OGC WKT Objektes (SDO)

> STATION_ID ID des Spatial Data Objektes

(SDO), so wie es beim DWD definiert ist, z.B. StationsId, ..

STATION NAME Name des Spatial Data Objektes

(SDO), so wie es beim DWD

definiert ist

ZEITSTEMPEL Referenz Datum/Zeit des YYYY-MM-DD hh:mi:ss(.ff6)

> Wertes (!= Messzeit), in der Regel der Startzeitpunkt des

Referenzintervalls.

ZEITINTERVALL Länge des Referenzintervalls ISO_8601#Zeitspannen WFRT m/s

Stundenmittel der

Stationsmessungen der

Windgeschwindigkeit in ca. 10 m

Höhe in m/s

EINHEIT Einheit in der die Werte vorliegen QUALITAET_BYTE QUALITAET_BYTE (QB) zeigt an, -999,0..7

ob der Wert beanstandet und/oder

korrigiert wurde (siehe Qualitaet). QUALITAET_NIVEAU (QN) QUALITAET_NIVEAU 1..10 beschreibt das Verfahren der



Qualitätsprüfung und bezieht sich auf einen vollständigen Satz von Parametern zu einem bestimmten Termin. (siehe Qualitaet).

Uncertainties

The stations are nowadays selected and operated according to WMO guidelines. Though these guidelines aim at minimizing possible local effects, still some applications of certain parameters may require the consideration of local and regional effects. Note that when going back to historical times, such guidelines might not have been in place. Depending on the application, local, regional and influences changing with time should be considered, which can be location- and parameter specific. Sources of long-term uncertainty are (1) changes in station height when station was re-located, (2) changes in the observation times and (3) changes in the averaging interval. Details on (1),(2) and (3) can be found in the stationwise metadata. Uncertainties are also expected from (4) changes in instrumentation, see instrument metadata; and possibly also from (5) varying quality control procedures (Behrendt et al., 2011). Further, uncertainties are known to come from (6) errors during data transfer or errors in the software, (7) change of observing personnel, and (8) others, see Freydank, 2014.

Quality information

The QUALITAETS_BYTE (QB) denotes whether the value was objected to and/or corrected. The QUALITAETS_NIVEAU (QN) shows the quality control procedure applied for a data report (of several parameters) for a certain reporting time.

Explanation for QB:

QB=0 unchecked, from 01.01.2005 checkt with QUALIMET;

QB=1 had no objections (either checked and not objected, or not checked and not objected, this can be interpreted only when considering QN);

QB=2 corrected;

QB=3 confirmed with objection rejected;

QB=4 added or calculated;

QB=5 objected;

QB=6 only formally checked;

QB=7 formal objection;

QB=-999 quality flag does not exist.

Explanation for QN:

QN=1 only formal control;

QN=2 controlled with individually defined criteria;

QN=3 automatic control and correction;

QN=5 historic, subjective procedures;

QN=7 second control done, before correction;

QN=8 quality control outside ROUTINE;

QN=9 not all parameters corrected;

QN=10 quality control finished, all corrections finished.

Data before and including 1980 can reach as best quality check level QN=5. Data after 1980 can reach

QN=10 as best quality check level.

DATA ORIGIN

These climate data are from the station networks of Deutschen Wetterdienst which are regularly updated with recent data, and with recovered historical data. From 1997 onwards, the data are operationally collected in the central MIRAKEL data base and archived, see Behrendt et al., 2011, and Kaspar et al., 2013. For details on current measurement and observation procedures see VuB 3 Beobachterhandbuch (DWD, 2014a), VuB 3 Technikerhandbuch (DWD, 2014b) and VuB 2 Wetterschlüsselhandbuch (DWD, 2013). Note that when going back to historical times, guidelines on observation procedure, instruments and observation times were issued by the authority in charge (see, e.g., Freydank, 2014), and might be incompletely recorded in the metadata. As explained in Kaspar et al., 2013 in the early years numerous meteorological agencies were active in the area of todays Germany. After establishment of the der International Meteorological Organization (IMO) in 1873, the various standards were gradually harmonized, resulting in a single standard 1936. After 1945, the standards in East and West Germany developed differently, and were harmonized again after reunification in 1990. Between the end of the nineties and 2009 many stations were changed from manual to automated

VALIDATION AND UNCERTAINTY ESTIMATE

Considerations of quality assurance are explained in Kaspar et al., 2013: several steps of quality control, including automatic tests for completeness, temporal and internal consistency, and against statistical thresholds based on the software QualiMet (see Spengler, 2002) and manual inspection had been applied.



Data are provided "as observed", no homogenization has been carried out.

CONSIDERATIONS FOR APPLICATIONS

Inhomogeneities in wind speed time series are rather large, compared to other parameters, often caused by change in height in sensor height (see accompanying metadata), but also due to changing local influences (buildings, growing wood) which might not be recorded. When investigating long term changes or trends, consider changes in station location, changes in instrumentation, measurement procedures and observation intervals - see the various metadata information provided Metadaten_Parameter*, Metadaten_Geraete* und Metadaten_Geographie*. Starting in the nineties, the metadata are electronically recorded and provided together with the station measurements. For the time before, efforts are continuing to digitize the most relevant metadata based on the paper records however, many gaps are still remaining. For detailed studies, DWD can grant access to the station records.

ADDITIONAL INFORMATION

For the most recent data the quality control is not completed yet. There are still issues to be discovered in the historical data. We welcome any hints to improve the data basis (see contact).

COPYRIGHT

The instructions in https://opendata.dwd.de/climate_environment/CDC/Terms_of_use.pdf should be followed. The DWD website provides comprehensive copyright information.

REVISION HISTORY

This document is maintained by the Climate Data Centre of the DWD, last edited at 2019-07-25.