

Skill 10

Skill 10 (a) output:

```
polisettysreeharsha@SREEHA x + v
polisettysreeharsha@SREEHARSHA:~$ nano Skill10code.c
polisettysreeharsha@SREEHARSHA:~$ gcc Skill10code.c -o Skill10code
polisettysreeharsha@SREEHARSHA:~$ ./Skill10code
Current Directory Program
-----
Current directory: /home/polisettysreeharsha

shell> pwd
Current directory: /home/polisettysreeharsha

shell> hello
Unknown command: hello
Use 'pwd' or 'exit'.

shell> mkdir
Unknown command: mkdir
Use 'pwd' or 'exit'.

shell> exit
Saving current directory: /home/polisettysreeharsha
Cleaning up resources...
Exiting program.
```

Skill 10(b) output:

```
polisettysreeharsha@SREEHA X + v
polisettysreeharsha@SREEHARSHA:~$ nano Skill10bcode.c
polisettysreeharsha@SREEHARSHA:~$ gcc Skill10bcode.c -o Skill10bcode
polisettysreeharsha@SREEHARSHA:~$ ./Skill10bcode
Environment Variable Export Program
-----
Commands:
  export NAME=value
  printenv NAME
  test NAME
  exit

shell> export NAME=Harsha
Exported: NAME=Harsha

shell> printenv NAME
NAME=Harsha

shell> export NAME=Nainika
Exported: NAME=Nainika

shell> printenv NAME
NAME=Nainika

shell> export 123NAME=test
Invalid variable name: 123NAME

shell> test NAME
Child process received: NAME=Nainika

shell> exit
Exiting program.
polisettysreeharsha@SREEHARSHA:~$ |
```