

Skill

Skill (2): To Create Main Loop, Display Prompt, Read User Input, Handle Exit Conditions, Design Control Flow Diagram, Test Interactive Loop

To Capture Keyboard Input, Handle Backspace, Process Enter Key, Manage Input Buffer, Support Multi-Character Commands, Test User Interaction

Code:

```
polisettyreesharsha@SREEHA x + v
GNU nano 8.7.1 simplecommandloop.c
#include <stdio.h>
#include <unistd.h>
#include <string.h>

int main(){
    char command[100];
    while(1){
        printf("2520030123_SHELLFORGE$");
        fgets(command, sizeof(command), stdin);
        command[strcspn(command, "\n")] = '\0';

        if(strcmp(command, "exit")==0)
            break;

        printf("You entered %s \n", command);
    }
    return 0;
}
```

Output:

```
polisettyreesharsha@SREEHARSHA:~$ nano simplecommandloop.c
polisettyreesharsha@SREEHARSHA:~$ gcc simplecommandloop.c -o simplecommandloop
polisettyreesharsha@SREEHARSHA:~$ ./simplecommandloop
2520030123_SHELLFORGE$ls
You entered ls
2520030123_SHELLFORGE$exit
polisettyreesharsha@SREEHARSHA:~$ ./simplecommandloop
2520030123_SHELLFORGE$pwd
You entered pwd
2520030123_SHELLFORGE$date
You entered date
2520030123_SHELLFORGE$exit
polisettyreesharsha@SREEHARSHA:~$ |
```