

**M A S A R Y K
U N I V E R S I T Y**

FACULTY OF INFORMATICS

**Design and Implementation of a
Mobile Application with Offline
Support**

Master's Thesis

J I Ř Í L O U N

Brno, Fall 2025

**M A S A R Y K
U N I V E R S I T Y**

FACULTY OF INFORMATICS

**Design and Implementation of a
Mobile Application with Offline
Support**

Master's Thesis

J I Ř Í L O U N

Advisor: RNDr. Pavel Novák

Department of Computer Systems and Communications

Brno, Fall 2025



Declaration

Hereby I declare that this paper is my original authorial work, which I have worked out on my own. All sources, references, and literature used or excerpted during elaboration of this work are properly cited and listed in complete reference to the due source.

Jiří Loun

Advisor: RNDr. Pavel Novák

Acknowledgements

TBA

Abstract

This thesis documents the process of designing and implementing an enterprise mobile application with offline support in a real-world scenario with specific functional requirements to be fulfilled. By analyzing viable solutions and architectures, this thesis also serves as a reference for architects to be consulted when designing an optimal approach for a similar application.

Keywords

Mobile, React, React Native, Kotlin, Offline mode, Architecture, Synchronization

Contents

Introduction	1
1 Offline-enabled mobile applications	2
1.1 Concept	2
1.2 Issues to be tackled	3
1.2.1 Offline data availability	3
1.2.2 Partial changes management	4
1.2.3 Local data management	4
1.2.4 Server synchronization	4
1.2.5 Offline authentication, authorization	4
2 Technical approaches	5
2.1 Frameworks	5
2.1.1 React-Native	5
2.1.2 React PWA	5
2.1.3 Native approaches	5
2.1.4 Others	5
2.2 Local data management	5
2.2.1 Local database	5
2.2.2 Request intercepting, processing	5
2.2.3 TBA?	6
2.3 Synchronization	6
2.3.1 Mitigation	6
2.3.2 Duplication	6
2.3.3 Attribute timestamping	6
2.3.4 Advanced synchronization management	6
3 Implementation	7
3.1 Functional and non-functional requirements	7
3.2 Architecture, technology stack	7
3.3 Service Worker	7
3.4 Axios Interceptor	7
3.5 Local data management	7
3.6 Synchronization	7
4 Issues and future work	8

Conclusion	9
Bibliography	10
A Electronic attachments	11

List of Tables

List of Figures

Introduction

The primary objective of this thesis is to ...

It consists of 4 chapters; the first chapter investigates the concept of offline-enabled mobile applications, their advantages, disadvantages, and specific challenges and architectural demands. The second chapter explores the approaches to be taken when designing an architecture and technology stack of such app - each approach is further documented, stating its strengths and weaknesses and practical scenarios in which each of them play their prime. Here the thesis not only focuses on different frameworks or languages, but also, the challenges introduced in the first chapter are confronted with different technical solutions and evaluated.

The third and fourth chapters focus on selecting the right approaches in different areas based on the functional and non-functional requirements, implementation, testing, and other aspects of the practical execution of the project in the context of a real project for a real customer.

The end application conforms with the requirements and is deployed to production for the end users to work with.

Describe motivation and purpose, business context ... TODO Tibi + nejaký clanek idealne? Why does the app solve the problem? What value does it bring?

1 Offline-enabled mobile applications

First, we need to take a look at offline-enabled enterprise mobile applications as a whole and identify the challenges they have to solve in addition to conventional mobile applications. By offline-enabled I mean an application that provides a significant part of its functionality without access to the server, while the extent of said functionality may vary based on a particular project and customer's needs.

1.1 Concept

Mobile applications in the context of enterprise solutions always conform with the server-client schema — this thesis does not consider local-only applications as those have little to no use on the relevant market. In this server-client schema, there are two basic ideologies to pursue — server-heavy or client-heavy solution.

A server-heavy solution will rely largely on the backend capabilities. Any list filtering or sorting will be done through an endpoint, for example using a data search engine such as Elasticsearch¹. The app will store as little state as possible on the client and will depend on server-managed state, settings, or data.

If this concept is deepened further in the context of web applications, whole pages can be rendered on the server and sent already partially prepared (pre-rendered, waiting to be hydrated — enriched by client-rendered functionality — on the client) to the client's browser. Such approach is called SSR (Server Side Rendering) and is currently on the rise with frameworks such as Next.js² — a framework which has gained a lot of popularity in the recent years, according to Francisco Moretti.

A client-heavy application, on the other hand, will rather utilize the client's resources to process or transform data instead of asking the server to do it. It will prefer sorting or filtering data in the browser or

1. <https://www.elastic.co/elasticsearch>

2. <https://nextjs.org/>

managing state locally — for example, by using a state-management library like Redux³ or Zustand⁴.

When considering any offline capabilities, the application must not be heavily dependent on the server and thus will go in the client-heavy direction. To accommodate the offline needs, the concept of the application will need to further deepen the client's independence in order to be able to retain its functionality even when the server is not responsive due to signal loss. The specific problems that one encounters while developing such an app are further explored in the next section.

1.2 Issues to be tackled

The first and the most obvious task is to make the application available offline as a whole. While it may seem trivial for certain platforms — e.g. installing an Android application from Google Play Store — it may be the first obstacle in other approaches, e.g. React PWA (Progressive Web Application). These specifics will be examined in the following chapter; at present, we turn to more conceptual issues.

1.2.1 Offline data availability

In order for the application to be able to work with data in offline mode, these data must be downloaded in advance and kept updated. This presents a unique challenge that is not dependent on platform or framework choice — it is, generally, not a good practice to download all data that could possibly be accessed in the application — that would practically mean data mirroring of whole database or a large part of it. It is, therefore, quite imperative to try to limit the amount of data that should be available offline from the business logic side.

As an example, let's imagine a remote-synchronized enterprise calendar application for planning meetings. Meetings can be input from a device and synchronized to a server. All devices that are subscribed

3. <https://redux.js.org/>

4. <https://github.com/pmndrs/zustand>

to a certain calendar (e.g. meetings for project X) have it automatically synced with the server to display events submitted from other devices. It might very well suffice to automatically download only the current week or month for offline purposes as there is probably low business value in viewing meeting plans several months in advance or in history.

1.2.2 Partial changes management

BE and FE must cooperate on keeping the data up to date without bulk-downloading over and over

1.2.3 Local data management

local DB, need to essentially fake your own BE on FE - the client thickness

1.2.4 Server synchronization

synchronize data client->server, manage conflicts - describe strategies, options

1.2.5 Offline authentication, authorization

app usability strongly relies on the user remaining authenticated while offline

2 Technical approaches

2.1 Frameworks

list of FE approaches to take with their (dis)advantages

2.1.1 React-Native

2.1.2 React PWA

2.1.3 Native approaches

Kotlin

Flutter

2.1.4 Others

2.2 Local data management

approaches to tackle the local data management

2.2.1 Local database

fake database

2.2.2 Request intercepting, processing

fake server

2.2.3 TBA?

2.3 Synchronization

2.3.1 Mitigation

2.3.2 Duplication

2.3.3 Attribute timestamping

2.3.4 Advanced synchronization management

(approaches based on advanced methods like GIT etc)

3 Implementation

3.1 Functional and non-functional requirements

3.2 Architecture, technology stack

3.3 Service Worker

3.4 Axios Interceptor

3.5 Local data management

3.6 Synchronization

4 Issues and future work

Conclusion

Bibliography

1. MORETTI, Francisco. Next.js Revolution — The framework popularity rises in 2023 [online]. 2023 [visited on 2025-09-27]. Available from: <https://medium.com/@franciscomoretti/next-js-revolution-the-framework-popularity-rises-in-2023-a8ebc52d673a>.

A Electronic attachments