

UPTEKO



DRONE FUNCTIONALITY DEVELOPMENT

ASSISTANT ENGINEERING INTERNSHIP

INTERNSHIP S8

> PAUL WALCZAK

p9walcza@enib.fr

SUMMARY

1 INTRODUCTION

Context

2 COMPANY PRESENTATION

3 PROJECTS OVERVIEW

1. STM32 Black Box
2. LogViewer

4 ORGANIZATION

5 CONCLUSION

CONTEXT

TRIP

UPTEKO



FOUNDED IN 2019

UPTEKO

UPTEKO



Mads Joergensen



Benjamin Mejnertz



Sebastian Duus

FIELD OF ACTIVITY

WIND ENERGY

- wind-turbines inspections
- payload delivery
- aerial image acquisition

OIL AND GAS

- oil spills detection
- gas leak detection

OFFSHORE AND MARITIME

- charging station
- deployed on ship
- payload delivery

LÆRKE

- Fast Battery Replacement
- Customizable onboard computer
- Dust & Immersion proof



NEST

- Stabilized Landing Platform
- Contact-based Charging system
- Climate Control mechanism



ALBA

- lift up to 40Kg Payload
- X8 Motor frame
- fully autopilot controlled



PROJECTS

BLACK BOX

OBJECTIVES



reliable system



independent running



real time operating system



save drone 3D orientations in SD Card

GIMBAL LOCK ISSUE




Fig. - Gimbal lock explained

3 components




Fig. - Quaternion reference

4 components

WHAT IS AN IMU ?




10 degrees Of Freedom


Inertial Measurement Unit

- 3 accelerations
- 3 angular velocities
- 3 direction of a magnetic field
- 1 pressure

UPTEKO




accelerometer



gyroscope



magnetometer



Sensor Fusion

- sensitive to disturbances
- smoothly drift in time



precise and reliable data

MADGWICK FILTER




Fig. - Madgwick filter schematic

- comparison between estimated and measured gravity field
- reduce gyroscope error



open source

DEV KIT





Fig. - Project communication overview

SDCARD LOGGER



optimized data frame



fast communication



no data loss




Fig. - Frame and data store overview

UPTEKO

REAL TIME OPERATING SYSTEM

The Fast Task (IMU) run on interrupt and the slower task (Data log) is running when there is time left.




Fig. - RTOS theoretical chart




Fig. - RTOS practical measure

GRAPHICAL USER INTERFACE

Easy configuration of :

- the port
- the baud rate
- the number of bits per frame
- the number of stop bits
- the parity
- the flow control

Real-time data acquisition





Fig. - Python GUI window screenshot




DOCUMENTATION



- clear feedback



- easy to maintain



- sharable






Fig. - STM32 Black Box documentation

DEMO




PROJECTS

LOG VIEWER


TERABEE TOWEREVO



- 360° coverage



- Laser technology



- precise measure
- long range



Fig. - Terabee TowerEvo



no zone detection
only directional

UPTEKO



Fig. - Drone installation




GRAPHICAL USER INTERFACE

- playable data
- 3D orientation
- 360 data plot



plotly



ORGANIZATION

GANTT

GANTT



- time based overview



- project details



- time consuming




Fig. - Gantt diagram

CONCLUSION



Thanks to my colleagues !

Thanks to my roommates !



Confirm my desire to work in robotics



learn new technologies (ROS2, Gazebo ...)



I worked a bit alone

TAK ! / THANK YOU !



Let's talk !

> PAUL WALCZAK

p9walcza@enib.fr