UT7_PRÁCTICA_2 HTML JS

UT7_PRÁCTICA_2

HTML

```
!DOCTYPE html>
<html lang="es">
<head>
   <meta charset="UTF-8">
   <meta name="viewport" content="width=device-width, initial-scale=1.0">
   <title>COLECCIÓN de CDs</title>
   <style>
       table {
           width: 100%;
           border-collapse: collapse;
       table, th, td {
           border: 1px solid □black;
       th, td {
           padding: 8px;
           text-align: left;
       th {
           background-color: #f2f2f2;
   </style>
(/head>
   <h1>COLECCIÓN de CDs</h1>
   <button onclick="cargarCatalogo()">Carga Catálogo</button>
   <div id="tabla"></div> <!-- Aquí se mostrará la tabla -->
   <script src="index.js"></script>
```

Es similar al ejercicio anterior, es decir, un h1, con un botón que llamará al js y un div. Solo que en este caso, hay una etiqueta style, la que hará el estilo de la tabla.

COLECCIÓN de CDs

Carga Catálogo

JS

```
function cargarCatalogo() {
    let xhr = new XMLHttpRequest(); // Crear el objeto XMLHttpRequest
    xhr.onreadystatechange = function() {
        if (this.readyState == 4 && this.status == 200) {
            cargaXML(this); // Llamamos a la función cargaXML pasándole el objeto XMLHttpReque
        }
    };
    xhr.open("GET", "catalogo.xml", true); // Solicitar el archivo XML
    xhr.send(); // Enviar la solicitud
}
```

La primera función será la que es llamada desde el html por el botón, como el ejercicio anterior, se crea el xhr, que es el objeto XMLHttpRequest. Luego esperamos a que se ejecute la petición y sea aceptada, si pasa todo eso, se llama a la función cargaXML.

```
function cargaXML(xml) {{\textstyle="list-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-style-s
```

Primero, guardamos en una variable el contenido del xml llamado anteriormente, y obtenemos todos los elementos <CD>, después creamos la tabla, y recorremos todos los elementos CD y extraemos los datos, y después creamos la fila para la tabla con esos datos recogido, posteriormente cerramos la tabla y la imprimimos la tabla en el div del html.

COLECCIÓN de CDs

-		
Carga	Catál	Ono
Carya	Cata	υyυ

Carga Catálogo							
Título	Artista	País	Compañía	Precio	Año		
Empire Burlesque	Bob Dylan	USA	Columbia	10.90	1985		
Hide your heart	Bonnie Tyler	UK	CBS Records	9.90	1988		
Greatest Hits	Dolly Parton	USA	RCA	9.90	1982		
Still got the blues	Gary Moore	UK	Virgin records	10.20	1990		
Eros	Eros Ramazzotti	EU	BMG	9.90	1997		
One night only	Bee Gees	UK	Polydor	10.90	1998		
Sylvias Mother	Dr.Hook	UK	CBS	8.10	1973		
Maggie May	Rod Stewart	UK	Pickwick	8.50	1990		
Romanza	Andrea Bocelli	EU	Polydor	10.80	1996		
When a man loves a woman	Percy Sledge	USA	Atlantic	8.70	1987		
Black angel	Savage Rose	EU	Mega	10.90	1995		
1999 Grammy Nominees	Many	USA	Grammy	10.20	1999		
For the good times	Kenny Rogers	UK	Mucik Master	8.70	1995		
Big Willie style	Will Smith	USA	Columbia	9.90	1997		
Tupelo Honey	Van Morrison	UK	Polydor	8.20	1971		
Soulsville	Jom Hoel	Norway	WEA	7.90	1996		
The very best of	Cat Stevens	UK	Island	8.90	1990		
Stop	Sam Brown	UK	A and M	8.90	1988		
Bridge of Spies	T'Pau	UK	Siren	7.90	1987		
Private Dancer	Tina Turner	UK	Capitol	8.90	1983		
Midt om natten	Kim Larsen	EU	Medley	7.80	1983		
			+	+	+		