

Polyverif Setup And Installation guide

Below you can find instructions on how to setup the self-driving demo of AWSIM simulation controlled by Autoware. The instruction assumes using the Ubuntu OS.

Required PC Specs:

Please make sure that your machine meets the following requirements in order to run the simulation correctly:

OS	Ubuntu 22.04 jammy 64-bit
CPU	11th Gen Intel® Core™ i7-11700K @ 3.60GHz × 16
GPU	NVIDIA GeForce RTX 4070
Nvidia Driver (Ubuntu 22)	535.161.07

Localhost settings:

The simulation is based on the appropriate network setting, which allows for trouble-free communication of the AWSIM simulation with the Autoware software. To apply required localhost settings please add the following lines to `~/bashrc` file

```
if [ ! -e /tmp/cycloneDDS_configured ]; then sudo sysctl -w
net.core.rmem_max=2147483647 sudo ip link set lo multicast on touch
/tmp/cycloneDDS_configured
fi
```

and these lines to `~/profile` or in either of files: `~/bash_profile` or `~/bash_login`:

```
export ROS_LOCALHOST_ONLY=1
export RMW_IMPLEMENTATION=rmw_cyclonedds_cpp
```

Note: A system restart is required for these changes to work.

1.Download and Run AWSIM Demo Binary

a. Install Vulkan Graphics Library

```
$ sudo apt update  
$ sudo apt install libvulkan1
```

b. Download PolyVerif package using below link.

git clone --branch PolyVerif-AWSIM --single-branch <https://github.com/MaheshM99/PolyVerif.git>

In order to configure and run the PolyVerif framework, create adehome directory in home directory and copy content of polyverif packages to adehome directory.

Once adehome directory created then clone AWSIM binary in adehome dir using below link.

[https://drive.google.com/drive/folders/1a1kA9CD30_pXpm-4AeEP2s2z4QrhCqxJ?usp=drive link](https://drive.google.com/drive/folders/1a1kA9CD30_pXpm-4AeEP2s2z4QrhCqxJ?usp=drive_link)

Make the AWSIM_v1.2.0.x86_64 file executable. execute the command below.

```
$ chmod +x <path to AWSIM folder>/AWSIM_v1.2.0.x86_64
```

c. Launch AWSIM_v1.2.0.x86_64

```
$ ./<path to AWSIM folder>/AWSIM_v1.2.0.x86_64
```



2. Launching Autoware

In order to configure and run the Autoware software with the AWSIM demo, please:

1.Download map files (pcd, osm) and unzip them.

https://github.com/tier4/AWSIM/releases/download/v1.1.0/nishishinjuku_aware_map.zip

2.Clone [Autoware](#) in home directory and move to the directory.

```
$ git clone https://github.com/autowarefoundation/autoware.git  
$ cd autoware
```

3.Switch branche to awsim-stable

```
$ git checkout awsim-stable
```

4.Configure the environment

```
$ ./setup-dev-env.sh
```

5.Create the src directory and clone external dependent repositories into it

```
$ mkdir src  
$ vcs import src < autoware.repos
```

6.Install dependent ROS packages


```
$ source /opt/ros/humble/setup.bash  
$ rosdep update  
$ rosdep install -y --from-paths src --ignore-src --rosdistro $ROS_DISTRO
```

7. Build the workspace

```
$ colcon build --symlink-install --cmake-args -DCMAKE_BUILD_TYPE=Release  
-DCMAKE_CXX_FLAGS="-w"
```


8. Launch Autoware.

```
$ source install/setup.bash  
$ ros2 launch autoware_launch e2e_simulator.launch.xml  
vehicle_model:=sample_vehicle sensor_model:=awsim_sensor_kit  
map_path:=<your mapfile location>
```



3 Let's run the self-Driving simulation


1. Launch AWSIM and Autoware according to the steps described earlier in this document.




2. The Autoware will automatically set its pose estimation as presented below.



3.Set the navigation goal for the vehicle.




The generated path can be seen.



4. Enable self-driving.

```
$ cd autoware
$ source install/setup.bash
$ ros2 topic pub /autoware/engage autoware_auto_vehicle_msgs/msg/Engage
'{engage: True}' -1
```



The self-driving simulation demo has been successfully launched !!!!!