

Name: Saiprasad Ashokrao Kawkdikar

PRN No: 202501040030

1.1.3. Days between Two Dates

05:19

Write a Python program to calculate number of days between two dates.

Input Format:

- The first line contains the first date in the format .
- The second line contains the second date in the format .

Output Format:

- An integer representing the number of days between the given dates.

Note:

- The first date should always be considered earlier than the second date.

```
from datetime import date
date1_input = input().strip()
date2_input = input().strip()
y1, m1, d1 = map(int, date1_input.split('-'))
y2, m2, d2 = map(int, date2_input.split('-'))
date1 = date(y1, m1, d1)
date2 = date(y2, m2, d2)
difference = date2 - date1
print(difference.days)
```

The screenshot displays a code editor window titled "noOfDay..." with a Python script. The script takes two date strings as input, splits them into year, month, and day components, and uses the `datetime` module to calculate the difference in days between the two dates. The code is as follows:

```
1 from datetime import date
2 date1_input = input().strip()
3 date2_input = input().strip()
4 y1, m1, d1 = map(int, date1_input.split('-'))
5 y2, m2, d2 = map(int, date2_input.split('-'))
6 date1 = date(y1, m1, d1)
7 date2 = date(y2, m2, d2)
8 difference = date2 - date1
9 print(difference.days)
```

Below the code editor, the test runner interface shows the following details:

- Average time:** 0.007 s (7.25 ms)
- Maximum time:** 0.010 s (10.00 ms)
- Test Results:** 2 out of 2 shown test case(s) passed, 2 out of 2 hidden test case(s) passed.

Two test cases are detailed:

- Test case 1 (10 ms):** Expected output: 2014-07-02, 2014-11-02, 123. Actual output: 2014-07-02, 2014-11-02, 123.
- Test case 2 (6 ms):** Expected output: 2014-07-02, 2014-07-11, 9. Actual output: 2014-07-02, 2014-07-11, 9.

At the bottom, there are buttons for "Terminal", "Test cases", and navigation controls: "< Prev", "Reset", "Submit", and "Next >".