

LOGIC BOMB

CLASSIC EDITION

BOMB DEFUSAL MANUAL

Version 1

A classroom bomb-defusal game. All rules, text and art are original.

You are holding the only copy of the instructions.

Somewhere nearby, a colleague is staring at a ticking device and waiting for you to say something useful. They can see the bomb. You can't. You can read this manual. They can't.


Read carefully, speak clearly, and never guess.

The clock does not care how close you were.

Defusing Bombs

A bomb explodes when its countdown timer reaches 0:00 or when it records too many strikes. The bomb is defused only when every module on it has been disarmed before time runs out.

Example Bomb



Modules

A bomb can hold up to eleven modules. Each one is separate and can be disarmed in any order. Section 1 covers regular modules. "Needy" modules never stay disarmed and are covered in Section 2.

Strikes

Every mistake the Defuser makes records a strike, shown above the countdown timer. Each strike makes the timer run faster. When the last allowed strike is recorded, the bomb explodes.


Gathering Information

Many instructions need details printed on the bomb's casing, such as the serial number, batteries, indicators and ports. The Defuser can turn the bomb over to read the top, bottom and sides. See Appendices A, B and C.

Section 1: Modules


A module has a status light in its top right corner. When the light turns green, the module is disarmed.

Every module must be disarmed to defuse the bomb.



On the Subject of Wires

Several wires, one correct snip. Count twice, cut once.



A wires module has three to six wires. Only **one** of them must be cut. Wires are counted from the **top** down: the top wire is the first wire.

3 wires:

- If there are no blue wires, cut the third wire.
- Otherwise, if the first wire is white, cut the first wire.
- Otherwise, if there is more than one blue wire, cut the last blue wire.
- Otherwise, cut the second wire.

4 wires:

- If there is more than one yellow wire and the last digit of the serial number is even, cut the first yellow wire.
- Otherwise, if there are no black wires, cut the fourth wire.
- Otherwise, if there is exactly one red wire, cut the third wire.
- Otherwise, if the last wire is white, cut the first wire.
- Otherwise, cut the second wire.

5 wires:

- If the second wire is black and the bomb has a lit indicator, cut the second wire.
- Otherwise, if there are exactly two red wires, cut the first red wire.
- Otherwise, if there are no white wires and the serial number contains a vowel, cut the fifth wire.
- Otherwise, if there are more yellow wires than blue wires, cut the last yellow wire.
- Otherwise, cut the third wire.

6 wires:

- If there are no red wires and the bomb has three or more batteries, cut the second wire.
- Otherwise, if the first and last wires are the same color, cut the fourth wire.
- Otherwise, if there is exactly one black wire, cut the black wire.
- Otherwise, if the last digit of the serial number is odd, cut the sixth wire.
- Otherwise, cut the fifth wire.

On the Subject of The Button



It begs to be pressed. Sometimes it should be held instead.

Follow the **first** rule below that applies:


1. If the button is white and the label says "WAIT", hold the button and see "Releasing a Held Button".
2. If the button is red and the bomb has two or more batteries, press and immediately release the button.
3. If the label says "PUSH" and the bomb has a lit indicator, press and immediately release the button.
4. If the button is blue, hold the button and see "Releasing a Held Button".
5. If the bomb has a parallel port, press and immediately release the button.
6. Otherwise, hold the button and see "Releasing a Held Button".

Releasing a Held Button

While the button is held, a colored strip lights up to the right of it. Release the button when the countdown timer shows the digit below **in any position**.

Strip color	Release when the timer shows a
Blue	**3**
White	**2**
Yellow	**6**
Red	**7**

On the Subject of Keypads




Four strange symbols. Only one column knows their order.

Exactly one column below contains all four symbols on the keypad. Press the four keys in the order their symbols appear in that column, from **top to bottom**.

☾	✿	Ω	♣	⚡	☎
✦	☾	✈	¶	☀	⚑
Ψ	☂	ϟ	♪	♞	Ж
⚓	ϟ	☯	⚙	✂	☯
♞	♜	✦	Ψ	Ω	⚡
¶	Ж	‡	☀	Я	✉
☂	⚑	♪	✂	∞	♣

On the Subject of Simon

A pattern of lights that wants an answer in kind.



1. One of the four colored pads will flash.
2. Using the table below, the Defuser presses the matching color.
3. The original pad flashes again, followed by one more. Press the matching color for each one, in order.
4. The sequence grows by one each time until the module is disarmed. A wrong press is a strike and the current sequence starts over.

If the serial number contains a vowel:


	Red flash	**Blue flash**	**Green flash**	**Yellow flash**
0 strikes	Green	Yellow	Blue	Red
1 strike	Yellow	Green	Red	Blue
2 or more strikes	Green	Red	Yellow	Blue

If the serial number does not contain a vowel:

	Red flash	**Blue flash**	**Green flash**	**Yellow flash**
0 strikes	Yellow	Blue	Red	Green
1 strike	Blue	Green	Yellow	Red
2 or more strikes	Red	Yellow	Blue	Green

Use the number of strikes on the bomb at the moment of each press.

On the Subject of the Word Board



Six buttons, one display, and a lot of words that sound alike.

Disarm this module in three stages. Each stage has two steps.

Step 1

Have the Defuser read the display and spell it out. Find the word below. The highlighted box shows which **button** to read next. Then go to Step 2.

THERE 	**THEIR** 	**THEY'RE** 
LEAD 	**LED** 	**READ** 
RED 	**REED** 	**WAIT** 
WEIGHT 	**TWO** 	**TOO** 
TO 	**KNOW** 	**NO** 
NOW 	**YES** 	**YEAH** 


Step 2

Find the word on the button from Step 1 in the left column. Read its list from left to right and press the **first** word in the list that appears on any button. The list may include the word itself.

HERE	PIQUE, SEW, RIGHT, LO, RITE, WRITE, SO, PEEK, HERE, HIGHER, PEAK, HIRE, HEAR, LOW
HEAR	PIQUE, SO, WRITE, LO, HIGHER, HEAR, HIRE, SEW, HERE, RITE, RIGHT, PEEK, PEAK, LOW
HIGHER	PIQUE, PEEK, HEAR, HIRE, RITE, SEW, HERE, HIGHER, LOW, RIGHT, LO, WRITE, SO, PEAK
HIRE	RIGHT, PEAK, RITE, WRITE, HERE, PIQUE, LO, LOW, HIGHER, PEEK, HIRE, HEAR, SEW, SO
WRITE	PEAK, WRITE, PIQUE, HIGHER, SO, HERE, HEAR, RITE, LO, PEEK, SEW, RIGHT, LOW, HIRE
RIGHT	WRITE, PEAK, HIGHER, PEEK, LO, HEAR, PIQUE, LOW, RIGHT, SO, HERE, HIRE, SEW, RITE
RITE	HEAR, HIGHER, RIGHT, RITE, LO, PEAK, HERE, SEW, SO, WRITE, PEEK, LOW, HIRE, PIQUE
LOW	LOW, SO, LO, WRITE, HERE, HIGHER, RITE, HIRE, PEAK, SEW, PIQUE, PEEK, HEAR, RIGHT
LO	PIQUE, PEAK, LO, SO, HERE, RIGHT, SEW, LOW, HIRE, WRITE, PEEK, RITE, HEAR, HIGHER
PEAK	PEAK, HIGHER, WRITE, RIGHT, SO, HEAR, SEW, LOW, HIRE, RITE, LO, PIQUE, PEEK, HERE
PEEK	SO, SEW, PEEK, HIGHER, HEAR, PIQUE, HERE, RIGHT, RITE, HIRE, WRITE, PEAK, LO, LOW
PIQUE	LO, PEAK, HIGHER, HEAR, RIGHT, SEW, LOW, RITE, HERE, PIQUE, PEEK, WRITE, HIRE, SO
SO	SEW, PEEK, HEAR, RITE, WRITE, LOW, RIGHT, HIRE, HERE, LO, SO, HIGHER, PEAK, PIQUE
SEW	PEEK, RITE, HIGHER, WRITE, RIGHT, LOW, HEAR, HERE, PEAK, LO, PIQUE, SO, SEW, HIRE

On the Subject of Memory

Remember what you did. The bomb certainly will.




Press the correct button to move on to the next stage. Disarm all five stages to disarm the module. A wrong press resets the module to stage 1. Buttons are numbered by **position** from left to right; their **label** is the number printed on them.

Write down the position and label of every button you press.

	Display 1	**Display 2**	**Display 3**	**Display 4**
Stage 1	Press the button in position 3.	Press the button in position 1.	Press the button labeled "4".	Press the button in position 2.
Stage 2	Press the button with the same label as in stage 1.	Press the button in position 4.	Press the button labeled "1".	Press the button in the same position as in stage 1.
Stage 3	Press the button labeled "2".	Press the button in the same position as in stage 2.	Press the button in position 1.	Press the button with the same label as in stage 1.
Stage 4	Press the button in position 4.	Press the button with the same label as in stage 3.	Press the button in the same position as in stage 1.	Press the button labeled "3".
Stage 5	Press the button with the same label as in stage 2.	Press the button in the same position as in stage 3.	Press the button in position 2.	Press the button with the same label as in stage 4.

On the Subject of Morse Code

A blinking light that spells one word, over and over.




The light flashes a word in Morse code: short flashes are dots, long flashes are dashes. A long pause means the word is about to repeat. Find the word in the table, set the matching frequency with the arrows and press **TX**.

A	•–
B	–•••
C	–•–•
D	–••
E	•
F	••–•
G	––•
H	••••
I	••
J	•–––
K	–•–
L	•–••
M	––

N	–•
O	–––
P	•––•
Q	––•–
R	•–•
S	•••
T	–
U	••–
V	•••–
W	•––
X	–••–
Y	–•––
Z	––••

Word	Respond at
alarm	3.410 MHz
brave	3.418 MHz
clock	3.424 MHz
drift	3.437 MHz
ember	3.441 MHz
flash	3.456 MHz
globe	3.462 MHz
hound	3.475 MHz
ivory	3.483 MHz
jolly	3.497 MHz
knock	3.506 MHz
lunar	3.519 MHz
motor	3.528 MHz
noble	3.534 MHz
ocean	3.547 MHz
piano	3.560 MHz

On the Subject of Complex Wires



Stripes, stars and little lights. Each wire is its own decision.


Each wire runs from top to bottom. Above each wire is an LED; below it is a space that may show a ★. A wire may be red, blue, striped red and blue, or white. Decide for each wire separately using the table. Order does not matter.

Red	Blue	★	LED on	Letter
Yes	—	—	—	**A**
Yes	—	—	Yes	**E**
Yes	—	Yes	—	**C**
Yes	—	Yes	Yes	**L**
Yes	Yes	—	—	**U**
Yes	Yes	—	Yes	**C**
Yes	Yes	Yes	—	**A**
Yes	Yes	Yes	Yes	**L**
—	—	—	—	**C**
—	—	—	Yes	**L**
—	—	Yes	—	**E**
—	—	Yes	Yes	**A**
—	Yes	—	—	**E**
—	Yes	—	Yes	**U**
—	Yes	Yes	—	**L**
—	Yes	Yes	Yes	**C**

C	Cut the wire
L	Leave the wire
E	Cut the wire if the last digit of the serial number is even
U	Cut the wire if the bomb has a USB port
A	Cut the wire if the bomb has two or more batteries

A striped wire counts as both red and blue. A white wire is neither.

On the Subject of Wire Sequences



Four panels of wires. Keep count as you go.

The module has four panels. Each panel connects plugs **1-3** on the left to plugs **A-C** on the right. Cut every wire the tables say to cut, then press **NEXT** to move to the next panel. Pressing NEXT while a wire still needs cutting is a strike.

Keep a running count of each color across **all** panels, including wires you did not cut. On each panel, go from plug 1 to plug 3.


Red wires	
Occurrence	**Cut if connected to**
First	C
Second	A
Third	B
Fourth	A or C
Fifth	B
Sixth	A or B
Seventh	C
Eighth	B or C
Ninth	A

Blue wires	
Occurrence	**Cut if connected to**
First	B
Second	A or C
Third	C
Fourth	A
Fifth	B or C
Sixth	C
Seventh	A or B
Eighth	A
Ninth	B


Black wires	
Occurrence	**Cut if connected to**
First	A or B
Second	C
Third	A
Fourth	B or C
Fifth	A
Sixth	B
Seventh	A or C
Eighth	C
Ninth	A or B or C

On the Subject of Mazes


Invisible walls. Visible consequences.



The screen shows a 6×6 grid, two green circles, a white square (the Defuser) and a red triangle (the exit). Find the maze below with circles in the same places. Then guide the white square to the triangle with the arrow buttons. Moving into a wall is a strike. The walls are not shown on the bomb.



On the Subject of Passwords




Five dials of letters, and only one word fits.

Each of the five windows cycles through six letters with its arrows. Only one word below can be spelled. Set the windows to that word and press **SUBMIT**. A wrong word is a strike.

amber	blaze	cabin	candy	chair
cloud	crane	dance	eagle	faith
frost	ghost	grape	heart	honey
juice	knife	lemon	magic	mouse
night	olive	paint	pearl	queen
river	robot	sheep	smile	storm
tiger	toast	uncle	voice	wheat

Tip: ask for the letters in the first column, cross off every word that can't start that way, then do the next column.


Section 2: Needy Modules



Needy modules can't be disarmed. They switch on from time to time and must be dealt with before their own countdown runs out.

Stay alert: a needy module can wake up at any moment.

On the Subject of Venting




The system has a question. Answer it before it answers itself.

When active, the screen asks a question with a 40-second countdown above it. Answer with **Y** or **N**. A wrong answer, or no answer, is a strike.

PURGE COOLANT?	**Press Y**
SELF DESTRUCT?	**Press N**

On the Subject of Capacitors




It fills up. You drain it. Forever.

When active, the capacitor slowly charges and its countdown falls from 45. Hold the **DISCHARGE** lever down to drain it and push the countdown back up. If the countdown reaches 0, it records a strike.

On the Subject of Knobs

Twelve little lights point the way.




When active, some of the twelve lights switch on and a 30-second countdown starts. Turn the knob (each click turns it a quarter clockwise) so it points in the direction shown below, measured from the **UP** label. When the countdown reaches 0, the knob is checked. A wrong direction is a strike.

Filled circles are lit lights.

Up	●○●○●○ ●●●○○● / ○●●○○● ○●○○●○
Right	●●○●○● ○○○●●● / ○○○○●● ●●●○○○
Down	○●○●●○ ○○●●○● / ●○○●○● ●●○●○○
Left	●○○○●● ○●●●○○ / ○○●●●○ ●○●○○●

Appendix A: Indicator Identification Reference

Indicators are small lights with a three-letter label, found on the sides of the casing. Some rules care only whether **any** indicator is lit.




A lit indicator

Labels you may see

ARM BAT CAB DOC FIG GEM HUB
LUX NOX SOL VEX

Appendix B: Battery Identification Reference

Batteries sit in holders on the sides of the casing. Count every battery, not every holder.

Holder	Batteries
 AA holder	2
 D holder	1

Appendix C: Port Identification Reference

Ports are grouped on plates on the sides of the casing, with their names printed underneath.

PARALLEL	
SERIAL	
USB	
HDMI	
RJ-45	