REQUIREMENT ANALYSIS

Data Flow Diagram & User Stories

Date	03 October 2026
Team ID	SWTID-2026-6390
Project Name	Script-Controlled ACL – Restrict Record Access Based on Field Value
Maximum Marks	4 Marks

Data Flow Diagram

The diagram shows how data moves in this project. The administrator sets up the users, roles, table, records and ACLs. When a user asks for access, the ServiceNow ACL evaluation checks the user's roles, the record's Branch value and the requested operation, and then gives an allow or deny decision.




Figure 1: Data flow of the Script-Controlled ACL project.

User Stories

The stories below cover the setup, READ, CREATE, WRITE and DELETE parts of the project, with the sprint in which each one is planned.

User Type	Functional Requirement (Epic)	User Story No.	User Story / Task	Acceptance Criteria	Priority	Release
Administrator	Creation of Users and Roles	**USN-1**	As an administrator, I can create the test user EEE User and a user with no bb roles.	Both users appear in the Users list.	High	Sprint-1
Administrator	Creation of Users and Roles	**USN-2**	As an administrator, I can create the roles bb1, bb2, bb3 and bb4.	All four roles appear in the Roles list.	High	Sprint-1
Administrator	Creation of Users and Roles	**USN-3**	As an administrator, I can assign bb1 to EEE User and add bb2, bb3 and bb4 step by step during testing.	The assigned roles show on the user record.	High	Sprint-1
Administrator	Tables Creation	**USN-4**	As an administrator, I can create the table Institution Details (u_institution_details).	The table is created successfully.	High	Sprint-1
Administrator	Tables Creation	**USN-5**	As an administrator, I can add the required fields and records with ECE, EEE and CSE Branch values.	The fields exist and records for all three branches are available.	High	Sprint-1
Administrator	Read ACL	**USN-6**	As an administrator, I can create an active advanced READ ACL for u_institution_details.	The ACL has the read operation, role bb1, Branch = EEE and the script.	High	Sprint-2
EEE User	Read ACL	**USN-7**	As a user with bb1, I can view EEE branch records.	The bb1 user sees only EEE records.	High	Sprint-2
User without bb1	Read ACL	**USN-8**	As a user without bb1, I should not be able to view the protected records.	The user cannot see the records.	High	Sprint-2
Administrator	Read ACL	**USN-9**	As an administrator, I can view the records of all branches.	The administrator sees ECE, EEE and CSE records.	High	Sprint-2
User with bb1 and bb2	Create ACL	**USN-10**	As a user with bb1 and bb2, I can use the New button to add a record.	The New button is available and a record can be created.	High	Sprint-3
User with bb1, bb2 and bb3	Write ACL	**USN-11**	As a user with bb1, bb2 and bb3, I can view and edit EEE records.	The user can edit EEE records and still has the New button.	High	Sprint-3
User with bb1 to bb4	Delete ACL	**USN-12**	As a user with all four roles, I can view, create, edit and delete EEE records.	All four operations work on EEE records.	High	Sprint-4