


To request an update to this runbook please click [here](#) (OC1 link)

NA LVV Service: Portal Tutorial

Tools Required	Username and password created by the DCO engineer

First time logging into the portal

- Once a [user account has been created](#), the LVV site lead will receive an automated email for verifying the account
 - Use the tenancy name `lvv-dcbt-dco`
 - The initial one-time password for the account can be obtained from the DCO engineer
 - The unique vendor name will be there in the automated email
- Verify and reset the password using the link in the email
- From a browser, go to the [lvv-portal](#)
- In the initial Sign In page for tenancy write: `lvv-dcbt-dco` and click Continue



Cloud Infrastructure

Sign In

Tenancy

Continue

- The next page will ask for the vendor name and the password. Provide your unique vendor name and the password here

lvv-portal

Change tenancy

Sign in with your Oracle Cloud Infrastructure credentials

User Name

Password

Sign In

Forgot Password?

- The initial page will display the assigned projects to the vendor based on the building and block

ORACLE

LVV Portal Vendor Name: ansaagra

Region

us-sanjose-1 (SJC)

Projects

Select project to view items

Project ID	Building	Block(s)
Test Project SJC3	sjc3	18

Looking at project detail

- Click on the project in the Projects table to get the list of racks with cabling issues

ORACLE

LVV Portal Vendor Name: ansaagra

Region

us-sanjose-1 (SJC)

Projects

Project Test Project SJC3 Details

Project ID

Building

Block(s)

Test Project SJC3

sjc3

18

Search:

Search rack location / block / serial / type / ticket

☐ Include in-service racks

Filter by block: ☒ 18

Page size: 25

Rack Location	Block	Rack Serial Number	Issue(s) Type	Ticket	Rack State
4202	18	2444NMY01B	Final Rack Validation	DO-2553750	RECEIVED
4203	18	2444NMY01R	Final Rack Validation	DO-2553738	RECEIVED
4304	18	2448NMY02X	Final Rack Validation	DO-2552316	RECEIVED

Page

1

of 1

(1-3 of 3 items)

<

<

1

>

>

- You can check the `Include in-service racks` checkbox to see the in-service racks

ORACLE[®] LVV Portal Vendor Name: ansaagra

Region
us-sanjose-1 (SJC)

Projects

Project ID ▾

Building ▾

Block(s) ▾

Test Project SJC3	sjc3	18
-------------------	------	----

Project Test Project SJC3 Details

Search:

☒ Include in-service racks

Filter by block: ☒ 18

Page size:

Rack Location ▾	Block ▾	Rack Serial Number ▾	Issue(s) Type ▾	Ticket ▾	Rack State ▾
3701	18	2435XL8036			AVAILABLE
3702	18	2436XL8043			AVAILABLE
3703	18	2437XL80DB			AVAILABLE
3704	18	2436XL8040			AVAILABLE
3705	18	2436XL804P			AVAILABLE
3706	18	2435XL801R			AVAILABLE
3707	18	2437XL80F6			AVAILABLE
3802	18	2438XL80HF			AVAILABLE
3803	18	2438XL80J7			AVAILABLE
3804	18	2438XL80M1			AVAILABLE
3805	18	2438XL80BY			AVAILABLE
3806	18	2438XL80RV			AVAILABLE
3807	18	2438XL80NB			AVAILABLE

- You can filter the results by rack location/block/rack serial/ticket type/ticket ID using the search bar

ORACLE[®] LVV Portal Vendor Name: ansaagra

Region
us-sanjose-1 (SJC)

Projects

Project ID ▾

Building ▾

Block(s) ▾

Test Project SJC3	sjc3	18
-------------------	------	----

Project Test Project SJC3 Details

Search:

☒ Include in-service racks

Filter by block: ☒ 18

Page size:

Rack Location ▾	Block ▾	Rack Serial Number ▾	Issue(s) Type ▾	Ticket ▾	Rack State ▾
3701	18	2435XL8036			AVAILABLE
3702	18	2436XL8043			AVAILABLE
3703	18	2437XL80DB			AVAILABLE
3704	18	2436XL8040			AVAILABLE
3705	18	2436XL804P			AVAILABLE
3706	18	2435XL801R			AVAILABLE
3707	18	2437XL80F6			AVAILABLE

Page 1 of 1 (1-7 of 7 items) |< < 1 > >|

- Click on the desired rack in the Project Details table to validate or see the errors for that rack

ORACLE[®] LVV Portal Vendor Name: ansaagra

Region
us-sanjose-1 (SJC)

Projects

Project ID	Building	Block(s)
Test Project SJC3	sjc3	18

Project Test Project SJC3 Details

Search:

☐ Include in-service racks Filter by block: ☒ 18

Page size: 25

Rack Location	Block	Rack Serial Number	Issue(s) Type	Ticket	Rack State
4202	18	2444NMY01B	Final Rack Validation	DO-2553750	RECEIVED
4203	18	2444NMY01R	Final Rack Validation	DO-2553738	RECEIVED
4304	18	2448NMY02X	Final Rack Validation	DO-2552316	RECEIVED

Page 1 of 1 (1-3 of 3 items)

Validating the rack

- Once you select a rack, you will land on the rack validation page
 - Here you will see the list of devices in the rack which can be validated along with their elevation and status. The various statuses are:
 - Not Triggered -> There hasn't been a validation triggered for this device yet
 - In Progress -> The device validation is in progress
 - Completed -> The device validation is completed. You can see the number of link errors in the errors column
 - Device Unreachable -> The device is unreachable and therefore cannot be validated
 - You can also see the elevation and error count for each device
 - You can select the devices you want to validate or can select the above checkbox to select all devices to validate. If you don't select any device, it by default validates all the devices

ORACLE[®] LVV Portal Vendor Name: ansaagra

Region
uk-london-1 (LHR)

Building: **lhr18** Block: **2** Rack: **1011** Serial: **2547XV8072**

Validation Summary

☒ Hide Unsupported LLDP errors

Validation has not been triggered for this rack.
Please select the devices and hit the Validate button above to run validation.

☐ Device	Elevation	Errors	Status
> ☐ lhr18-c1-b2-t0-r25	42	0	Not Triggered
> ☐ lhr18-c1-b2-t0-r24	40	0	Not Triggered
> ☐ lhr18-c1-b2-t0-r24-u1	39	0	Not Triggered

- You can then hit the validate button to run the validations

Building: **lhr18** Block: **2** Rack: **1011** Serial: **2547XV8072**

Validation Summary

Validate

Resolve

Download CSV

☒ Hide Unsupported LLDP errors

+

-

Validation has not been triggered for this rack.
Please select the devices and hit the Validate button above to run validation.

Device	Elevation	Errors	Status
> ☒ lhr18-c1-b2-t0-r25	42	0	Not Triggered
> ☒ lhr18-c1-b2-t0-r24	40	0	Not Triggered
> ☐ lhr18-c1-b2-t0-r24-u1	39	0	Not Triggered

- This will trigger the rack validation, which would take a few minutes

Building: **lhr18** Block: **2** Rack: **1011** Serial: **2547XV8072**

Validation in progress...



Validation Summary

Validate

Resolve

Download CSV

☒ Hide Unsupported LLDP errors

+

-

Device	Elevation	Errors	Status
> ☒ lhr18-c1-b2-t0-r25	42	0	In Progress
> ☒ lhr18-c1-b2-t0-r24	40	0	In Progress
> ☐ lhr18-c1-b2-t0-r24-u1	39	0	Not Triggered

- Once the validation is completed, you would be able to see a high level summary of the validation failures

Building: **lhr18** Block: **2** Rack: **1011** Serial: **2547XV8072**

Validation Summary

Validate

Resolve

Download CSV

☒ Hide Unsupported LLDP errors

+

-

3 link(s) have validation failures
0 device(s) are unreachable

Device	Elevation	Errors	Status
> ☒ lhr18-c1-b2-t0-r25	42	1	Completed
> ☒ lhr18-c1-b2-t0-r24	40	2	Completed
> ☐ lhr18-c1-b2-t0-r24-u1	39	0	Not Triggered

- You can expand on each device to view the results for that device OR use the Expand All / Collapse All button to expand/collapse all device results at once

Building: **lhr18** Block: **2** Rack: **1011** Serial: **2547XV8072**

Validation Summary

Validate

Resolve

Download CSV

☒ Hide Unsupported LLDP errors

+

-

3 link(s) have validation failures
0 device(s) are unreachable

Device

Elevation

Errors

Status

☒ lhr18-c1-b2-t0-r25

42

1

Completed

Device A Rack	Device A Name	Device A Port	Current Device B Rack	Current Device B...	Current Device B Port	Expected Device B Rack	Expected Device B Name	Expected Device B Port	LLDP Status	TX Power
1011:42	lhr18-c1-b2-t0-r25	Ethernet9/1	Unknown	Unknown	Unknown	0910:20	lhr18-c1-b2-t1-r1	Ethernet8/5	MISMATCH	

☒ lhr18-c1-b2-t0-r24

40

2

Completed

Device A Rack	Device A Name	Device A Port	Current Device B Rack	Current Device B...	Current Device B Port	Expected Device B Rack	Expected Device B Name	Expected Device B Port	LLDP Status	TX Power
1011:40	lhr18-c1-b2-t0-r24	Ethernet19/1	Unknown	Unknown	Unknown	1010:25	lhr18-c1-b2-t1-r14	Ethernet8/1	MISMATCH	
1011:40	lhr18-c1-b2-t0-r24	Ethernet21/1	Unknown	Unknown	Unknown	1010:26	lhr18-c1-b2-t1-r15	Ethernet8/1	MISMATCH	1.83

- If you scroll slightly to the right, you would also see if there are any PSU failures. Generally, a green check would mean no PSU errors

Device

Elevation

Errors

Status

☒ lhr18-c1-b2-t0-r25

42

1

Completed

	Device A Port	Current Device B Rack	Current Device B...	Current Device B Port	Expected Device B Rack	Expected Device B Name	Expected Device B Port	LLDP Status	TX Power	RX Power	PSU Failure
2-t0-r25	Ethernet9/1	Unknown	Unknown	Unknown	0910:20	lhr18-c1-b2-t1-r1	Ethernet8/5	MISMATCH			✓

Resolving an issue

- Once the cabling issue mentioned in the details page is fixed click on the Resolve button to start the revalidation
 - The revalidation process takes some time to complete

- If the issue is not fixed the DCO engineer will inform the site lead again

ORACLE[®]LVV Portal Vendor Name: vendor2

Building: phx10, Block: 1, Rack: 1214, Serial: 2509NMY03L

Validate

Resolve

Download CSV

☒ Hide "UNSUPPORTED" LLDP Status errors

* When Action Items are completed, Click the Resolve button at the top of the page to resolve the corresponding Jira ticket.

[About Oracle](#) | [Contact Us](#) | [Legal Notices](#) | [Terms Of Use](#) | [Your Privacy Rights](#)

Copyright © 2014, 2024 Oracle and/or its affiliates All rights reserved.

- If there are no more pending tasks the initial page will not have any data in the Project Details table

OCI LVV Portal

lvv.us-phoenix-1.oci.oraclecloud.com

OCI Usefull Links | Services | Oncall | [https://permission...](#) | NA KTLO - Networ... | Index of libs-relea... | LVV | NACAPS

ORACLE[®]LVV Portal Vendor Name: vendor2

rakshit.viswanatham@or

Projects

Project	Building	Block
DO115	phx1	7

Project DO115 Details

Rack Location	Rack Serial Number	Issue(s) Type	Ticket
No data to display.			
Building: phx1			
Block: 7			
Project ID: DO115			

[About Oracle](#) | [Contact Us](#) | [Legal Notices](#) | [Terms Of Use](#) | [Your Privacy Rights](#)

Copyright © 2014, 2024 Oracle and/or its affiliates All rights reserved.

Unsupported LLDP Errors

- Some of the link failures that you would see on the portal are unsupported by the Portal at the moment. We can hide them using this checkbox

ORACLE LVV Portal Vendor Name: vendor2

Building: phx10, Block: 1, Rack: 1214, Serial: 2509NMY03L

Validate Resolve Download CSV

☒ Hide "UNSUPPORTED" LLDP Status errors

* When Action Items are completed, Click the Resolve button at the top of the page to resolve the corresponding Jira ticket.

- These errors are hidden by default, but if you'd like to see them, you can uncheck it.

Building: phx10, Block: 1, Rack: 1214, Serial: 2509NMY03L

Validate Resolve Download CSV

☐ Hide "UNSUPPORTED" LLDP Status errors

Link Action Items

The following links need to be checked and replaced.

	Device A Rack	Device A Name	Device A Port	Current Device B Rack	Current Device B Name	Current Device B Port	Expected Device B Rack	Expected Device B Name	Expected Device B Port	LLDP Status	TX Power
☐	1214:23	phx10-c1-nb127-t1-r1	Ethernet10/1	1122:5	phx10-j1-crypto3	Ethernet9/1	0413:3	phx29-j1-b2-t1-r17	Ethernet9/1	UNSUPPORTED	
☐	1214:23	phx10-c1-nb127-t1-r1	Ethernet12/1	1122:5	phx10-j1-crypto3	Ethernet17/1	0413:3	phx29-j1-b2-t1-r17	Ethernet11/1	UNSUPPORTED	
☐	1214:23	phx10-c1-nb127-t1-r1	Ethernet14/1	1122:6	phx10-j1-crypto4	Ethernet9/1	0413:3	phx29-j1-b2-t1-r17	Ethernet13/1	UNSUPPORTED	
☐	1214:23	phx10-c1-nb127-t1-r1	Ethernet16/1	1122:6	phx10-j1-crypto4	Ethernet17/1	0413:3	phx29-j1-b2-t1-r17	Ethernet15/1	UNSUPPORTED	
☐	1214:23	phx10-c1-nb127-t1-r1	Ethernet18/1	1213:2	phx10-j1-crypto5	Ethernet9/1	0413:3	phx29-j1-b2-t1-r17	Ethernet17/1	UNSUPPORTED	
☐	1214:23	phx10-c1-nb127-t1-r1	Ethernet2/1	1122:2	phx10-j1-crypto1	Ethernet9/1	0413:3	phx29-j1-b2-t1-r17	Ethernet1/1	UNSUPPORTED	
☐	1214:23	phx10-c1-nb127-t1-r1	Ethernet20/1	1213:2	phx10-j1-crypto5	Ethernet17/1	0413:3	phx29-j1-b2-t1-r17	Ethernet19/1	UNSUPPORTED	
☐	1214:23	phx10-c1-nb127-t1-r1	Ethernet22/1	1213:3	phx10-j1-crypto6	Ethernet9/1	0413:3	phx29-j1-b2-t1-r17	Ethernet21/1	UNSUPPORTED	
☐	1214:23	phx10-c1-nb127-t1-r1	Ethernet24/1	1213:3	phx10-j1-crypto6	Ethernet17/1	0413:3	phx29-j1-b2-t1-r17	Ethernet23/1	UNSUPPORTED	
☐	1214:23	phx10-c1-nb127-t1-r1	Ethernet26/1	1213:5	phx10-j1-crypto7	Ethernet9/1	0413:3	phx29-j1-b2-t1-r17	Ethernet25/1	UNSUPPORTED	
☐	1214:23	phx10-c1-nb127-t1-r1	Ethernet2...	1213:5	phx10-j1-crypto7	Ethernet17/1	0413:3	phx29-j1-b2-t1-r17	Ethernet27/1	UNSUPPORTED	