Status	Finished
Started	Saturday, 24 October 2026, 10:00 PM
Completed	Saturday, 24 October 2026, 10:05 PM
Duration	5 mins 26 secs
Grade	**13.00** out of 15.00 (**86.67**%)

Question **1**

Incorrect

Mark 0.00 out of 1.00

Only values (without keys) can be printed in dictionary?

- a. False ✗
- b. True

Question **2**

Correct

Mark 1.00 out of 1.00

1,2,3 are the ____ in the following dictionary. D = {1 : "One", 2 : "Two", 3 : "Three"}

- a. None of the mentioned
- b. Keys ✓
- c. Items
- d. Values

Question **3**

Incorrect

Mark 0.00 out of 1.00

Which of the following is not method of dictionary?

- a. pop
- b. del
- c. update
- d. len ✗

Question **4**

Correct

Mark 1.00 out of 1.00

Key – value concept is in _____.

a. List
b. Tuple
c. Dictionary ✓
d. String

Question **5**

Correct

Mark 1.00 out of 1.00

Traversing a dictionary can be done using _____.

a. None of the mentioned
b. jump statement
c. if statement
d. loop ✓

Question **6**

Correct

Mark 1.00 out of 1.00

Write a statement to retrieve the value corresponding to the key 7 in dictionary 'D1'.

a. D1.disp(7)
b. D1.get(7) ✓
c. D1.values(7)
d. D1.pop(7)

Question **7**

Correct

Mark 1.00 out of 1.00

_____ datatype fall under mapping.

a. List
b. Dictionary ✓
c. String
d. Tuple

Question **8**

Correct

Mark 1.00 out of 1.00

Keys in dictionary are _____.

a. Mutable
b. integers
c. Immutable ✓
d. antique

Question **9**

Correct

Mark 1.00 out of 1.00

What will be the Output of the following code?
dl={1:10, 2:20, 3:30, 4:40}
d2={5:50, 6:60, 7:70}
dl.update (d2)
print (dl)

a. [1: 10, 2: 20, 3: 30, 4: 40, 5: 50, 6: 60, 7: 70]
b. {1:10, 2: 20, 4: 40, 5: 50, 6: 60, 7: 70}
c. {1: 10, 2: 20, 3: 30, 4: 40, 5: 50, 6: 60, 7: 70} ✓
d. [(1, 10), (2, 20), (3, 30), (4, 40), (5, 50)]

Question **10**

Correct

Mark 1.00 out of 1.00

pop function delete and _____ the element of dictionary.

a. not return
b. display
c. return ✓
d. add

Question **11**

Correct

Mark 1.00 out of 1.00

To obtain the number of entries in dictionary which command is used?

a. d.size()
b. d.len()
c. size(d)
d. len(d) ✓

Question **12**

Correct

Mark 1.00 out of 1.00

_____ function returns the number of key: value pairs of the dictionary.

a. length
b. len ✓
c. total
d. items

Question **13**

Correct

Mark 1.00 out of 1.00

Both keys and values are unique in dictionary.

a. False ✓
b. True

Question **14**

Correct

Mark 1.00 out of 1.00

_____ function returns the value corresponding to the key passed as the argument.

a. del
b. update
c. values
d. get ✓

Question **15**

Correct

Mark 1.00 out of 1.00

What will be the output of the following Python code snippet?

```
a={1:"A",2:"B",3:"C"}
print(a.get(5,4))
```

a. A

b. 5

c. 4 ✓

d. Invalid Synatx,Error