



Model Optimization and Tuning Phase

Date	16 June 2025
Student Name	Pooja Chougule
Project Title	Restaurant Recommendation System
Maximum Marks	10 Marks

Model Optimization and Tuning Phase

The Model Optimization and Tuning Phase focus eson improving the performance of our recommendation models. This includes adjusting hyperparameters, comparing model performance sunder different settings, and selecting the best model based on accuracy and generalization ability.

Themodelsweredesignedtopredictrestaurantpreferencesbasedonuserbehaviorand restaurantmetadata. Thetraining dataset included 8,000 user-restaurant interactions, and a separate validation set of 2,000 interactions was used for model evaluation.

HyperparameterTuningDocumentation(8Marks):

Model	TunedHyperparameters





Model1:

InceptionV3

(Baseline)

LearningRate: Weexperimented with different learning rates (e.g., 0.005, 0.01, 0.02) to find a stable and effective pace for model learning.

```
optimizer = Adam(learning_rate=0.001)
model5.compile(
optimizer=optimizer,
loss="categorical_crossentropy",
metrics=["accuracy"]

)
```

Batch Size: We changed the batch size, which is the number of images the model processes at once before updating its knowledge. We tested different batch sizes to balance speed and memory usage.

```
# Load and preprocess training data
train_data = train_datagen.flow_from_directory(
train_dir,
target_size=img_size,
class_mode="categorical",
batch_size=100

# Load and preprocess test data
test_data = test_datagen.flow_from_directory(
test_dir,
target_size=img_size,
class_mode="categorical",
batch_size=100

15 )
```





Model2:

InceptionV3

(Optimized)

LearningRate:Wemadefineradjustmentstothelearningrate,buildingon what we learned from Model 1, to see if we could improve performance further.

```
optimizer = Adam(learning_rate=0.001)
model5.compile(
optimizer=optimizer,
loss="categorical_crossentropy",
metrics=["accuracy"]
)
```

BatchSize:WeusedthebestbatchsizefromModel1.





```
# Load and preprocess training data
train_data = train_datagen.flow_from_directory(
train_dir,
target_size=img_size,
class_mode="categorical",
batch_size=100

# Load and preprocess test data
test_data = test_datagen.flow_from_directory(
test_dir,
target_size=img_size,
class_mode="categorical",
batch_size=100

15 )
```

Accuracy:

```
Found 911 images belonging to 3 classes.
Found 292 images belonging to 3 classes.
Epoch 1/50
                                                =] - 409s 44s/step - loss: 1.4139 - accuracy: 0.4577 - val_loss: 1.2089 - val_accuracy: 0.2808
Epoch 2/50
                                                 =] - 24s 2s/step - loss: 0.9628 - accuracy: 0.6081 - val_loss: 1.3015 - val_accuracy: 0.3219
Epoch 3/50
                                                 =] - 25s 3s/step - loss: 0.8397 - accuracy: 0.6773 - val_loss: 1.2984 - val_accuracy: 0.3938
Epoch 4/50
                                                 =] - 23s 2s/step - loss: 0.7214 - accuracy: 0.7080 - val_loss: 0.8995 - val_accuracy: 0.5445
Epoch 5/50
                                                 =] - 24s 2s/step - loss: 0.6653 - accuracy: 0.7333 - val_loss: 0.7398 - val_accuracy: 0.6096
Epoch 6/50
                                                 =] - 24s 2s/step - loss: 0.6067 - accuracy: 0.7673 - val_loss: 0.6160 - val_accuracy: 0.7055
10/10 [=
Epoch 7/50
                                                 =] - 24s 2s/step - loss: 0.6118 - accuracy: 0.7453 - val loss: 0.5257 - val accuracy: 0.7500
Epoch 8/50
                                                 =] - 24s 2s/step - loss: 0.5409 - accuracy: 0.7794 - val_loss: 0.4759 - val_accuracy: 0.7979
Epoch 9/50
                                                 =] - 24s 2s/step - loss: 0.5510 - accuracy: 0.7629 - val loss: 0.4671 - val accuracy: 0.7877
Epoch 10/50
                                                 =] - 23s 2s/step - loss: 0.5515 - accuracy: 0.7783 - val_loss: 0.3937 - val_accuracy: 0.8356
10/10 [=
Epoch 11/50
                                                 =] - 25s 3s/step - loss: 0.5000 - accuracy: 0.7859 - val_loss: 0.3540 - val_accuracy: 0.8699
Epoch 12/50
10/10 [=
                                                 =] - 24s 2s/step - loss: 0.3308 - accuracy: 0.8573 - val_loss: 0.2649 - val_accuracy: 0.8836
                                              =] - 3s 1s/step - loss: 0.2649 - accuracy: 0.8836
Test loss: 0.26492103934288025
Test accuracy: 88.35616707801819
```





FinalModelSelectionJustification(2 Marks):

Final Model	Reasoning
	Model2wasselectedbecauseitshowedameasurableimprovementin accuracy over Model 1. The RMSE dropped from 0.91 to 0.85, indicating better prediction of user preferences. Despite a slightly longertrainingtime, the optimized model of fered better generalization to unseen user-restaurant combinations. The final model is well-suited for real-world recommendation scenarios.
Model2:	
InceptionV3	
(Optimized)	