```
import tkinter as tk
from tkinter import messagebox
def add_task():
    tas\overline{k} = task entry.get()
    if task:
        task_list.insert(tk.END, task)
        task entry.delete(0, tk.END)
    else:
        messagebox.showwarning("Warning", "Please enter a task!")
def delete task():
    try:
        index = task_list.curselection()
        task list.delete(index)
    except:
        messagebox.showwarning("Warning", "Please select a task to delete!")
def update_task():
    try:
        index = task_list.curselection()
        task = task entry.get()
        if task:
            task_list.delete(index)
            task_list.insert(index, task)
            task entry delete(0, tk.END)
        else:
            messagebox.showwarning("Warning", "Please enter a task!")
        messagebox.showwarning("Warning", "Please select a task to update!")
def track_task():
    try:
        index = task list.curselection()
        task = task_{\overline{l}}ist.get(index)
        messagebox.showinfo("Task", task)
    except:
        messagebox.showwarning("Warning", "Please select a task to track!")
root = tk.Tk()
root.title("To-Do List")
task_list = tk.Listbox(root, width=50)
task_list.pack(pady=10)
task_entry = tk.Entry(root, font=("Helvetica", 14))
task entry.pack(pady=5)
add_btn = tk.Button(root, text="Add Task", command=add_task)
add btn.pack(pady=5)
delete_btn = tk.Button(root, text="Delete Task", command=delete_task)
delete btn.pack(pady=5)
update_btn = tk.Button(root, text="Update Task", command=update_task)
update_btn.pack(pady=5)
track_btn = tk.Button(root, text="Track Task", command=track_task)
track btn.pack(pady=5)
root.mainloop()
```

In []:

Loading [MathJax]/jax/output/CommonHTML/fonts/TeX/fontdata.js