

MongoDB Compass - localhost:27017/Shell

ConnectionsEditViewHelp

Compass

My Queries

Data Modeling

CONNECTIONS (1)

Search connections

localhost:27017

- admin
- apponix
- config
- eastpoint
- local
- mydb
- studentdb
 - studentdb1
 - studentdb2
- supermarket
 - employees
 - inventory
 - payments
 - promo

studentdb

mongosh: localhost:27017

mongosh: localhost:27017

+

>_MONGOSH

> use supermarket

< switched to db supermarket

> show collections

< employees

inventory

payments

promo

> db.employees.find().pretty()

< {

_id: ObjectId('6a43be3e9c0e2569b2417bf6'),

emp_name: 'haritha',

emp_age: 23,

job_role: 'cashier',

salary: 20000

}

{

_id: ObjectId('6a43be3e9c0e2569b2417bf7'),

emp_name: 'shalini',

emp_age: 17,

job_role: 'store manager',

salary: 100000

}

{

_id: ObjectId('6a43be3e9c0e2569b2417bf8'),

emp_name: 'riya',

emp_age: 18,

job_role: 'store associate',

Compass

My Queries

Data Modeling

CONNECTIONS (1)

- localhost:27017
 - admin
 - apponix
 - config
 - eastpoint
 - local
 - mydb
 - studentdb
 - studentdb1
 - studentdb2
 - supermarket
 - employees
 - inventory
 - payments
 - promo

studentdb mongosh: localhost:27017 mongosh: localhost:27017 +

```
>_MONGOSH
> use supermarket
< switched to db supermarket
> show collections
< employees
  inventory
  payments
  promo
> db.employees.find().pretty()
< {
  _id: ObjectId('6a43be3e9c0e2569b2417bf6'),
  emp_name: 'haritha',
  emp_age: 23,
  job_role: 'cashier',
  salary: 20000
}
{
  _id: ObjectId('6a43be3e9c0e2569b2417bf7'),
  emp_name: 'shalini',
  emp_age: 17,
  job_role: 'store manager',
  salary: 100000
}
{
  _id: ObjectId('6a43be3e9c0e2569b2417bf8'),
  emp_name: 'riya',
  emp_age: 18,
  job_role: 'store associate',
  salary: 30000
}
```



```
>_MONGOSH 
    24,
    25
  ]
}
{
  _id: ObjectId('6a43bf659c0e2569b2417bfc'),
  name: 'milk promo',
  period: 4,
  daily_sales: [
    120,
    200
  ]
}
{
  _id: ObjectId('6a43bf659c0e2569b2417bfd'),
  name: 'meat promo',
  period: 3,
  daily_sales: [
    101,
    250
  ]
}
{
  _id: ObjectId('6a43bf659c0e2569b2417bfe'),
  name: 'newyear promo',
  period: 2,
  daily_sales: [
    65,
    88,
```



```
>_MONGOSH
    job_role: 'store associate',
    salary: 30000
  }
  {
    _id: ObjectId('6a43be3e9c0e2569b2417bf9'),
    emp_name: 'leeya',
    emp_age: 23,
    job_role: 'senior cashier',
    salary: 45000
  }
  {
    _id: ObjectId('6a43be3e9c0e2569b2417bfa'),
    emp_name: 'sagar',
    emp_age: 20,
    job_role: 'store associate',
    salary: 35000
  }
> db.inventory.find().pretty()
<
> db.promo.find().pretty()
< {
  _id: ObjectId('6a43bf659c0e2569b2417bfb'),
  name: 'sales promo',
  period: 7,
  daily_sales: [
    20,
    50,
    34,
    14,
    25
```

studentdb > mongosh: localhost:27017 > mongosh: localhost:27017 +

>_MONGOSH ⓘ

```
65,
88,
105,
188,
74,
278,
350
]
}
> db.promo.find({
  period: { $gt: 3 }
}).pretty()
< {
  _id: ObjectId('6a43bf659c0e2569b2417bfb'),
  name: 'sales promo',
  period: 7,
  daily_sales: [
    20,
    50,
    34,
    14,
    25
  ]
}
{
  _id: ObjectId('6a43bf659c0e2569b2417bfc'),
  name: 'milk promo',
  period: 4,
  daily_sales: [
```


>_MONGOSH



```
_id: ObjectId('6a43bf659c0e2569b2417bfd'),
name: 'meat promo',
period: 3,
daily_sales: [
  101,
  250
]
}
{
  _id: ObjectId('6a43bf659c0e2569b2417bfe'),
  name: 'newyear promo',
  period: 2,
  daily_sales: [
    65,
    88,
    105,
    188,
    74,
    278,
    350
  ]
}
> db.promo.aggregate([
  {
    $project: {
      name: 1,
      period: 1,
      average_sales: {
        $avg: "$daily_sales"
```

studentdb

mongosh: localhost:27017

mongosh: localhost:27017

+

>_MONGOSH

daily_sales: [
120,
200
]
}
> db.promo.find(
name: "sales promo"
>).pretty()
< {
_id: ObjectId('6a43bf659c0e2569b2417bfb'),
name: 'sales promo',
period: 7,
daily_sales: [
20,
50,
34,
14,
25
]
}
> db.promo.find(
daily_sales: {
\$elemMatch: { \$gt: 200 }
}
}).pretty()
< {
_id: ObjectId('6a43bf659c0e2569b2417bfd'),
name: 'meat promo',
period: 3

>_MONGOSH



```
    }
  }
}
]).pretty()
< {
  _id: ObjectId('6a43bf659c0e2569b2417bfb'),
  name: 'sales promo',
  period: 7,
  average_sales: 28.6
}
{
  _id: ObjectId('6a43bf659c0e2569b2417bfc'),
  name: 'milk promo',
  period: 4,
  average_sales: 160
}
{
  _id: ObjectId('6a43bf659c0e2569b2417bfd'),
  name: 'meat promo',
  period: 3,
  average_sales: 175.5
}
{
  _id: ObjectId('6a43bf659c0e2569b2417bfe'),
  name: 'newyear promo',
  period: 2,
  average_sales: 164
}
supermarket>
```