

AWS Cloud Practical

Name: Pooja Prakash Belgaumkar

1. Create a S3 bucket and accessing it from EC2 machine

- Create an S3 bucket and an EC2 instance in the same region.

The screenshot shows the AWS Management Console interface. At the top, there's a navigation bar with the AWS logo, a search bar, and the user's name 'PoojaPrakash (7871-6932-0097)'. Below the navigation bar, the breadcrumb trail indicates 'Amazon S3 > Buckets'. A green success message banner at the top states: 'Successfully created bucket "my-ec2-access-bucket-123". To upload files and folders, or to configure additional bucket settings, choose View details.' Below this, there are tabs for 'General purpose buckets' (selected) and 'Directory buckets'. Under 'General purpose buckets', there's a list of buckets. The list has columns for 'Name', 'AWS Region', and 'Creation date'. One bucket is listed: 'my-ec2-access-bucket-123' in the 'Europe (Stockholm) eu-north-1' region, created on 'February 14, 2026, 20:47:29 (UTC+05:30)'. Above the list, there are buttons for 'Copy ARN', 'Empty', 'Delete', and 'Create bucket'.

Name	AWS Region	Creation date
my-ec2-access-bucket-123	Europe (Stockholm) eu-north-1	February 14, 2026, 20:47:29 (UTC+05:30)

The screenshot shows the AWS Management Console interface for an EC2 instance. The breadcrumb trail indicates 'EC2 > Instances > i-0b87eee8944ce4d81'. The instance summary for 'i-0b87eee8944ce4d81 (Instance-1)' is displayed. The instance is in the 'Running' state. The summary is organized into three columns. The first column contains: Instance ID (i-0b87eee8944ce4d81), IPv6 address (none), Hostname type (IP name: ip-10-0-9-72.eu-north-1.compute.internal), Answer private resource DNS name (none), Auto-assigned IP address (51.20.181.212 [Public IP]), and IAM role (none). The second column contains: Public IPv4 address (51.20.181.212), Instance state (Running), Private IP DNS name (IPv4 only) (ip-10-0-9-72.eu-north-1.compute.internal), Instance type (t3.micro), VPC ID (vpc-024f8931266570790 (MyVPC)), and Subnet ID (subnet-02c17cda1d166a85b (Public-Subnet)). The third column contains: Private IPv4 addresses (10.0.9.72), Public DNS (ec2-51-20-181-212.eu-north-1.compute.amazonaws.com), Elastic IP addresses (none), and AWS Compute Optimizer finding (Opt-in to AWS Compute Optimizer for recommendations). There are also buttons for 'Connect', 'Instance state', and 'Actions' at the top of the instance details.

Instance ID	Public IPv4 address	Private IPv4 addresses
i-0b87eee8944ce4d81	51.20.181.212	10.0.9.72
IPv6 address	Instance state: Running	Public DNS: ec2-51-20-181-212.eu-north-1.compute.amazonaws.com
Hostname type: IP name: ip-10-0-9-72.eu-north-1.compute.internal	Private IP DNS name (IPv4 only): ip-10-0-9-72.eu-north-1.compute.internal	Elastic IP addresses: none
Answer private resource DNS name: none	Instance type: t3.micro	AWS Compute Optimizer finding: Opt-in to AWS Compute Optimizer for recommendations
Auto-assigned IP address: 51.20.181.212 [Public IP]	VPC ID: vpc-024f8931266570790 (MyVPC)	
IAM role: none	Subnet ID: subnet-02c17cda1d166a85b (Public-Subnet)	Auto Scaling Group name: none

- Create an IAM role with the AmazonS3FullAccess policy.

Role EC2-S3-Access-Role created.

View role

EC2-S3-Access-Role [Info](#)

Delete

Allows EC2 instances to call AWS services on your behalf.

Summary

Edit

Creation date February 14, 2026, 21:00 (UTC+05:30)	ARN arn:aws:iam::787169320097:role/EC2-S3-Access-Role	Instance profile ARN arn:aws:iam::787169320097:instance-profile/EC2-S3-Access-Role
Last activity -	Maximum session duration 1 hour	

Permissions

Trust relationships

Tags

Last Accessed

Revoke sessions

Permissions policies (1) [Info](#)

[Simulate](#) [Remove](#) [Add permissions](#)

You can attach up to 10 managed policies.

Search

Filter by Type

All types

< 1 >

☐	Policy name ↗	Type	Attached entities
☐	AmazonS3FullAcc...	AWS managed	1

- Attach the created IAM role to the EC2 instance to enable S3 access from the instance.

EC2 > Instances > i-0b87eee8944ce4d81 > Modify IAM role

Modify IAM role [Info](#)

Attach an IAM role to your instance.

Instance ID
 i-0b87eee8944ce4d81 (Instance-1)

IAM role
Select an IAM role to attach to your instance or create a new role if you haven't created any. The role you select replaces any roles that are currently attached to your instance.

EC2-S3-Access-Role

[Create new IAM role](#)

Cancel

Update IAM role

- Connect to the instance, install the AWS CLI and test access to the S3 bucket. We should be able to see our created bucket.

```
[ec2-user@ip-10-0-9-72 ~]$ aws --version
aws-cli/2.32.22 Python/3.9.25 Linux/6.1.161-183.298.amzn2023.x86_64 source/x86_64.amzn.2023
[ec2-user@ip-10-0-9-72 ~]$ aws s3 ls
2026-02-14 15:17:30 my-ec2-access-bucket-123
```

- Create a file named test.txt and copy it to the S3 bucket.

```
[ec2-user@ip-10-0-9-72 ~]$ echo "Hello from EC2" > test.txt
[ec2-user@ip-10-0-9-72 ~]$ aws s3 cp test.txt s3://my-ec2-access-bucket-123/
upload: ./test.txt to s3://my-ec2-access-bucket-123/test.txt
[ec2-user@ip-10-0-9-72 ~]$ aws s3 ls s3://my-ec2-access-bucket-123/
2026-02-14 15:39:23          15 test.txt
```

The screenshot shows the AWS Management Console interface for the S3 bucket 'my-ec2-access-bucket-123'. The 'Objects' tab is selected, displaying a list of objects. The object 'test.txt' is listed with a size of 15.0 B and a storage class of Standard. The console also shows navigation tabs for Metadata, Properties, Permissions, Metrics, Management, and Access Points. The top navigation bar includes the AWS logo, a search bar, and the user's profile 'PoojaPrakash (7871-6932-0097)'.

Name	Type	Last modified	Size	Storage class
test.txt	txt	February 14, 2026, 21:09:23 (UTC+05:30)	15.0 B	Standard