

AWS Cloud Practical

Name: Pooja Prakash Belgaumkar

1. Create a peering connection between two VPCs and update route tables.

- ✓ VPC Peering creates private tunnel between two VPCs so EC2s inside both VPCs can communicate using private IPs without using internet.
- Create two VPCs named **VPC-A** and **VPC-B** for the peering connection. Ensure that their CIDR blocks do not overlap.

☰ [VPC](#) > Your VPCs

Your VPCs

[VPCs](#) | VPC encryption controls

Your VPCs (2) [Info](#)

Q Find VPCs by attribute or tag

Name: VPC-

☐	Name	VPC ID	State	Encrypt...	Encryptio...	Block Public...	IPv4 CIDR	IPv6 CIDR
☐	VPC-B	vpc-0136092d0dd7e18f2	Available	-	-	Off	192.168.0.0/16	-
☐	VPC-A	vpc-0d5c716399ede4c18	Available	-	-	Off	10.0.0.0/16	-

- Create a VPC Peering Connection by setting VPC-A as the requester and VPC-B as the acceptor.

☰ [VPC](#) > [Peering connections](#) > Create peering connection

Create peering connection

A VPC peering connection is a networking connection between two VPCs that enables you to route traffic between them privately. [Info](#)

Peering connection settings

Name - optional
Create a tag with a key of 'Name' and a value that you specify.

VPC-A-to-VPC-B

Select a local VPC to peer with

VPC ID (Requester)

vpc-0d5c716399ede4c18 (VPC-A)

VPC CIDRs for vpc-0d5c716399ede4c18 (VPC-A)

CIDR	Status	Status reason
10.0.0.0/16	Associated	-

Select another VPC to peer with

Account

☒ My account

☐ Another account

VPC > Peering connections > Create peering connection

☐ Another account

Region
☒ This Region (eu-north-1)
☐ Another Region

VPC ID (Accepter)
vpc-0136092d0dd7e18f2 (VPC-B)

VPC CIDRs for vpc-0136092d0dd7e18f2 (VPC-B)

CIDR	Status	Status reason
192.168.0.0/16	✓ Associated	-

Tags
A tag is a label that you assign to an AWS resource. Each tag consists of a key and an optional value. You can use tags to search and filter your resources or track your AWS costs.

Key

Value - optional

You can add 49 more tags.

- After creating the peering connection, the status will show as Pending Acceptance.

VPC > Peering connections > pcx-09eab88971fa1228d

A VPC peering connection pcx-09eab88971fa1228d / VPC-A-to-VPC-B has been requested.

pcx-09eab88971fa1228d / VPC-A-to-VPC-B

Pending acceptance
You can accept or reject this peering connection request using the 'Actions' menu. You have until Thursday, February 19, 2026 at 19:18:56 GMT+5:30 to accept or reject the request, otherwise it expires.

Details [Info](#)

Requester owner ID 787169320097	Accepter owner ID 787169320097	VPC Peering connection ARN arn:aws:ec2:eu-north-1:787169320097:vpc-peering-connection/pcx-09eab88971fa1228d
Peering connection ID pcx-09eab88971fa1228d	Requester VPC vpc-0d5c716399ede4c18 / VPC-A	Accepter VPC vpc-0136092d0dd7e18f2 / VPC-B
Status Pending Acceptance by 787169320097	Requester CIDRs 10.0.0.0/16	Accepter CIDRs -
Expiration time Thursday, February 19, 2026 at 19:18:56 GMT+5:30	Requester Region Stockholm (eu-north-1)	Accepter Region Stockholm (eu-north-1)

- Accept the peering request by selecting the peering connection and choosing Accept Request from the Actions menu.

pcx-09eab88971fa1228d / VPC-A-to-VPC-B Actions ▲

Pending acceptance
You can accept or reject this peering connection request using the 'Actions' menu. You have until 2026 at 19:18:56 GMT+5:30 to accept or reject the request, otherwise it expires.

Details Info

Requester owner ID	Accepter owner ID	VPC Peering connection ID
--------------------	-------------------	---------------------------

- Accept request
- Reject request
- Edit DNS settings
- Manage tags
- Delete peering connection

Accept VPC peering connection request Info

Are you sure you want to accept this VPC peering connection request? (pcx-09eab88971fa1228d / VPC-A-to-VPC-B)

Requester VPC vpc-0d5c716399ede4c18 / VPC-A	Accepter VPC vpc-0136092d0dd7e18f2 / VPC-B	Requester CIDRs 10.0.0.0/16
Accepter CIDRs -	Requester Region Stockholm (eu-north-1)	Accepter Region Stockholm (eu-north-1)
Requester owner ID 787169320097(This account)	Accepter owner ID 787169320097(This account)	

Cancel
Accept request

- Once accepted, the status will change to **Active**.

VPC > Peering connections > pcx-09eab88971fa1228d

pcx-09eab88971fa1228d / VPC-A-to-VPC-B Actions ▼

Details Info

Requester owner ID 787169320097	Accepter owner ID 787169320097	VPC Peering connection ARN arn:aws:ec2:eu-north-1:787169320097:vpc-peering-connection/pcx-09eab88971fa1228d
Peering connection ID pcx-09eab88971fa1228d	Requester VPC vpc-0d5c716399ede4c18 / VPC-A	Accepter VPC vpc-0136092d0dd7e18f2 / VPC-B
Status Active	Requester CIDRs 10.0.0.0/16	Accepter CIDRs 192.168.0.0/16
Expiration time -	Requester Region Stockholm (eu-north-1)	Accepter Region Stockholm (eu-north-1)

- To enable communication between the two VPCs, update their Route Tables.

- Update the Route Table of VPC-A by adding a new route:
 - Destination: CIDR block of VPC-B
 - Target: VPC Peering Connection

☰ [VPC](#) > [Route tables](#) > `rtb-0e6b5b5598bd1a271` ⓘ 🗨️ ⌂

✓ Updated routes for `rtb-0e6b5b5598bd1a271` successfully ✕
 ▶ Details

Details ⓘ

Route table ID <code>rtb-0e6b5b5598bd1a271</code> 1	Main Yes	Explicit subnet associations -	Edge associations -
VPC vpc-0d5c716399ede4c18 VPC-A	Owner ID 787169320097		

[Routes](#) | [Subnet associations](#) | [Edge associations](#) | [Route propagation](#) | [Tags](#)

Routes (2) Both ▼ [Edit routes](#)

🔍

Destination ▼	Target ▼	Status ▼	Propagated ▼	Route O... ▼
10.0.0.0/16	local	✓ Active	No	Create Rou...
192.168.0.0/16	pcx-09eab88971fa1228d	✓ Active	No	Create Route

- Similarly, update the Route Table of VPC-B by adding:
 - Destination: CIDR block of VPC-A
 - Target: VPC Peering Connection

☰ [VPC](#) > [Route tables](#) > `rtb-0617924d8e960f4f3` ⓘ 🗨️ ⌂

✓ Updated routes for `rtb-0617924d8e960f4f3` successfully ✕
 ▶ Details

rtb-0617924d8e960f4f3 [Actions](#) ▼

Details ⓘ

Route table ID <code>rtb-0617924d8e960f4f3</code>	Main Yes	Explicit subnet associations -	Edge associations -
VPC vpc-0136092d0dd7e18f2 VPC-B	Owner ID 787169320097		

[Routes](#) | [Subnet associations](#) | [Edge associations](#) | [Route propagation](#) | [Tags](#)

Routes (2) Both ▼ [Edit routes](#)

🔍

Destination ▼	Target ▼	Status ▼	Propagated ▼	Route O... ▼
10.0.0.0/16	pcx-09eab88971fa1228d	✓ Active	No	Create Route
192.168.0.0/16	local	✓ Active	No	Create Rou...

- To test connectivity between both VPCs, launch one EC2 instance in each VPC. Then update the security groups of both EC2 instances to allow communication between the two networks.
- Add an inbound rule in both EC2 security groups to allow traffic from the CIDR block of the opposite VPC.

EC2 > Security Groups > sg-0f1d8a67c0da7a1dc - launch-wizard-2

✓ Inbound security group rules successfully modified on security group (sg-0f1d8a67c0da7a1dc | launch-wizard-2)

sg-0f1d8a67c0da7a1dc - launch-wizard-2

Details

Security group name launch-wizard-2	Security group ID sg-0f1d8a67c0da7a1dc	Description launch-wizard-2 created 2026-02-12T14:06:33.431Z	VPC ID vpc-0d5c716399ede4c18
Owner 787169320097	Inbound rules count 2 Permission entries	Outbound rules count 1 Permission entry	

Inbound rules | Outbound rules | Sharing | VPC associations | Related resources - new | Tags

Inbound rules (2)

Search

Security group rule ID	IP version	Type	Protocol	Port range	Source
sgr-04ad16cb45c8e0cff	IPv4	All traffic	All	All	192.168.0.0/16
sgr-06648d11f02e9d340	IPv4	SSH	TCP	22	0.0.0.0/0

EC2 > Security Groups > sg-041c42a42eeddc7dc - launch-wizard-35

✓ Inbound security group rules successfully modified on security group (sg-041c42a42eeddc7dc | launch-wizard-35)

sg-041c42a42eeddc7dc - launch-wizard-35

Details

Security group name launch-wizard-35	Security group ID sg-041c42a42eeddc7dc	Description launch-wizard-35 created 2026-02-12T14:09:11.633Z	VPC ID vpc-0136092d0dd7e18f2
Owner 787169320097	Inbound rules count 2 Permission entries	Outbound rules count 1 Permission entry	


Inbound rules | Outbound rules | Sharing | VPC associations | Related resources - new | Tags

Inbound rules (2)

Search

Security group rule ID	IP version	Type	Protocol	Port range	Source
sgr-0eaebe0ab4657f36b	IPv4	SSH	TCP	22	0.0.0.0/0
sgr-0f736f846ee993484	IPv4	All traffic	All	All	10.0.0.0/16

- SSH into the EC2 instance in VPC-A and ping the private IP address of the EC2 instance in VPC-B to verify connectivity.



The screenshot shows the AWS Management Console interface. At the top, there's a navigation bar with the AWS logo, a search bar, and various utility icons. The main content area displays a terminal window from an Ubuntu EC2 instance. The terminal output shows the standard Ubuntu welcome message, followed by instructions on how to run commands as administrator. Then, a user runs the command 'ping 192.168.6.197', and the output shows successful ping results with 13 sequential requests, each receiving 64 bytes of data with varying response times around 0.2 ms. Below the terminal window, the instance details for 'i-02e429bbf7624c813 (Instance-VPC-A)' are shown, including its PublicIPs (51.20.250.185) and PrivateIPs (10.0.4.93).

```
The programs included with the Ubuntu system are free software;  
the exact distribution terms for each program are described in the  
individual files in /usr/share/doc/*/copyright.  
  
Ubuntu comes with ABSOLUTELY NO WARRANTY, to the extent permitted by  
applicable law.  
  
To run a command as administrator (user "root"), use "sudo <command>".  
See "man sudo_root" for details.  
  
ubuntu@ip-10-0-4-93:~$ ping 192.168.6.197  
PING 192.168.6.197 (192.168.6.197) 56(84) bytes of data.  
64 bytes from 192.168.6.197: icmp_seq=1 ttl=64 time=0.430 ms  
64 bytes from 192.168.6.197: icmp_seq=2 ttl=64 time=0.196 ms  
64 bytes from 192.168.6.197: icmp_seq=3 ttl=64 time=0.205 ms  
64 bytes from 192.168.6.197: icmp_seq=4 ttl=64 time=0.197 ms  
64 bytes from 192.168.6.197: icmp_seq=5 ttl=64 time=0.199 ms  
64 bytes from 192.168.6.197: icmp_seq=6 ttl=64 time=0.194 ms  
64 bytes from 192.168.6.197: icmp_seq=7 ttl=64 time=0.211 ms  
64 bytes from 192.168.6.197: icmp_seq=8 ttl=64 time=0.200 ms  
64 bytes from 192.168.6.197: icmp_seq=9 ttl=64 time=0.208 ms  
64 bytes from 192.168.6.197: icmp_seq=10 ttl=64 time=0.195 ms  
64 bytes from 192.168.6.197: icmp_seq=11 ttl=64 time=0.223 ms  
64 bytes from 192.168.6.197: icmp_seq=12 ttl=64 time=0.209 ms  
64 bytes from 192.168.6.197: icmp_seq=13 ttl=64 time=0.209 ms
```

i-02e429bbf7624c813 (Instance-VPC-A)

PublicIPs: 51.20.250.185 PrivateIPs: 10.0.4.93