

AWS Cloud Practical

Name: Pooja Prakash Belgaumkar

1. Create a NACL that denies a specific IP range

- Here, we will **block** a specific IP range so traffic from that range cannot enter the subnet.
- Create NACL named **deny-specific-ip-nacl** and select the VPC whose subnets you want to apply this NACL.

 [VPC](#) > [Network ACLs](#) > Create network ACL   

Create network ACL [Info](#)

A network ACL is an optional layer of security that acts as a firewall for controlling traffic in and out of a subnet.

Network ACL settings

Name - optional
Creates a tag with a key of 'Name' and a value that you specify.

VPC
VPC to use for this network ACL.



Tags

A tag is a label that you assign to an AWS resource. Each tag consists of a key and an optional value. You can use tags to search and filter your resources or track your AWS costs.

Key



Value - optional



[Remove tag](#)

[Add tag](#)

You can add 49 more tags

[Cancel](#) [Create network ACL](#)

acl-0b6d4739c0bdd6b86 / deny-specific-ip-nacl

Actions ▾

Details [Info](#)

Network ACL ID

 acl-0b6d4739c0bdd6b86

Associated with

–

Default

No

VPC ID

[vpc-04fbb5dfae5f66a87](#)

Owner

 787169320097

Inbound rules

Outbound rules

Subnet associations

Tags

Inbound rules (1)

Edit inbound rules

🔍 Filter inbound rules

< 1 > ⚙

Rule number ▾	Type ▾	Protocol ▾	Port range ▾	Source ▾	Allow/Deny ▾
*	All traffic	All	All	0.0.0.0/0	Deny

- Add inbound rule and specify the IP range that needs to be denied.
- Rule numbers define priority, Lower number = evaluated first.

Edit inbound rules [Info](#)

Inbound rules control the incoming traffic that's allowed to reach the VPC.

Inbound rule 1

Rule number [Info](#)

100

Type [Info](#)

All traffic ▾

Protocol [Info](#)

All ▾

Port range [Info](#)

All

Source [Info](#)

203.0.113.0/24

Allow/Deny [Info](#)

Deny ▾

Remove

Inbound rule 2

Rule number [Info](#)

*

Type [Info](#)

All traffic ▾

Protocol [Info](#)

All ▾

Port range [Info](#)

All

Source [Info](#)

0.0.0.0/0

Allow/Deny [Info](#)

Deny ▾

Add new rule

Sort by rule number

- After DENY rule, add an ALLOW rule otherwise everything will be blocked.

☰ [VPC](#) > [Network ACLs](#) > [acl-0b6d4739c0bdd6b86 / deny-specific-ip-nacl](#) > Edit inbound ru...

Edit inbound rules [Info](#)

Inbound rules control the incoming traffic that's allowed to reach the VPC.

Inbound rule 1

Rule number Info	Type Info	Protocol Info
100	All traffic	All
Port range Info	Source Info	Allow/Deny Info
All	203.0.113.0/24	Deny

[Remove](#)

Inbound rule 2

Rule number Info	Type Info	Protocol Info
200	All traffic	All
Port range Info	Source Info	Allow/Deny Info
All	0.0.0.0/0	Allow

[Remove](#)

- NACLs are stateless, so outbound rule must also be allowed manually.

☰ [VPC](#) > [Network ACLs](#) > [acl-0b6d4739c0bdd6b86 / deny-specific-ip-nacl](#) > Edit outbound rules

Edit outbound rules [Info](#)

Outbound rules control the outgoing traffic that's allowed to leave the VPC.

Outbound rule 1

Rule number Info	Type Info	Protocol Info
100	All traffic	All
Port range Info	Destination Info	Allow/Deny Info
All	0.0.0.0/0	Allow

[Remove](#)

Outbound rule 2

Rule number Info	Type Info	Protocol Info
*	All traffic	All
Port range Info	Destination Info	Allow/Deny Info
All	0.0.0.0/0	Deny

[Add new rule](#) [Sort by rule number](#)

[Cancel](#) [Preview changes](#) [Save changes](#)

- Then associate modified NACL with a subnet.

☰ [VPC](#) > Network ACLs 📄 ⓘ 🗨️ 🔒

Network ACLs (1/4) [Info](#)

🔄 **Actions** ▲ Create network ACL

☐	Name	Network ACL ID	Associated with
☐	-	acl-0eb4fc57531271da5	subnet-0cbc6ee27b50c1eda
☐	-	acl-0dcadd8865e861be1	3 Subnets
☐	-	acl-0a5b606db7ce4533b	subnet-02a8673f206ec59d
☒	deny-specific-ip-nacl	acl-0b6d4739c0bdd6b86	-

View details
 Edit inbound rules
 Edit outbound rules
Edit subnet associations
 Manage tags
 Delete network ACLs

☰ [VPC](#) > [Network ACLs](#) > [acl-0b6d4739c0bdd6b86 / deny-specific-ip-nacl](#) > Edit subnet ass...

Edit subnet associations [Info](#)

Change which subnets are associated with this network ACL.

Available subnets (1/1)

< 1 > ⚙️

☒	Name	Subnet ID	Associated with	Availability ...	IP
☒	subnet1	subnet-0cbc6ee27b50c1eda	acl-0eb4fc57531271da5	eun1-az1 (eu-n...	1

Selected subnets

subnet-0cbc6ee27b50c1eda / subnet1
✕

Cancel
Save changes

- A Network ACL is a stateless firewall that controls inbound and outbound traffic at the subnet level.