


03 Assignment - Jenkins

Name: Pooja Prakash Belgaumkar

1. L3 – Create CI/CD Pipeline to Deploy the Maven Web Application in Tomcat Server.

- SSH into your EC2 instance and start Jenkins.
 - Git Plugin - for code checkout
 - Pipeline Plugin - for Jenkinsfile
 - Maven Integration Plugin
 - Deploy to Container Plugin - for Tomcat deployment
- Install the required Plugins for Maven, Git and Tomcat deployment from manage jenkins.



Jenkins / Manage Jenkins ▾ / Plugins

Plugins

- Updates 12
- Available plugins
- Installed plugins
- Advanced settings
- Download progress**

Download progress

Preparation

- Checking internet connectivity
- Checking update center connectivity
- Success

Deploy to container ✓ Success

Loading plugin extensions ✓ Success

Dev Tools Symbols API ✓ Success

Javadoc ✓ Success

JSch dependency ✓ Success


Maven Integration ✓ Success

Loading plugin extensions ✓ Success

→ [Go back to the top page](#)
(you can start using the installed plugins right away)


→ ☐ Restart Jenkins when installation is complete and no jobs are running

- Create a Maven Project named MavenWebAppPipeline.



The image shows the Jenkins 'New Item' configuration page. At the top, the Jenkins logo and navigation links are visible. The main heading is 'New Item'. Below it, there is a text input field for 'Enter an item name' with the value 'MavenWebAppPipeline'. Underneath, a section titled 'Select an item type' lists several options: 'Freestyle project', 'Maven project', 'Pipeline' (which is highlighted with a blue border), 'Multi-configuration project', and 'Folder'. Each option has a small icon and a brief description. At the bottom left of the list is an 'OK' button.

- Store Jenkinsfile in the GitHub repo.



The image shows a GitHub repository page for 'PoojaPrakash08 / git-fetch-pull-demo'. The top navigation bar includes links for Code, Issues, Pull requests, Actions, Projects, Wiki, Security, Insights, and Settings. Below the navigation bar, the repository name 'git-fetch-pull-demo' is displayed, along with a search bar and an 'Add file' button. A commit history table is shown below, listing recent commits by PoojaPrakash08. The table has three columns: Name, Last commit message, and Last commit date.

Name	Last commit message	Last commit date
src/main	Create web.xml	5 minutes ago
Jenkinsfile	Create Jenkinsfile	1 minute ago
pom.xml	Create pom.xml	7 minutes ago

- Add the Git repository URL in Pipeline Definition and configure the pipeline script then save.

Jenkins / MavenWebAppPipeline / Configuration

Configure

Pipeline script from SCM

SCM ?

Git

Repositories ?

Repository URL ?

https://github.com/PoojaPrakash08/git-fetch-pull-demo.git

Credentials ?

- none - + Add

Advanced ▾

+ Add Repository

Branches to build ?

Save Apply

- Edit the tomcat-users.xml and restart the Tomcat.

```
ec2-user@ip-172-31-7-48:/opt
at org.apache.catalina.startup.Bootstrap.main(Bootstrap.java:478)
20-Jan-2026 11:09:30.227 INFO [main] org.apache.coyote.AbstractProtocol.pause Pausing Protocol
Handler ["http-nio-8080"]
20-Jan-2026 11:09:30.228 INFO [main] org.apache.catalina.core.StandardService.stopInternal Sto
pping service [Catalina]
20-Jan-2026 11:09:30.258 INFO [main] org.apache.coyote.AbstractProtocol.stop Stopping Protocol
Handler ["http-nio-8080"]
20-Jan-2026 11:09:30.259 INFO [main] org.apache.coyote.AbstractProtocol.destroy Destroying Pro
tocolHandler ["http-nio-8080"]
AC
[ec2-user@ip-172-31-7-48 opt]$ /opt/tomcat/bin/shutdown.sh
Using CATALINA_BASE:   /opt/tomcat
Using CATALINA_HOME:   /opt/tomcat
Using CATALINA_TMPDIR: /opt/tomcat/temp
Using JRE_HOME:        /usr
Using CLASSPATH:       /opt/tomcat/bin/bootstrap.jar:/opt/tomcat/bin/tomcat-juli.jar
NOTE: Picked up JDK_JAVA_OPTIONS:  --add-opens=java.base/java.lang=ALL-UNNAMED --add-opens=jav
a.base/java.io=ALL-UNNAMED --add-opens=java.base/java.util=ALL-UNNAMED --add-opens=java.base/j
ava.util.concurrent=ALL-UNNAMED --add-opens=java.rmi/sun.rmi.transport=ALL-UNNAMED
[ec2-user@ip-172-31-7-48 opt]$ nano /opt/tomcat/conf/server.xml
[ec2-user@ip-172-31-7-48 opt]$ /opt/tomcat/bin/startup.sh
Using CATALINA_BASE:   /opt/tomcat
Using CATALINA_HOME:   /opt/tomcat
Using CATALINA_TMPDIR: /opt/tomcat/temp
Using JRE_HOME:        /usr
Using CLASSPATH:       /opt/tomcat/bin/bootstrap.jar:/opt/tomcat/bin/tomcat-juli.jar
Using CATALINA_OPTS:
Tomcat started.
```

- Then access the Tomcat using EC2 public IP in the browser.

[←](#)
[→](#)
[↻](#)
Not secure 51.20.122.69:8081
☆
🌩
🔒
☰
🔍

[Home](#)
[Documentation](#)
[Configuration](#)
[Examples](#)
[Wiki](#)
[Mailing Lists](#)
[Find Help](#)

Apache Tomcat/9.0.83



If you're seeing this, you've successfully installed Tomcat. Congratulations!



Recommended Reading:

[Security Considerations How-To](#)

[Manager Application How-To](#)

[Clustering/Session Replication How-To](#)

Server Status

Manager App

Host Manager

Developer Quick Start

[Tomcat Setup](#)
[Realms & AAA](#)
[Examples](#)
[Servlet Specifications](#)

[First Web Application](#)
[JDBC DataSources](#)
[Tomcat Versions](#)

Managing Tomcat

For security, access to the [manager webapp](#) is restricted. Users are defined in:

```
$CATALINA_HOME/conf/tomcat-users.xml
```

In Tomcat 9.0 access to the manager application is split between different users. [Read more...](#)

[Release Notes](#)

[Changelog](#)

[Migration Guide](#)

[Security Notices](#)

Documentation

[Tomcat 9.0 Documentation](#)

[Tomcat 9.0 Configuration](#)

[Tomcat Wiki](#)

Find additional important configuration information in:

```
$CATALINA_HOME/RUNNING.txt
```

Developers may be interested in:

[Tomcat 9.0 Bug Database](#)

[Tomcat 9.0 JavaDocs](#)

[Tomcat 9.0 Git Repository at GitHub](#)

Getting Help

[FAQ](#) and [Mailing Lists](#)

The following mailing lists are available:

[tomcat-announce](#)
Important announcements, releases, security vulnerability notifications. (Low volume).

[tomcat-users](#)
User support and discussion

[taglibs-user](#)
User support and discussion for [Apache Taglibs](#)

[tomcat-dev](#)
Development mailing list, including commit messages