Rajalakshmi Engineering College

Name: Pooja S

Email: 240701386@rajalakshmi.edu.in

Roll no: 240701386 Phone: 8838480229

Branch: REC

Department: I CSE FD

Batch: 2028

Degree: B.E - CSE



NeoColab_REC_CS23231_DATA STRUCTURES

REC_DS using C_Week 3_COD_Question 3

Attempt : 1 Total Mark : 10 Marks Obtained : 10

Section 1: Coding

1. Problem Statement

Sharon is developing a programming challenge for a coding competition. The challenge revolves around implementing a character-based stack data structure using an array.

Sharon's project involves a stack that can perform the following operations:

Push a Character: Users can push a character onto the stack.Pop a Character: Users can pop a character from the stack, removing and displaying the top character.Display Stack: Users can view the current elements in the stack.Exit: Users can exit the stack operations application.

Write a program to help Sharon to implement a program that performs the given operations.

Input Format

The input consists of integers corresponding to the operation that needs to be performed:

Choice 1: Push the character onto the stack. If the choice is 1, the following input is a space-separated character, representing the character to be pushed onto the stack.

Choice 2: Pop the character from the stack.

Choice 3: Display the characters in the stack.

Choice 4: Exit the program.

Output Format

The output displays messages according to the choice and the status of the stack:

- 1. If the choice is 1, push the given character to the stack and display the pushed character having the prefix "Pushed: ".
- 2. If the choice is 2, undo the character from the stack and display the character that is popped having the prefix "Popped: ".
- 3. If the choice is 2, and if the stack is empty without any characters, print "Stack is empty. Nothing to pop."
- 4. If the choice is 3, print the elements in the stack having the prefix "Stack elements: ".
- 5. If the choice is 3, and there are no characters in the stack, print "Stack is empty."
- 6. If the choice is 4, exit the program.
- 7. If any other choice is entered, print "Invalid choice"

Refer to the sample output for formatting specifications.

Sample Test Case

Input: 2

4

Output: Stack is empty. Nothing to pop.

Answer

#include <stdio.h>

```
#include <stdbool.h>
#define MAX_SIZE 100
     char items[MAX_SIZE];
    int top = -1;
    void initialize() {
       top = -1;
     bool isFull() {
       return top == MAX_SIZE - 1;
    bool isEmpty() {
       return top == -1;
    // You are using GCC
    void push(char value) {
      if(top==MAX_SIZE-1){
        printf("Stack overflow. Cannot push.\n");
        return;
      items[++top]=value;
      printf("Pushed: %c\n",value);
                                                      240701386
   void pop() {
       if(top==-1){
         printf("Stack is empty. Nothing to pop.\n");
       }
       else{
         printf("Popped: %c\n",items[top--]);
       //Type your code here
     void display() {
       if(top==-1){
         printf("Stack is empty.\n");
Page 6
         printf("Stack elements: ");
```

```
for(int i=top;i>=0;i--){
        printf("%c",items[i]);
printf("\n");
}

 int main() {
   initialize();
   int choice;
   char value;
   while (true) {
      scanf("%d", &choice);
     switch (choice) {
        case 1:
           scanf(" %c", &value);
          push(value);
          break;
        case 2:
           pop();
           break;
        case 3:
          display();
           break;
        case 4:
           return 0;
        default:
          printf("Invalid choice\n");
   }
   return 0;
 }
```

Status: Correct Marks: 10/10

,0101386

240101386

240701386

240101386