File Edit Shell Debug Options Window Help

```
Python 3.9.1 (tags/v3.9.1:1e5d33e, Dec  7 2020, 17:08:21) [MSC v.1927 64 bit (AMD64)] on win32
Type "help", "copyright", "credits" or "license()" for more information.
>>>
= RESTART: C:\Users\Pooja Devi R\AppData\Local\Programs\Python\Python39\FRESHWORKS.py
>>> import FRESHWORKS as sp
>>>
>>> sp.create("pooja",87)
>>>
>>> sp.create("Places","Chennai",40)
>>>
>>> sp.read("pooja")
{ pooja:87 }
>>>
>>> sp.read("Places")
{ Places:Chennai }
>>>
>>> sp.read("Places")
ERROR : TIME-TO-LIVE Of Places has expired
>>>
>>> sp.delete("pooja")
KEY is deleted Successfully
>>>
>>> sp.delete("Places")
ERROR: TIME-TO-LIVE of Places has expired
>>>
>>> sp.create("Student",{"Name":"Poojadevi","Rollnumber":170701153,"DOB":"08.07.2000","Age":20})
>>>
>>> sp.read("places")
ERROR : given key does not exist in database. Please enter a valid key
>>>
>>> sp.create("Gender","Female")
>>>
```

File Edit Search View Encoding Language Settings Tools Macro Run Plugins Window ?

SRC_FILE.json

{"pooja": [87, 0], "Places": ["Chennai", 1607569481.0781262]}

File Edit Search View Encoding Language Settings Tools Macro Run Plugins Window ?

SRC_FILE.json

1   {"Places": ["Chennai", 1607569481.0781262]}

File Edit Search View Encoding Language Settings Tools Macro Run Plugins Window ? X

SRC_FILE.json

{"Places": ["Chennai", 1607569481.0781262], "Student": [{"Name": "Poojadevi", "Rollnumber": 170701153, "DOB": "08.07.2000", "Age": 20}, 0], "Gender": ["Female", 0]}

```
>>>
>>> sp.create("Gender","Male")
ERROR: This KEY already exists
>>>
>>> sp.read("Places")
ERROR : TIME-TO-LIVE Of Places has expired
>>>
>>> sp.create("Pooja08",98)
ERROR : INVALID KEY ! key name must contain only alphabets and no special characters or numbers
>>>
>>> sp.create("Pooja@devi","Hello")
ERROR : INVALID KEY ! key name must contain only alphabets and no special characters or numbers
>>>
>>> sp.create("Pooja devi","Student")
ERROR : INVALID KEY ! key name must contain only alphabets and no special characters or numbers
>>>
>>> sp.create("studentstudentstudentstudentstudentstudentstudentstudentstudentstudentstudentstudentstudentstudentstudentstudentstudent
studentstudentstudentstudentstudentstudentstudentstudentstudentstudentstudentstudentstudentstudentstudentstudentstudentstudents
tudentstudentstudentstudentstudentstudentstudentstudentstudentstudentstudentstudentstudentstudentstudentstudentstudentstudents
udentstudentstudentstudentstudentstudentstudentstudentstudentstudentstudentstudentstudent","college")
ERROR : Memory limit exceeded!!...
>>>
>>> sp.read("Student")
{ Student:{'Name': 'Poojadevi', 'Rollnumber': 170701153, 'DOB': '08.07.2000', 'Age': 20} }
>>>
>>> sp.delete("Gender")
KEY is deleted Successfully
>>>
>>> sp.create("Sample","Output")
>>>
>>> sp.delete("helloworld")
ERROR: Given key does not exist in database. Please enter a valid key
>>>
>>> sp.create("Success","Fully")
>>>
```

SRC_FILE.json

{"Places": ["Chennai", 1607569481.0781262], "Student": [{"Name": "Poojadevi", "Rollnumber": 170701153, "DOB": "08.07.2000", "Age": 20}, 0]}

File Edit Search View Encoding Language Settings Tools Macro Run Plugins Window ?   X

SRC_FILE.json

{"Places": ["Chennai", 1607569481.0781262], "Student": [{"Name": "Poojadevi", "Rollnumber": 170701153, "DOB": "08.07.2000", "Age": 20}, 0],
"Sample": ["Output", 0], "Success": ["Fully", 0]}