Dataset : E-commerce Orders dataset

```
CREATE DATABASE Ecommerce_orders;
use Ecommerce_orders;

CREATE TABLE Customers (
   CustomerID INT PRIMARY KEY,
   CustomerName VARCHAR(50) NOT NULL,
   Region VARCHAR(50) NOT NULL
);

CREATE TABLE Products (
   ProductID INT PRIMARY KEY,
   ProductName VARCHAR(50) NOT NULL,
   UnitPrice DECIMAL(12,2)
);

CREATE TABLE Orders (
   OrderID INT PRIMARY KEY,
   CustomerID INT,
   ProductID INT,
   Customer VARCHAR(50) NOT NULL,
   Product VARCHAR(50) NOT NULL,
   OrderDate DATE,
   Quantity INT NOT NULL CHECK (Quantity > 0),
   UnitPrice DECIMAL(12,2),
   Region VARCHAR(50) NOT NULL,
   TotalAmount DECIMAL(12,2),
   PriceCategory VARCHAR(20),

   FOREIGN KEY (CustomerID) REFERENCES Customers(CustomerID),
   FOREIGN KEY (ProductID) REFERENCES Products(ProductID)
);
```

Query 1

```
SELECT
    Region,
    COUNT(*) AS TotalOrders,
    SUM(Quantity) AS TotalUnitsSold,
    SUM(TotalAmount) AS TotalRevenue,
    ROUND(AVG(TotalAmount), 2) AS AverageOrderValue
FROM Orders
GROUP BY Region
ORDER BY TotalRevenue DESC;
```

Region	TotalOrders	TotalUnitsSold	TotalRevenue	AverageOrderValue
Delhi	2	4	1001499.00	500749.50
Chennai	6	10	139000.00	23166.67
Hyderabad	1	2	3000.00	3000.00
Bangalore	3	4	1400.00	700.00


Query 2

```
SELECT
    Product,
    SUM(Quantity) AS TotalQuantitySold
FROM Orders
GROUP BY Product
ORDER BY TotalQuantitySold DESC;
```

Product	TotalQuantitySold
Mouse	7
Keyboard	5
Monitor	5
Laptop	3

Query 3


```
SELECT
   Product,
   ROUND(AVG(TotalAmount), 2) AS AverageOrderAmount
FROM Orders
GROUP BY Product
ORDER BY AverageOrderAmount DESC;
```



Product	AverageOrderAmount
Laptop	369999.67
Monitor	11950.00
Keyboard	2500.00
Mouse	1166.67

Query 4

```
SELECT
   Customer,
   COUNT(*) AS TotalOrders,
   SUM(TotalAmount) AS TotalSpending
FROM Orders
GROUP BY Customer
HAVING COUNT(*) > 1
ORDER BY TotalSpending DESC;
```




Customer	TotalOrders	TotalSpending
Pooja	2	110000.00
Arun	2	2000.00

Query 5

```
SELECT
   P.ProductName,
   C.Region,
   SUM(O.TotalAmount) AS TotalRevenue
FROM Orders O
JOIN Products P
   ON O.ProductID = P.ProductID
JOIN Customers C
   ON O.CustomerID = C.CustomerID
```


```
GROUP BY P.ProductName, C.Region
ORDER BY TotalRevenue DESC;
```



ProductName	Region	TotalRevenue
Laptop	Delhi	999999.00
Laptop	Chennai	110000.00
Monitor	Chennai	24000.00
Keyboard	Hyderabad	3000.00
Keyboard	Chennai	3000.00
Mouse	Chennai	2000.00
Mouse	Delhi	1500.00
Keyboard	Bangalore	1500.00
Monitor	Bangalore	-100.00

Query 6

```
SELECT
    Product,
    SUM(TotalAmount) AS TotalRevenue
FROM Orders
GROUP BY Product
HAVING SUM(TotalAmount) > 5000
ORDER BY TotalRevenue DESC;
```




Product	TotalRevenue
Laptop	1109999.00
Monitor	23900.00
Keyboard	7500.00

Query 7

```
SELECT
    OrderID,
    Customer,
    Product,
    UnitPrice,
    TotalAmount
FROM Orders
WHERE UnitPrice = (
    SELECT MAX(UnitPrice)
```

```
    FROM Orders
);
```



Result Grid | Filter Rows: | Edit:

OrderID	Customer	Product	UnitPrice	TotalAmount
110	Divya	Laptop	999999.00	999999.00
NULL	NULL	NULL	NULL	NULL