
Installing jenkins in RedHat ec2 instance



```
ec2-user@ip-172-31-37-85 ~]$ sudo dnf upgrade -y
Updating Subscription Management repositories.
Unable to read consumer identity

This system is not registered with an entitlement server. You can use "rhc" or "subscriptio
nanager" to register.

Red Hat Enterprise Linux 10 for x86_64 - AppStream from RHUI  53 MB/s | 6.8 MB     00:00
Red Hat Enterprise Linux 10 for x86_64 - BaseOS from RHUI (R 143 MB/s | 102 MB     00:00
Red Hat Enterprise Linux 10 Client Configuration             20 kB/s | 1.3 kB     00:00
Dependencies resolved.
================================================================================
 Package                    Arch   Version                Repository                  Size
================================================================================
Installing:
 kernel                     x86_64 6.12.0-211.67.1.el10_2 rhel-10-baseos-rhui-rpms    1.7 M
 kernel-core                x86_64 6.12.0-211.67.1.el10_2 rhel-10-baseos-rhui-rpms     19 M
 kernel-modules             x86_64 6.12.0-211.67.1.el10_2 rhel-10-baseos-rhui-rpms     42 M
 kernel-modules-core        x86_64 6.12.0-211.67.1.el10_2 rhel-10-baseos-rhui-rpms     31 M
Upgrading:
 NetworkManager             x86_64 1:1.56.0-3.el10_2      rhel-10-baseos-rhui-rpms    2.3 M
 NetworkManager-cloud-setup x86_64 1:1.56.0-3.el10_2      rhel-10-appstream-rhui-rpms  81 k
 NetworkManager-libnm       x86_64 1:1.56.0-3.el10_2      rhel-10-baseos-rhui-rpms    1.9 M
 NetworkManager-tui         x86_64 1:1.56.0-3.el10_2      rhel-10-baseos-rhui-rpms    241 k
 aardvark-dns               x86_64 2:1.17.1-1.el10_2      rhel-10-appstream-rhui-rpms 912 k
 amd-gpu-firmware           noarch 20260827-23.3.el10_2   rhel-10-appstream-rhui-rpms  30 M
```

```
[ec2-user@ip-172-31-37-85 ~]$ java -version
openjdk version "21.0.12.1" 2026-08-18 LTS
OpenJDK Runtime Environment (Red_Hat-21.0.12.1.1-1) (build 21.0.12.1+1-LTS)
OpenJDK 64-Bit Server VM (Red_Hat-21.0.12.1.1-1) (build 21.0.12.1+1-LTS, mixed mode, sharing)
[ec2-user@ip-172-31-37-85 ~]$  sudo yum install jenkins
Updating Subscription Management repositories.
Unable to read consumer identity

This system is not registered with an entitlement server. You can use "rhc" or "subscription-
manager" to register.


Last metadata expiration check: 0:01:57 ago on Wed Oct 21 09:36:36 2026.
Dependencies resolved.
================================================================================
 Package              Architecture        Version                 Repository           Size
================================================================================
Installing:
 jenkins              noarch              2.580.1-1               jenkins              51 M


Transaction Summary
================================================================================
Install  1 Package


Total download size: 51 M
Installed size: 52 M
Is this ok [y/N]: y
Downloading Packages:
jenkins-2.580.1-1.noarch.rpm                                 6.0 MB/s |  51 MB     00:08
--------------------------------------------------------------------------------
Total                                                        6.0 MB/s |  51 MB     00:08
Jenkins-stable                                               104 kB/s | 1.6 kB     00:00
Importing GPG key 0x14ABFC68:
 Userid     : "Jenkins Project <jenkinsci-board@googlegroups.com>"
 Fingerprint: 5E38 6EAD B55F 0150 4CAE 8BCF 7198 F4B7 14AB FC68
 From       : https://pkg.jenkins.io/rpm-stable/repodata/repomd.xml.key
Is this ok [y/N]: y
Key imported successfully
Running transaction check
```

```
omplete!
ec2-user@ip-172-31-37-85 ~]$   sudo systemctl daemon-reload
ec2-user@ip-172-31-37-85 ~]$ sudo systemctl enable jenkins
reated symlink '/etc/systemd/system/multi-user.target.wants/jenkins.service' → '/usr/lib/sys
emd/system/jenkins.service'.
ec2-user@ip-172-31-37-85 ~]$ sudo systemctl start jenkins
ec2-user@ip-172-31-37-85 ~]$ sudo systemctl status jenkins
 jenkins.service - Jenkins Continuous Integration Server
    Loaded: loaded (/usr/lib/systemd/system/jenkins.service; enabled; preset: disabled)
    Active: active (running) since Wed 2026-10-21 09:39:47 UTC; 2min 29s ago
Invocation: 25c88e7e80134648b947a2c5cf37fe3d
  Main PID: 40596 (java)
     Tasks: 37 (limit: 8836)
    Memory: 377.9M (peak: 385.4M)
       CPU: 20.107s
    CGroup: /system.slice/jenkins.service
            └─40596 /usr/bin/java -Djava.awt.headless=true -jar /usr/share/java/jenkins.war>


ct 21 09:39:40 ip-172-31-37-85.ap-southeast-2.compute.internal jenkins[40596]: [LF]> This m>
ct 21 09:39:40 ip-172-31-37-85.ap-southeast-2.compute.internal jenkins[40596]: [LF]>
ct 21 09:39:40 ip-172-31-37-85.ap-southeast-2.compute.internal jenkins[40596]: [LF]> ******>
ct 21 09:39:40 ip-172-31-37-85.ap-southeast-2.compute.internal jenkins[40596]: [LF]> ******>
ct 21 09:39:40 ip-172-31-37-85.ap-southeast-2.compute.internal jenkins[40596]: [LF]> ******>
ct 21 09:39:47 ip-172-31-37-85.ap-southeast-2.compute.internal jenkins[40596]: 2026-10-21 0>
ct 21 09:39:47 ip-172-31-37-85.ap-southeast-2.compute.internal jenkins[40596]: 2026-10-21 0>
ct 21 09:39:47 ip-172-31-37-85.ap-southeast-2.compute.internal systemd[1]: Started jenkins.>
ct 21 09:39:48 ip-172-31-37-85.ap-southeast-2.compute.internal jenkins[40596]: 2026-10-21 0>
ct 21 09:39:48 ip-172-31-37-85.ap-southeast-2.compute.internal jenkins[40596]: 2026-10-21 0>
ines 1-21/21 (END)
```


Not secure
3.107.170.170:8080/login?from=%2F
C Variables
C Operators
Introduction to Pyth...
Create Messenger A...
All Book
Getting Started
Unlock Jenkins
To ensure Jenkins is securely set up by the administrator, a password has been written to the log (not sure where to find it?) and this file on the server:
/var/lib/jenkins/secrets/initialAdminPassword
Please copy the password from either location and paste it below.
Administrator password
Continue


Getting Started
Plugins extend Jenkins with additional features to support
many different needs.
Install suggested plugins
Install plugins the Jenkins community
finds most useful.
Select plugins to install
Select and install plugins most suitable
for your needs.
Jenkins 2.580.1




http://3.107.170.170:8080/


Getting Started
Jenkins is ready!
Your Jenkins setup is complete.
Start using Jenkins
Jenkins 2.580.1