Among the following identify the one in which dimensionality reduction reduces.

- a) Performance
- b) statistics
- c) Entropy
- d) Collinearity

ANS: (D)

- 42) Which of the following machine learning algorithm is based upon the idea of bagging?
- a) Decision Tree
- b) Random Forest
- c) Classfication
- d) SVM

ANS: (B)

- 43) Choose a disadvantage of decision trees among the following.
- a) Decision tree robust to outliers
- b) Factor analysis
- c) Decision Tree are prone to overfit
- d) all of the above

ANS: (D)

44)

What is the term known as on which the machine learning algorithms build a model based on sample data?

- a) Data Training
- b) Sample Data
- c) Training data
- d) None of the above

ANS: (C)

45)

Which of the following machine learning techniques helps in detecting the outliers in data?

- a) Clustering
- b) Classification
- c) Anamoly detection
- d) All of the above

ANS: (D)

46) Identify the incorrect numerical functions in the various function representation of machine learning.
a) Support Vectorb) Regressionc) Case basedd) Classification
ANS: (C)
47)
Analysis of ML algorithm needs
a) Statistical learning theoryb) Computational learning theoryc) None of the aboved) Both a and b
ANS: (D) 48)
Identify the difficulties with the k-nearest neighbor algorithm. a) Curse of dimensionality b) Calculate the distance of test case for all training cases c) Both a and b d) None
ANS: (C)
The total types of the layer in radial basis function neural networks is a) 1 b) 2 c) 3 d) 4
ANS: (B) 50 Which of the following is not a supervised learning a) PCA b) Naïve bayes c) Linear regression d) KMeans
ANS: (A)