

2520030103

K.Poojitha Sai

JOINS AND SET OPERATIONS

CREATE TABLES





INSERT DATA

```
11
12 •  INSERT INTO class VALUES
13     (1,'Poojitha'),
14     (2,'adam'),
15     (4,'alex');
16
17 •  INSERT INTO class_info VALUES
18     (1,'Hyderabad'),
19     (2,'MUMBAI'),
20     (3,'CHENNAI');
```

Output

Action Output

#	Time	Action	Message	Duration / Fetch
1	21:31:57	INSERT INTO class_info VALUES (1,'Hyderabad'), (2,'MUMBAI'), (3,'CHENNAI')	3 row(s) affected Records: 3 Duplicates: 0 Warnings: 0	0.016 sec

QUESTION 1 - CROSS JOIN

Week-1 | DDL,DCL,DML,TCL Commands* | TCL* | SQL File 5*

Limit to 1000 rows

```
13     (1,'Poojitha'),
14     (2,'adam'),
15     (4,'alex');
16
17 •  INSERT INTO class_info VALUES
18     (1,'Hyderabad'),
19     (2,'MUMBAI'),
20     (3,'CHENNAI');
21
22 •  SELECT *
23     FROM class
24     CROSS JOIN class_info;
25
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content:

id	name	id	address
1	abhi	1	DELHI
2	adam	1	DELHI
4	alex	1	DELHI
1	Poojitha	1	DELHI
2	adam	1	DELHI
4	alex	1	DELHI
1	Poojitha	1	DELHI
2	adam	1	DELHI

Result 3 | Read Only

Output

Action Output

#	Time	Action	Message	Duration / Fetch
1	21:35:03	USE bookflow_db	0 row(s) affected	0.015 sec
2	21:35:10	INSERT INTO class VALUES (1,'Poojitha'), (2,'adam'), (4,'alex')	3 row(s) affected Records: 3 Duplicates: 0 Warnings: 0	0.031 sec
3	21:35:18	INSERT INTO class_info VALUES (1,'Hyderabad'), (2,'MUMBAI'), (3,'CHENNAI')	3 row(s) affected Records: 3 Duplicates: 0 Warnings: 0	0.000 sec
4	21:35:28	SELECT * FROM class CROSS JOIN class_info LIMIT 0, 1000	108 row(s) returned	0.015 sec / 0.000 sec


INNER JOIN

```
24     CROSS JOIN class_info;
25
26 •  INSERT INTO class VALUES
27     (1,'poojitha sai'),
28     (2,'adam'),
29     (3,'alex'),
30     (4,'anu');
31
32 •  INSERT INTO class_info VALUES
33     (1,'HYDERABAD'),
34     (2,'MUMBAI'),
35     (3,'CHENNAI');
36
```

Output

Action Output

#	Time	Action	Message	Duration / Fetch
1	21:35:03	USE bookflow_db	0 row(s) affected	0.015 sec
2	21:35:10	INSERT INTO class VALUES (1,'Poojitha'), (2,'adam'), (4,'alex')	3 row(s) affected Records: 3 Duplicates: 0 Warnings: 0	0.031 sec
3	21:35:18	INSERT INTO class_info VALUES (1,'Hyderabad'), (2,'MUMBAI'), (3,'CHENNAI')	3 row(s) affected Records: 3 Duplicates: 0 Warnings: 0	0.000 sec
4	21:35:28	SELECT * FROM class CROSS JOIN class_info LIMIT 0, 1000	108 row(s) returned	0.015 sec / 0.000 sec
5	21:40:49	INSERT INTO class VALUES (1,'poojitha sai'), (2,'adam'), (3,'alex'), (4,'anu')	4 row(s) affected Records: 4 Duplicates: 0 Warnings: 0	0.016 sec
6	21:40:55	INSERT INTO class_info VALUES (1,'HYDERABAD'), (2,'MUMBAI'), (3,'CHENNAI')	3 row(s) affected Records: 3 Duplicates: 0 Warnings: 0	0.015 sec



```
SELECT *
FROM class
INNER JOIN class_info
ON class.id = class_info.id;
```


id	name	id	address
1	abhi	1	DELHI
1	Poojitha	1	DELHI
1	Poojitha	1	DELHI
1	poojitha sai	1	DELHI
2	adam	2	MUMBAI
2	adam	2	MUMBAI
2	adam	2	MUMBAI
2	adam	2	MUMBAI

Result 4

Output

Action Output

#	Time	Action	Message	Duration / Fetch
1	21:35:03	USE bookflow_db	0 row(s) affected	0.015 sec
2	21:35:10	INSERT INTO class VALUES (1,'Poojitha'), (2,'adam'), (4,'alex')	3 row(s) affected Records: 3 Duplicates: 0 Warnings: 0	0.031 sec
3	21:35:18	INSERT INTO class_info VALUES (1,'Hyderabad'), (2,'MUMBAI'), (3,'CHENNAI')	3 row(s) affected Records: 3 Duplicates: 0 Warnings: 0	0.000 sec
4	21:35:28	SELECT * FROM class CROSS JOIN class_info LIMIT 0, 1000	108 row(s) returned	0.015 sec / 0.000 sec
5	21:40:49	INSERT INTO class VALUES (1,'poojitha sai'), (2,'adam'), (3,'alex'), (4,'anu')	4 row(s) affected Records: 4 Duplicates: 0 Warnings: 0	0.016 sec
6	21:40:55	INSERT INTO class_info VALUES (1,'HYDERABAD'), (2,'MUMBAI'), (3,'CHENNAI')	3 row(s) affected Records: 3 Duplicates: 0 Warnings: 0	0.015 sec
7	21:43:44	SELECT * FROM class INNER JOIN class_info ON class.id = class_info.id LIMIT 0, 1000	45 row(s) returned	0.000 sec / 0.000 sec



name	address
abhi	DELHI
Poojitha	DELHI
Poojitha	DELHI
poojitha sai	DELHI
adam	MUMBAI
adam	MUMBAI
adam	MUMBAI
adam	MUMBAI


Result 5

Output

Action Output

#	Time	Action	Message	Duration / Fetch
2	21:35:10	INSERT INTO class VALUES (1,'Poojitha'), (2,'adam'), (4,'alex')	3 row(s) affected Records: 3 Duplicates: 0 Warnings: 0	0.031 sec
3	21:35:18	INSERT INTO class_info VALUES (1,'Hyderabad'), (2,'MUMBAI'), (3,'CHENNAI')	3 row(s) affected Records: 3 Duplicates: 0 Warnings: 0	0.000 sec
4	21:35:28	SELECT * FROM class CROSS JOIN class_info LIMIT 0, 1000	108 row(s) returned	0.015 sec / 0.000 sec
5	21:40:49	INSERT INTO class VALUES (1,'poojitha sai'), (2,'adam'), (3,'alex'), (4,'anu')	4 row(s) affected Records: 4 Duplicates: 0 Warnings: 0	0.016 sec
6	21:40:55	INSERT INTO class_info VALUES (1,'HYDERABAD'), (2,'MUMBAI'), (3,'CHENNAI')	3 row(s) affected Records: 3 Duplicates: 0 Warnings: 0	0.015 sec
7	21:43:44	SELECT * FROM class INNER JOIN class_info ON class.id = class_info.id LIMIT 0, 1000	45 row(s) returned	0.000 sec / 0.000 sec
8	21:44:35	SELECT class.name, class_info.address FROM class INNER JOIN class_info ON class.id=class_info.id LIMIT 0, 1000	45 row(s) returned	0.000 sec / 0.000 sec

NATURAL JOIN



```
SELECT *
FROM class
NATURAL JOIN class_info;
```

id	name	address
1	abhi	DELHI
1	Poojitha	DELHI
1	Poojitha	DELHI
1	poojitha sai	DELHI
2	adam	MUMBAI


Result 6

Output

Action Output

#	Time	Action	Message	Duration / Fetch
3	21:35:18	INSERT INTO class_info VALUES (1,'Hyderabad'), (2,'MUMBAI'), (3,'CHENNAI')	3 row(s) affected Records: 3 Duplicates: 0 Warnings: 0	0.000 sec
4	21:35:28	SELECT * FROM class CROSS JOIN class_info LIMIT 0, 1000	108 row(s) returned	0.015 sec / 0.000 sec
5	21:40:49	INSERT INTO class VALUES (1,'poojitha sai'), (2,'adam'), (3,'alex'), (4,'anu')	4 row(s) affected Records: 4 Duplicates: 0 Warnings: 0	0.016 sec
6	21:40:55	INSERT INTO class_info VALUES (1,'HYDERABAD'), (2,'MUMBAI'), (3,'CHENNAI')	3 row(s) affected Records: 3 Duplicates: 0 Warnings: 0	0.015 sec
7	21:43:44	SELECT * FROM class INNER JOIN class_info ON class.id = class_info.id LIMIT 0, 1000	45 row(s) returned	0.000 sec / 0.000 sec
8	21:44:35	SELECT class.name, class_info.address FROM class INNER JOIN class_info ON class.id=class_info.id LIMIT 0, 1000	45 row(s) returned	0.000 sec / 0.000 sec
9	21:47:05	SELECT * FROM class NATURAL JOIN class_info LIMIT 0, 1000	45 row(s) returned	0.000 sec / 0.000 sec

LEFT OUTER JOIN



```
INSERT INTO class VALUES
(5,'adithya');


INSERT INTO class_info VALUES
(7,'NOIDS'),
(8,'PANIPAT');
```

Output

Action Output

#	Time	Action	Message	Duration / Fetch
5	21:40:49	INSERT INTO class VALUES (1,'poojitha sai'), (2,'adam'), (3,'alex'), (4,'anu')	4 row(s) affected Records: 4 Duplicates: 0 Warnings: 0	0.016 sec
6	21:40:55	INSERT INTO class_info VALUES (1,'HYDERABAD'), (2,'MUMBAI'), (3,'CHENNAI')	3 row(s) affected Records: 3 Duplicates: 0 Warnings: 0	0.015 sec
7	21:43:44	SELECT * FROM class INNER JOIN class_info ON class.id = class_info.id LIMIT 0, 1000	45 row(s) returned	0.000 sec / 0.000 sec
8	21:44:35	SELECT class.name, class_info.address FROM class INNER JOIN class_info ON class.id=class_info.id LIMIT 0, 1000	45 row(s) returned	0.000 sec / 0.000 sec
9	21:47:05	SELECT * FROM class NATURAL JOIN class_info LIMIT 0, 1000	45 row(s) returned	0.000 sec / 0.000 sec
10	21:48:46	INSERT INTO class VALUES (5,'adithya')	1 row(s) affected	0.015 sec
11	21:48:46	INSERT INTO class_info VALUES (7,'NOIDS'), (8,'PANIPAT')	2 row(s) affected Records: 2 Duplicates: 0 Warnings: 0	0.000 sec

LEFT JOIN



```
(7,'NOIDS'),
(8,'PANIPAT');
SELECT *
FROM class
LEFT OUTER JOIN class_info
ON class.id=class_info.id;
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content:


id	name	id	address
1	abhi	1	Hyderabad
1	abhi	1	HYDERABAD
2	adam	2	MUMBAI
2	adam	2	MUMBAI
2	adam	2	MUMBAI

Result 7 | Read Only

Output

Action Output

#	Time	Action	Message	Duration / Fetch
6	21:40:55	INSERT INTO class_info VALUES (1,'HYDERABAD'), (2,'MUMBAI'), (3,'CHENNAI')	3 row(s) affected Records: 3 Duplicates: 0 Warnings: 0	0.015 sec
7	21:43:44	SELECT * FROM class INNER JOIN class_info ON class.id = class_info.id LIMIT 0, 1000	45 row(s) returned	0.000 sec / 0.000 sec
8	21:44:35	SELECT class.name, class_info.address FROM class INNER JOIN class_info ON class.id=class_info.id LIMIT 0, 1000	45 row(s) returned	0.000 sec / 0.000 sec
9	21:47:05	SELECT * FROM class NATURAL JOIN class_info LIMIT 0, 1000	45 row(s) returned	0.000 sec / 0.000 sec
10	21:48:46	INSERT INTO class VALUES (5,'adithya')	1 row(s) affected	0.015 sec
11	21:48:46	INSERT INTO class_info VALUES (7,'NOIDS'), (8,'PANIPAT')	2 row(s) affected Records: 2 Duplicates: 0 Warnings: 0	0.000 sec
12	21:49:37	SELECT * FROM class LEFT OUTER JOIN class_info ON class.id=class_info.id LIMIT 0, 1000	50 row(s) returned	0.000 sec / 0.000 sec



```
SELECT *
FROM class
LEFT JOIN class_info
ON class.id=class_info.id
WHERE class_info.id IS NULL;
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content:

id	name	id	address
4	alex	NULL	NULL
4	alex	NULL	NULL
4	alex	NULL	NULL
4	anu	NULL	NULL
5	adithya	NULL	NULL


Result 8 | Read Only

Output

Action Output

#	Time	Action	Message	Duration / Fetch
7	21:43:44	SELECT * FROM class INNER JOIN class_info ON class.id = class_info.id LIMIT 0, 1000	45 row(s) returned	0.000 sec / 0.000 sec
8	21:44:35	SELECT class.name, class_info.address FROM class INNER JOIN class_info ON class.id=class_info.id LIMIT 0, 1000	45 row(s) returned	0.000 sec / 0.000 sec
9	21:47:05	SELECT * FROM class NATURAL JOIN class_info LIMIT 0, 1000	45 row(s) returned	0.000 sec / 0.000 sec
10	21:48:46	INSERT INTO class VALUES (5,'adithya')	1 row(s) affected	0.015 sec
11	21:48:46	INSERT INTO class_info VALUES (7,'NOIDS'), (8,'PANIPAT')	2 row(s) affected Records: 2 Duplicates: 0 Warnings: 0	0.000 sec
12	21:49:37	SELECT * FROM class LEFT OUTER JOIN class_info ON class.id=class_info.id LIMIT 0, 1000	50 row(s) returned	0.000 sec / 0.000 sec
13	21:50:29	SELECT * FROM class LEFT JOIN class_info ON class.id=class_info.id WHERE class_info.id IS NULL LIMIT 0, 1000	5 row(s) returned	0.000 sec / 0.000 sec

RIGHT OUTER JOIN



```
SELECT *
FROM class
RIGHT OUTER JOIN class_info
ON class.id=class_info.id;
```

id	name	id	address
1	abhi	1	DELHI
1	Poojitha	1	DELHI
1	Poojitha	1	DELHI
1	poojitha sai	1	DELHI
2	adam	2	MUMBAI

Result 9

Output

Action Output

#	Time	Action	Message	Duration / Fetch
8	21:44:35	SELECT class.name, class_info.address FROM class INNER JOIN class_info ON class.id=class_info.id LIMIT 0, 1000	45 row(s) returned	0.000 sec / 0.000 sec
9	21:47:05	SELECT * FROM class NATURAL JOIN class_info LIMIT 0, 1000	45 row(s) returned	0.000 sec / 0.000 sec
10	21:48:46	INSERT INTO class VALUES (5,'adithya')	1 row(s) affected	0.015 sec
11	21:48:46	INSERT INTO class_info VALUES (7,'NOIDS'), (8,'PANIPAT')	2 row(s) affected Records: 2 Duplicates: 0 Warnings: 0	0.000 sec
12	21:49:37	SELECT * FROM class LEFT OUTER JOIN class_info ON class.id=class_info.id LIMIT 0, 1000	50 row(s) returned	0.000 sec / 0.000 sec
13	21:50:29	SELECT * FROM class LEFT JOIN class_info ON class.id=class_info.id WHERE class_info.id IS NULL LIMIT 0, 1000	5 row(s) returned	0.000 sec / 0.000 sec
14	21:51:47	SELECT * FROM class RIGHT OUTER JOIN class_info ON class.id=class_info.id LIMIT 0, 1000	47 row(s) returned	0.015 sec / 0.000 sec

FULL OUTER JOIN

```
SELECT *
FROM class
LEFT JOIN class_info
ON class.id = class_info.id


UNION

SELECT *
FROM class
RIGHT JOIN class_info
ON class.id = class_info.id;
```

name	id	address
abhi	1	DELHI
abhi	1	Hyderabad
adam	2	MUMBAI
alex	NULL	NULL
Poojitha	1	DELHI

Output

Time	Action	Message	Duration / Fetch
21:48:46	INSERT INTO class VALUES (5,'adithya')	1 row(s) affected	0.015 sec
21:48:46	INSERT INTO class_info VALUES (7,'NOIDS'), (8,'PANIPAT')	2 row(s) affected Records: 2 Duplicates: 0 Warnings: 0	0.000 sec
21:49:37	SELECT * FROM class LEFT OUTER JOIN class_info ON class.id=class_info.id LIMIT 0, 1000	50 row(s) returned	0.000 sec / 0.000 sec
21:50:29	SELECT * FROM class LEFT JOIN class_info ON class.id=class_info.id WHERE class_info.id IS NULL LIMIT 0, 1000	5 row(s) returned	0.000 sec / 0.000 sec
21:51:47	SELECT * FROM class RIGHT OUTER JOIN class_info ON class.id=class_info.id LIMIT 0, 1000	47 row(s) returned	0.015 sec / 0.000 sec
21:53:24	SELECT * FROM class FULL OUTER JOIN class_info ON class.id=class_info.id	Error Code: 1064. You have an error in your SQL syntax; check the manual that corresponds to your MySQL server version for the rig...	0.000 sec
21:54:10	SELECT * FROM class LEFT JOIN class_info ON class.id = class_info.id UNION SELECT * FROM class RIGHT JOIN class_info O...	13 row(s) returned	0.015 sec / 0.000 sec



```
SELECT *
FROM class
LEFT JOIN class_info
ON class.id = class_info.id
WHERE class_info.id IS NULL

UNION

SELECT *
FROM class
RIGHT JOIN class_info
ON class.id = class_info.id
WHERE class.id IS NULL;
```

id	name	id	address
4	alex	NULL	NULL
4	anu	NULL	NULL
5	adithya	NULL	NULL
NULL	NULL	7	NOIDS
NULL	NULL	8	PANIPAT


Result 11

Output


Action Output

#	Time	Action	Message	Duration / Fetch
12	21:49:37	SELECT * FROM class LEFT OUTER JOIN class_info ON class.id=class_info.id LIMIT 0, 1000	50 row(s) returned	0.000 sec / 0.000 sec
13	21:50:29	SELECT * FROM class LEFT JOIN class_info ON class.id=class_info.id WHERE class_info.id IS NULL LIMIT 0, 1000	5 row(s) returned	0.000 sec / 0.000 sec
14	21:51:47	SELECT * FROM class RIGHT OUTER JOIN class_info ON class.id=class_info.id LIMIT 0, 1000	47 row(s) returned	0.015 sec / 0.000 sec
15	21:53:24	SELECT * FROM class FULL OUTER JOIN class_info ON class.id=class_info.id	Error Code: 1064. You have an error in your SQL syntax; check the manual that corresponds to your MySQL server version for the rig...	0.000 sec
16	21:54:10	SELECT * FROM class LEFT JOIN class_info ON class.id = class_info.id UNION SELECT * FROM class RIGHT JOIN class_info O...	13 row(s) returned	0.015 sec / 0.000 sec
17	21:54:51	SELECT * FROM class FULL OUTER JOIN class_info ON class.id=class_info.id WHERE class.id IS NULL OR class_info.id IS NULL	Error Code: 1064. You have an error in your SQL syntax; check the manual that corresponds to your MySQL server version for the rig...	0.000 sec
18	21:55:31	SELECT * FROM class LEFT JOIN class_info ON class.id = class_info.id WHERE class_info.id IS NULL UNION SELECT * FROM ...	5 row(s) returned	0.000 sec / 0.000 sec

PART 7: UNION


Week-1
DDL,DCL,DML,TCL Commands*
TCL*
JOINTS
SET_OPERATION*
Limit to 1000 rows
USE Bank_Management_System;
CREATE TABLE first_table(
id INT,
name VARCHAR(30)
);
CREATE TABLE second_table(
id INT,
name VARCHAR(30)
);
INSERT INTO first_table VALUES
(1,'poojitha sai'),
(2,'adam');
INSERT INTO second_table VALUES
(2,'adam'),
(3,'lakshmi');
Output
Action Output
Time Action Message Duration / Fetch
1 22:00:09 USE Bank_Management_System 0 row(s) affected 0.000 sec
2 22:00:54 CREATE TABLE second_table(id INT, name VARCHAR(30)) 0 row(s) affected 0.046 sec
3 22:00:59 INSERT INTO second_table VALUES (2,'adam'), (3,'lakshmi') 2 row(s) affected Records: 2 Duplicates: 0 Warnings: 0 0.000 sec

UNION


INSERT INTO first_table VALUES
(1,'poojitha sai'),
(2,'adam');
INSERT INTO second_table VALUES
(2,'adam'),
(3,'lakshmi');
SELECT * FROM first_table
UNION
SELECT * FROM second_table;
Result Grid
Filter Rows:
Export:
Wrap Cell Content:
id name
1 poojitha sai
2 adam
3 lakshmi
Result 3
Read Only
Output
Action Output
Time Action Message Duration / Fetch
1 22:04:38 USE Bank_Management_System 0 row(s) affected 0.000 sec
2 22:04:45 INSERT INTO first_table VALUES (1,'poojitha sai'), (2,'adam') 2 row(s) affected Records: 2 Duplicates: 0 Warnings: 0 0.016 sec
3 22:04:45 INSERT INTO second_table VALUES (2,'adam'), (3,'lakshmi') 2 row(s) affected Records: 2 Duplicates: 0 Warnings: 0 0.000 sec
4 22:04:49 SELECT * FROM first_table UNION SELECT * FROM second_table 3 row(s) returned 0.000 sec / 0.000 sec

```
21      UNION
22      SELECT * FROM second_table;
23
24  •   SELECT name FROM first_table
25      UNION
26      SELECT name FROM second_table;
27
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content:

name
poojitha sai
adam
lakshmi

Result 4

Output

Action Output

#	Time	Action
1	22:04:38	USE Bank_Management_System
2	22:04:45	INSERT INTO first_table VALUES (1,'poojitha sai'), (2,'adam')
3	22:04:45	INSERT INTO second_table VALUES (2,'adam'), (3,'lakshmi')
4	22:04:49	SELECT * FROM first_table UNION SELECT * FROM second_table
5	22:05:47	SELECT name FROM first_table UNION SELECT name FROM second_table

UNION ALL

```
27
28  •   SELECT * FROM first_table
29      UNION ALL
30      SELECT * FROM second_table;
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content:


id	name
1	poojitha sai
2	adam
1	poojitha sai
2	adam
2	adam

Result 5 | Read Only

Output

Action Output

#	Time	Action	Message	Duration / Fetch
1	22:04:38	USE Bank_Management_System	0 row(s) affected	0.000 sec
2	22:04:45	INSERT INTO first_table VALUES (1,'poojitha sai'), (2,'adam')	2 row(s) affected Records: 2 Duplicates: 0 Warnings: 0	0.016 sec
3	22:04:45	INSERT INTO second_table VALUES (2,'adam'), (3,'lakshmi')	2 row(s) affected Records: 2 Duplicates: 0 Warnings: 0	0.000 sec
4	22:04:49	SELECT * FROM first_table UNION SELECT * FROM second_table	3 row(s) returned	0.000 sec / 0.000 sec
5	22:05:47	SELECT name FROM first_table UNION SELECT name FROM second_table	3 row(s) returned	0.016 sec / 0.000 sec
6	22:06:51	SELECT * FROM first_table UNION ALL SELECT * FROM second_table	10 row(s) returned	0.000 sec / 0.000 sec



```
SELECT name FROM first_table
UNION
SELECT name FROM second_table;

SELECT * FROM first_table
UNION ALL
SELECT * FROM second_table;

SELECT COUNT(*)
FROM
(
SELECT * FROM first_table
UNION ALL
SELECT * FROM second_table
) A;
```

COUNT(*)
10


Result 6

Output

Action Output

#	Time	Action	Message	Duration / Fetch
1	22:04:38	USE Bank_Management_System	0 row(s) affected	0.000 sec
2	22:04:45	INSERT INTO first_table VALUES (1,'poojitha sai'), (2,'adam')	2 row(s) affected Records: 2 Duplicates: 0 Warnings: 0	0.016 sec
3	22:04:45	INSERT INTO second_table VALUES (2,'adam'), (3,'lakshmi')	2 row(s) affected Records: 2 Duplicates: 0 Warnings: 0	0.000 sec
4	22:04:49	SELECT * FROM first_table UNION SELECT * FROM second_table	3 row(s) returned	0.000 sec / 0.000 sec
5	22:05:47	SELECT name FROM first_table UNION SELECT name FROM second_table	3 row(s) returned	0.016 sec / 0.000 sec
6	22:06:51	SELECT * FROM first_table UNION ALL SELECT * FROM second_table	10 row(s) returned	0.000 sec / 0.000 sec
7	22:07:37	SELECT COUNT(*) FROM (SELECT * FROM first_table UNION ALL SELECT * FROM second_table) A LIMIT 0, 1000	1 row(s) returned	0.000 sec / 0.000 sec

INTERSECT



```
SELECT f.*
FROM first_table f
INNER JOIN second_table s
ON f.id = s.id
AND f.name = s.name;
SELECT name FROM first_table
```


id	name
2	adam
2	adam
2	adam
2	adam
2	adam

Result 7


Output

Action Output

#	Time	Action	Message	Duration / Fetch
3	22:04:45	INSERT INTO second_table VALUES (2,'adam'), (3,'lakshmi')	2 row(s) affected Records: 2 Duplicates: 0 Warnings: 0	0.000 sec
4	22:04:49	SELECT * FROM first_table UNION SELECT * FROM second_table	3 row(s) returned	0.000 sec / 0.000 sec
5	22:05:47	SELECT name FROM first_table UNION SELECT name FROM second_table	3 row(s) returned	0.016 sec / 0.000 sec
6	22:06:51	SELECT * FROM first_table UNION ALL SELECT * FROM second_table	10 row(s) returned	0.000 sec / 0.000 sec
7	22:07:37	SELECT COUNT(*) FROM (SELECT * FROM first_table UNION ALL SELECT * FROM second_table) A LIMIT 0, 1000	1 row(s) returned	0.000 sec / 0.000 sec
8	22:09:11	SELECT * FROM first_table INTERSECT SELECT * FROM second_table	Error Code: 1064. You have an error in your SQL syntax; check the manual that corresponds to your MySQL server version for the rig...	0.000 sec
9	22:10:06	SELECT f.* FROM first_table f INNER JOIN second_table s ON f.id = s.id AND f.name = s.name LIMIT 0, 1000	6 row(s) returned	0.016 sec / 0.000 sec


MySQL Workbench
Local instance MySQL80
File Edit View Query Database Server Tools Scripting Help
Week-1 DDL,DCL,DML,TCL Commands* TCL* JOINTS SET_OPERATION*
Limit to 1000 rows
UNION ALL
SELECT * FROM second_table
) A;
SELECT f.*
FROM first_table f
INNER JOIN second_table s
ON f.id = s.id
AND f.name = s.name;
SELECT DISTINCT f.name
FROM first_table f
INNER JOIN second_table s
ON f.name = s.name;
Result Grid Filter Rows: Export: Wrap Cell Content:
name
adam
Result 8
Read Only
Output
Action Output
Time Action Message Duration / Fetch
4 22:04:49 SELECT * FROM first_table UNION SELECT * FROM second_table 3 row(s) returned 0.000 sec / 0.000 sec
5 22:05:47 SELECT name FROM first_table UNION SELECT name FROM second_table 3 row(s) returned 0.016 sec / 0.000 sec
6 22:06:51 SELECT * FROM first_table UNION ALL SELECT * FROM second_table 10 row(s) returned 0.000 sec / 0.000 sec
7 22:07:37 SELECT COUNT(*) FROM (SELECT * FROM first_table UNION ALL SELECT * FROM second_table) A LIMIT 0, 1000 1 row(s) returned 0.000 sec / 0.000 sec
8 22:09:11 SELECT * FROM first_table INTERSECT SELECT * FROM second_table Error Code: 1064. You have an error in your SQL syntax; check the manual that corresponds to your MySQL server version for the rig... 0.000 sec
9 22:10:06 SELECT f.* FROM first_table f INNER JOIN second_table s ON f.id = s.id AND f.name = s.name LIMIT 0, 1000 6 row(s) returned 0.016 sec / 0.000 sec
10 22:11:17 SELECT DISTINCT f.name FROM first_table f INNER JOIN second_table s ON f.name = s.name LIMIT 0, 1000 1 row(s) returned 0.000 sec / 0.000 sec

MINUS


SELECT name
FROM first_table
WHERE name NOT IN (
SELECT name
FROM second_table
);
Result Grid Filter Rows: Export: Wrap Cell Content:
name
poojitha sai
poojitha sai
first_table 9
Read Only
Output
Action Output
Time Action Message Duration / Fetch
6 22:06:51 SELECT * FROM first_table UNION ALL SELECT * FROM second_table 10 row(s) returned 0.000 sec / 0.000 sec
7 22:07:37 SELECT COUNT(*) FROM (SELECT * FROM first_table UNION ALL SELECT * FROM second_table) A LIMIT 0, 1000 1 row(s) returned 0.000 sec / 0.000 sec
8 22:09:11 SELECT * FROM first_table INTERSECT SELECT * FROM second_table Error Code: 1064. You have an error in your SQL syntax; check the manual that corresponds to your MySQL server version for the rig... 0.000 sec
9 22:10:06 SELECT f.* FROM first_table f INNER JOIN second_table s ON f.id = s.id AND f.name = s.name LIMIT 0, 1000 6 row(s) returned 0.016 sec / 0.000 sec
10 22:11:17 SELECT DISTINCT f.name FROM first_table f INNER JOIN second_table s ON f.name = s.name LIMIT 0, 1000 1 row(s) returned 0.000 sec / 0.000 sec
11 22:14:03 SELECT name FROM first_table MINUS SELECT name FROM second_table Error Code: 1064. You have an error in your SQL syntax; check the manual that corresponds to your MySQL server version for the rig... 0.000 sec
12 22:14:41 SELECT name FROM first_table WHERE name NOT IN (SELECT name FROM second_table) LIMIT 0, 1000 2 row(s) returned 0.015 sec / 0.000 sec

```
56  );
57
58  SELECT c.id,c.name,ci.address
59  FROM class c
60  INNER JOIN class_info ci
61  ON c.id=ci.id;
62
63
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content:

id	name	address

Result 10 | Read Only

Output

Action Output

#	Time	Action	Message	Duration / Fetch
7	22:07:37	SELECT COUNT(*) FROM (SELECT * FROM first_table UNION ALL SELECT * FROM second_table) A LIMIT 0, 1000	1 row(s) returned	0.000 sec / 0.000 sec
8	22:09:11	SELECT * FROM first_table INTERSECT SELECT * FROM second_table	Error Code: 1064. You have an error in your SQL syntax; check the manual that corresponds to your MySQL server version for the rig...	0.000 sec
9	22:10:06	SELECT f.* FROM first_table f INNER JOIN second_table s ON f.id = s.id AND f.name = s.name LIMIT 0, 1000	6 row(s) returned	0.016 sec / 0.000 sec
10	22:11:17	SELECT DISTINCT f.name FROM first_table f INNER JOIN second_table s ON f.name = s.name LIMIT 0, 1000	1 row(s) returned	0.000 sec / 0.000 sec
11	22:14:03	SELECT name FROM first_table MINUS SELECT name FROM second_table	Error Code: 1064. You have an error in your SQL syntax; check the manual that corresponds to your MySQL server version for the rig...	0.000 sec
12	22:14:41	SELECT name FROM first_table WHERE name NOT IN (SELECT name FROM second_table) LIMIT 0, 1000	2 row(s) returned	0.015 sec / 0.000 sec
13	22:15:10	SELECT c.id,c.name,ci.address FROM class c INNER JOIN class_info ci ON c.id=ci.id LIMIT 0, 1000	0 row(s) returned	0.000 sec / 0.000 sec

```
60  INNER JOIN class_info ci
61  ON c.id=ci.id;
62
63  SELECT c.id,
64         c.name,
65         CASE
66             WHEN ci.address IS NULL
67             THEN 'Address Missing'
68             ELSE 'Address Available'
69         END AS Status
70  FROM class c
71  LEFT JOIN class_info ci
72  ON c.id=ci.id;
```

esult Grid | Filter Rows: | Export: | Wrap Cell Content:

id	name	Status

sult 11 | Read Only

iput

Action Output

#	Time	Action	Message	Duration / Fetch
8	22:09:11	SELECT * FROM first_table INTERSECT SELECT * FROM second_table	Error Code: 1064. You have an error in your SQL syntax; check the manual that corresponds to your MySQL server version for the rig...	0.000 sec
9	22:10:06	SELECT f.* FROM first_table f INNER JOIN second_table s ON f.id = s.id AND f.name = s.name LIMIT 0, 1000	6 row(s) returned	0.016 sec / 0.000 sec
10	22:11:17	SELECT DISTINCT f.name FROM first_table f INNER JOIN second_table s ON f.name = s.name LIMIT 0, 1000	1 row(s) returned	0.000 sec / 0.000 sec
11	22:14:03	SELECT name FROM first_table MINUS SELECT name FROM second_table	Error Code: 1064. You have an error in your SQL syntax; check the manual that corresponds to your MySQL server version for the rig...	0.000 sec
12	22:14:41	SELECT name FROM first_table WHERE name NOT IN (SELECT name FROM second_table) LIMIT 0, 1000	2 row(s) returned	0.015 sec / 0.000 sec
13	22:15:10	SELECT c.id,c.name,ci.address FROM class c INNER JOIN class_info ci ON c.id=ci.id LIMIT 0, 1000	0 row(s) returned	0.000 sec / 0.000 sec
14	22:16:04	SELECT c.id, c.name, CASE WHEN ci.address IS NULL THEN 'Address Missing' ELSE 'Address Avail...	0 row(s) returned	0.000 sec / 0.000 sec