2520030103

K.Poojitha Sai

CREATE TABLE

Week-1 | DDL,DCL,DML,TCL Commands* | TCL* | JOINTS | SET_OPERATION* | practice | SQL File 8*

Limit to 1000 rows

```
1  USE physician_department_tables;
2  CREATE TABLE orders (
3      ord_no INT PRIMARY KEY,
4      purch_amt DECIMAL(10,2),
5      ord_date DATE,
6      customer_id INT,
7      salesman_id INT
8  );
9
```

Output

Action Output

#	Time	Action	Message
1	13:42:15	USE physician_department_tables	0 row(s) affected
2	13:42:30	CREATE TABLE orders (ord_no INT PRIMARY KEY, purch_amt DE...	0 row(s) affected


ORDERS TABLE

```sql
USE physician_department_tables;
CREATE TABLE orders (
    ord_no INT PRIMARY KEY,
    purch_amt DECIMAL(10,2),
    ord_date DATE,
    customer_id INT,
    salesman_id INT
);
INSERT INTO orders VALUES
(70001,150.50,'2012-10-05',3005,5002),
(70009,270.65,'2012-09-10',3001,5005),
(70002,65.26,'2012-10-05',3002,5001),
(70004,110.50,'2012-08-17',3009,5003),
(70007,948.50,'2012-09-10',3005,5002),
(70005,2400.60,'2012-07-27',3007,5001),
(70008,5760.00,'2012-09-10',3002,5001),
(70010,1983.43,'2012-10-10',3004,5006),
(70003,2480.40,'2012-10-10',3009,5003),
(70012,250.45,'2012-06-27',3008,5002),
(70011,75.29,'2012-08-17',3003,5007),
(70013,3045.60,'2012-04-25',3002,5001);
```

Output

Action Output

#	Time	Action	Message
1	13:42:15	USE physician_department_tables	0 row(s) affected
2	13:42:30	CREATE TABLE orders (ord_no INT PRIMARY KEY, purch_amt DE...	0 row(s) affected
3	13:43:58	INSERT INTO orders VALUES (70001,150.50,'2012-10-05',3005,5002), (7...	12 row(s) affected Records: 12 Duplicates: 0 Warnings: 0



```
SELECT *
FROM orders
WHERE salesman_id=5001;
```

ord_no	purch_amt	ord_date	customer_id	salesman_id
70002	65.26	2012-10-05	3002	5001
70005	2400.60	2012-07-27	3007	5001
70008	5760.00	2012-09-10	3002	5001
70013	3045.60	2012-04-25	3002	5001

orders 4

Output

Action Output

#	Time	Action	Message	Duration / Fetch
1	14:58:48	SELECT * FROM orders WHERE purch_amt > 2000 LIMIT 0, 1000	4 row(s) returned	0.000 sec / 0.000 sec
2	14:59:19	SELECT * FROM orders WHERE ord_date='2012-09-10' LIMIT 0, 1000	3 row(s) returned	0.015 sec / 0.000 sec
3	15:03:04	SELECT * FROM orders WHERE salesman_id=5001 LIMIT 0, 1000	4 row(s) returned	0.016 sec / 0.000 sec

```
SELECT *
FROM orders
ORDER BY purch_amt DESC;
```

ord_no	purch_amt	ord_date	customer_id	salesman_id
70008	5760.00	2012-09-10	3002	5001
70013	3045.60	2012-04-25	3002	5001
70003	2480.40	2012-10-10	3009	5003
70005	2400.60	2012-07-27	3007	5001
70010	1983.43	2012-10-10	3004	5006

orders 5

Output

Action Output

#	Time	Action	Message	Duration / Fetch
1	14:58:48	SELECT * FROM orders WHERE purch_amt > 2000 LIMIT 0, 1000	4 row(s) returned	0.000 sec / 0.000 sec
2	14:59:19	SELECT * FROM orders WHERE ord_date='2012-09-10' LIMIT 0, 1000	3 row(s) returned	0.015 sec / 0.000 sec
3	15:03:04	SELECT * FROM orders WHERE salesman_id=5001 LIMIT 0, 1000	4 row(s) returned	0.016 sec / 0.000 sec
4	15:03:49	SELECT * FROM orders ORDER BY purch_amt DESC LIMIT 0, 1000	12 row(s) returned	0.016 sec / 0.000 sec

```
SELECT *
FROM orders
ORDER BY ord_date;
```

ord_no	purch_amt	ord_date	customer_id	salesman_id
70013	3045.60	2012-04-25	3002	5001
70012	250.45	2012-06-27	3008	5002
70005	2400.60	2012-07-27	3007	5001
70004	110.50	2012-08-17	3009	5003
70011	75.29	2012-08-17	3003	5007

orders 6

Output

Action Output

#	Time	Action	Message	Duration / Fetch
1	14:58:48	SELECT * FROM orders WHERE purch_amt > 2000 LIMIT 0, 1000	4 row(s) returned	0.000 sec / 0.000 sec
2	14:59:19	SELECT * FROM orders WHERE ord_date='2012-09-10' LIMIT 0, 1000	3 row(s) returned	0.015 sec / 0.000 sec
3	15:03:04	SELECT * FROM orders WHERE salesman_id=5001 LIMIT 0, 1000	4 row(s) returned	0.016 sec / 0.000 sec
4	15:03:49	SELECT * FROM orders ORDER BY purch_amt DESC LIMIT 0, 1000	12 row(s) returned	0.016 sec / 0.000 sec
5	15:04:27	SELECT * FROM orders ORDER BY ord_date LIMIT 0, 1000	12 row(s) returned	0.000 sec / 0.000 sec

SUM()

```
SELECT SUM(purch_amt) AS total_revenue
FROM orders;
```

total_revenue
17541.18

Result 7


Read Only


Output

Action Output


#	Time	Action	Message	Duration / Fetch
1	14:58:48	SELECT * FROM orders WHERE purch_amt > 2000 LIMIT 0, 1000	4 row(s) returned	0.000 sec / 0.000 sec
2	14:59:19	SELECT * FROM orders WHERE ord_date='2012-09-10' LIMIT 0, 1000	3 row(s) returned	0.015 sec / 0.000 sec
3	15:03:04	SELECT * FROM orders WHERE salesman_id=5001 LIMIT 0, 1000	4 row(s) returned	0.016 sec / 0.000 sec
4	15:03:49	SELECT * FROM orders ORDER BY purch_amt DESC LIMIT 0, 1000	12 row(s) returned	0.016 sec / 0.000 sec
5	15:04:27	SELECT * FROM orders ORDER BY ord_date LIMIT 0, 1000	12 row(s) returned	0.000 sec / 0.000 sec
6	15:05:27	SELECT SUM(purch_amt) AS total_revenue FROM orders LIMIT 0, 1000	1 row(s) returned	0.000 sec / 0.000 sec

AVG()



SELECT AVG(purch_amt) AS average_order
FROM orders;
average_order
1461.765000
Result 8
Read Only
Output
Action Output
Time Action Message Duration / Fetch
1 14:58:48 SELECT * FROM orders WHERE purch_amt > 2000 LIMIT 0, 1000 4 row(s) returned 0.000 sec / 0.000 sec
2 14:59:19 SELECT * FROM orders WHERE ord_date='2012-09-10' LIMIT 0, 1000 3 row(s) returned 0.015 sec / 0.000 sec
3 15:03:04 SELECT * FROM orders WHERE salesman_id=5001 LIMIT 0, 1000 4 row(s) returned 0.016 sec / 0.000 sec
4 15:03:49 SELECT * FROM orders ORDER BY purch_amt DESC LIMIT 0, 1000 12 row(s) returned 0.016 sec / 0.000 sec
5 15:04:27 SELECT * FROM orders ORDER BY ord_date LIMIT 0, 1000 12 row(s) returned 0.000 sec / 0.000 sec
6 15:05:27 SELECT SUM(purch_amt) AS total_revenue FROM orders LIMIT 0, 1000 1 row(s) returned 0.000 sec / 0.000 sec
7 15:06:30 SELECT AVG(purch_amt) AS average_order FROM orders LIMIT 0, 1000 1 row(s) returned 0.000 sec / 0.000 sec


FROM orders;
SELECT MAX(purch_amt) AS highest_order
FROM orders;
highest_order
5760.00
Result 9
Read Only
Output
Action Output
Time Action Message Duration / Fetch
2 14:59:19 SELECT * FROM orders WHERE ord_date='2012-09-10' LIMIT 0, 1000 3 row(s) returned 0.015 sec / 0.000 sec
3 15:03:04 SELECT * FROM orders WHERE salesman_id=5001 LIMIT 0, 1000 4 row(s) returned 0.016 sec / 0.000 sec
4 15:03:49 SELECT * FROM orders ORDER BY purch_amt DESC LIMIT 0, 1000 12 row(s) returned 0.016 sec / 0.000 sec
5 15:04:27 SELECT * FROM orders ORDER BY ord_date LIMIT 0, 1000 12 row(s) returned 0.000 sec / 0.000 sec
6 15:05:27 SELECT SUM(purch_amt) AS total_revenue FROM orders LIMIT 0, 1000 1 row(s) returned 0.000 sec / 0.000 sec
7 15:06:30 SELECT AVG(purch_amt) AS average_order FROM orders LIMIT 0, 1000 1 row(s) returned 0.000 sec / 0.000 sec
8 15:07:38 SELECT MAX(purch_amt) AS highest_order FROM orders LIMIT 0, 1000 1 row(s) returned 0.000 sec / 0.000 sec


MAX()


FROM orders;
SELECT MAX(purch_amt) AS highest_order
FROM orders;
highest_order
5760.00
Result 9
Read Only
Output
Action Output
Time Action Message Duration / Fetch
2 14:59:19 SELECT * FROM orders WHERE ord_date='2012-09-10' LIMIT 0, 1000 3 row(s) returned 0.015 sec / 0.000 sec
3 15:03:04 SELECT * FROM orders WHERE salesman_id=5001 LIMIT 0, 1000 4 row(s) returned 0.016 sec / 0.000 sec
4 15:03:49 SELECT * FROM orders ORDER BY purch_amt DESC LIMIT 0, 1000 12 row(s) returned 0.016 sec / 0.000 sec
5 15:04:27 SELECT * FROM orders ORDER BY ord_date LIMIT 0, 1000 12 row(s) returned 0.000 sec / 0.000 sec
6 15:05:27 SELECT SUM(purch_amt) AS total_revenue FROM orders LIMIT 0, 1000 1 row(s) returned 0.000 sec / 0.000 sec
7 15:06:30 SELECT AVG(purch_amt) AS average_order FROM orders LIMIT 0, 1000 1 row(s) returned 0.000 sec / 0.000 sec
8 15:07:38 SELECT MAX(purch_amt) AS highest_order FROM orders LIMIT 0, 1000 1 row(s) returned 0.000 sec / 0.000 sec


MIN()



COUNT()



GROUP BY:



```sql
SELECT customer_id,
       SUM(purch_amt) AS total_purchase
FROM orders
GROUP BY customer_id;
```

Result Grid

customer_id	total_purchase
3005	1099.00
3002	8870.86
3009	2590.90
3007	2400.60
3001	270.65

Result 13

Read Only

Output

Action Output

#	Time	Action	Message	Duration / Fetch
6	15:05:27	SELECT SUM(purch_amt) AS total_revenue FROM orders LIMIT 0, 1000	1 row(s) returned	0.000 sec / 0.000 sec
7	15:06:30	SELECT AVG(purch_amt) AS average_order FROM orders LIMIT 0, 1000	1 row(s) returned	0.000 sec / 0.000 sec
8	15:07:38	SELECT MAX(purch_amt) AS highest_order FROM orders LIMIT 0, 1000	1 row(s) returned	0.000 sec / 0.000 sec
9	15:09:37	SELECT MIN(purch_amt) AS lowest_order FROM orders LIMIT 0, 1000	1 row(s) returned	0.000 sec / 0.000 sec
10	15:10:54	SELECT COUNT(*) AS total_orders FROM orders LIMIT 0, 1000	1 row(s) returned	0.016 sec / 0.000 sec
11	15:11:53	SELECT salesman_id, SUM(purch_amt) AS total_sales FROM orders GROUP BY salesman_id LIMIT 0, 1000	6 row(s) returned	0.016 sec / 0.000 sec
12	15:12:40	SELECT customer_id, SUM(purch_amt) AS total_purchase FROM orders GROUP BY customer_id LIMIT 0, 1000	8 row(s) returned	0.000 sec / 0.000 sec

```sql
SELECT customer_id,
       MAX(purch_amt) AS highest_purchase
FROM orders
GROUP BY customer_id;
```

Result Grid

customer_id	highest_purchase
3005	948.50
3002	5760.00
3009	2480.40
3007	2400.60
3001	270.65

Result 14

Read Only

Output

Action Output

#	Time	Action	Message	Duration / Fetch
7	15:06:30	SELECT AVG(purch_amt) AS average_order FROM orders LIMIT 0, 1000	1 row(s) returned	0.000 sec / 0.000 sec
8	15:07:38	SELECT MAX(purch_amt) AS highest_order FROM orders LIMIT 0, 1000	1 row(s) returned	0.000 sec / 0.000 sec
9	15:09:37	SELECT MIN(purch_amt) AS lowest_order FROM orders LIMIT 0, 1000	1 row(s) returned	0.000 sec / 0.000 sec
10	15:10:54	SELECT COUNT(*) AS total_orders FROM orders LIMIT 0, 1000	1 row(s) returned	0.016 sec / 0.000 sec
11	15:11:53	SELECT salesman_id, SUM(purch_amt) AS total_sales FROM orders GROUP BY salesman_id LIMIT 0, 1000	6 row(s) returned	0.016 sec / 0.000 sec
12	15:12:40	SELECT customer_id, SUM(purch_amt) AS total_purchase FROM orders GROUP BY customer_id LIMIT 0, 1000	8 row(s) returned	0.000 sec / 0.000 sec
13	15:13:14	SELECT customer_id, MAX(purch_amt) AS highest_purchase FROM orders GROUP BY customer_id LIMIT 0, 1000	8 row(s) returned	0.016 sec / 0.000 sec

```sql
SELECT salesman_id,
       SUM(purch_amt) AS total_sales
FROM orders
GROUP BY salesman_id
HAVING SUM(purch_amt) > 3000;
```

Result Grid

salesman_id	total_sales
5001	11271.46

Export recordset to an external file

Result 15

Read Only

Output

Action Output

#	Time	Action	Message	Duration / Fetch
8	15:07:38	SELECT MAX(purch_amt) AS highest_order FROM orders LIMIT 0, 1000	1 row(s) returned	0.000 sec / 0.000 sec
9	15:09:37	SELECT MIN(purch_amt) AS lowest_order FROM orders LIMIT 0, 1000	1 row(s) returned	0.000 sec / 0.000 sec
10	15:10:54	SELECT COUNT(*) AS total_orders FROM orders LIMIT 0, 1000	1 row(s) returned	0.016 sec / 0.000 sec
11	15:11:53	SELECT salesman_id, SUM(purch_amt) AS total_sales FROM orders GROUP BY salesman_id LIMIT 0, 1000	6 row(s) returned	0.016 sec / 0.000 sec
12	15:12:40	SELECT customer_id, SUM(purch_amt) AS total_purchase FROM orders GROUP BY customer_id LIMIT 0, 1000	8 row(s) returned	0.000 sec / 0.000 sec
13	15:13:14	SELECT customer_id, MAX(purch_amt) AS highest_purchase FROM orders GROUP BY customer_id LIMIT 0, 1000	8 row(s) returned	0.016 sec / 0.000 sec
14	15:13:47	SELECT salesman_id, SUM(purch_amt) AS total_sales FROM orders GROUP BY salesman_id HAVING SUM(purch_amt) > 300...	1 row(s) returned	0.015 sec / 0.000 sec

```
76      HAVING SUM(purch_amt) > 3000;
77
78 •    SELECT customer_id,
79             SUM(purch_amt) AS total_purchase
80      FROM orders
81      GROUP BY customer_id
82      HAVING SUM(purch_amt) > 2500;
83
84
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content:

customer_id	total_purchase
3002	8870.86
3009	2590.90

Result 16 | Read Only

Output

Action Output

#	Time	Action	Message	Duration / Fetch
9	15:09:37	SELECT MIN(purch_amt) AS lowest_order FROM orders LIMIT 0, 1000	1 row(s) returned	0.000 sec / 0.000 sec
10	15:10:54	SELECT COUNT(*) AS total_orders FROM orders LIMIT 0, 1000	1 row(s) returned	0.016 sec / 0.000 sec
11	15:11:53	SELECT salesman_id, SUM(purch_amt) AS total_sales FROM orders GROUP BY salesman_id LIMIT 0, 1000	6 row(s) returned	0.016 sec / 0.000 sec
12	15:12:40	SELECT customer_id, SUM(purch_amt) AS total_purchase FROM orders GROUP BY customer_id LIMIT 0, 1000	8 row(s) returned	0.000 sec / 0.000 sec
13	15:13:14	SELECT customer_id, MAX(purch_amt) AS highest_purchase FROM orders GROUP BY customer_id LIMIT 0, 1000	8 row(s) returned	0.016 sec / 0.000 sec
14	15:13:47	SELECT salesman_id, SUM(purch_amt) AS total_sales FROM orders GROUP BY salesman_id HAVING SUM(purch_amt) > 300...	1 row(s) returned	0.015 sec / 0.000 sec
15	15:14:25	SELECT customer_id, SUM(purch_amt) AS total_purchase FROM orders GROUP BY customer_id HAVING SUM(purch_amt) > ...	2 row(s) returned	0.000 sec / 0.000 sec

```
83
84 •    SELECT customer_id,
85             COUNT(*) AS total_orders
86      FROM orders
87      GROUP BY customer_id
88      HAVING COUNT(*) > 1;
89
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content:

customer_id	total_orders
3005	2
3002	3
3009	2

Result 17 | Read Only

Output

Action Output

#	Time	Action	Message	Duration / Fetch
10	15:10:54	SELECT COUNT(*) AS total_orders FROM orders LIMIT 0, 1000	1 row(s) returned	0.016 sec / 0.000 sec
11	15:11:53	SELECT salesman_id, SUM(purch_amt) AS total_sales FROM orders GROUP BY salesman_id LIMIT 0, 1000	6 row(s) returned	0.016 sec / 0.000 sec
12	15:12:40	SELECT customer_id, SUM(purch_amt) AS total_purchase FROM orders GROUP BY customer_id LIMIT 0, 1000	8 row(s) returned	0.000 sec / 0.000 sec
13	15:13:14	SELECT customer_id, MAX(purch_amt) AS highest_purchase FROM orders GROUP BY customer_id LIMIT 0, 1000	8 row(s) returned	0.016 sec / 0.000 sec
14	15:13:47	SELECT salesman_id, SUM(purch_amt) AS total_sales FROM orders GROUP BY salesman_id HAVING SUM(purch_amt) > 300...	1 row(s) returned	0.015 sec / 0.000 sec
15	15:14:25	SELECT customer_id, SUM(purch_amt) AS total_purchase FROM orders GROUP BY customer_id HAVING SUM(purch_amt) > ...	2 row(s) returned	0.000 sec / 0.000 sec
16	15:15:12	SELECT customer_id, COUNT(*) AS total_orders FROM orders GROUP BY customer_id HAVING COUNT(*) > 1 LIMIT 0, 1000	3 row(s) returned	0.016 sec / 0.000 sec

```
89
90 •    SELECT customer_id,
91             SUM(purch_amt) AS total_purchase
92      FROM orders
93      GROUP BY customer_id
94      HAVING SUM(purch_amt) > 1000
95      ORDER BY total_purchase DESC;
96
97
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content:

customer_id	total_purchase
3002	8870.86
3009	2590.90
3007	2400.60
3004	1983.43
3005	1099.00

Result 18 | Read Only

Output

Action Output

#	Time	Action	Message	Duration / Fetch
11	15:11:53	SELECT salesman_id, SUM(purch_amt) AS total_sales FROM orders GROUP BY salesman_id LIMIT 0, 1000	6 row(s) returned	0.016 sec / 0.000 sec
12	15:12:40	SELECT customer_id, SUM(purch_amt) AS total_purchase FROM orders GROUP BY customer_id LIMIT 0, 1000	8 row(s) returned	0.000 sec / 0.000 sec
13	15:13:14	SELECT customer_id, MAX(purch_amt) AS highest_purchase FROM orders GROUP BY customer_id LIMIT 0, 1000	8 row(s) returned	0.016 sec / 0.000 sec
14	15:13:47	SELECT salesman_id, SUM(purch_amt) AS total_sales FROM orders GROUP BY salesman_id HAVING SUM(purch_amt) > 300...	1 row(s) returned	0.015 sec / 0.000 sec
15	15:14:25	SELECT customer_id, SUM(purch_amt) AS total_purchase FROM orders GROUP BY customer_id HAVING SUM(purch_amt) > ...	2 row(s) returned	0.000 sec / 0.000 sec
16	15:15:12	SELECT customer_id, COUNT(*) AS total_orders FROM orders GROUP BY customer_id HAVING COUNT(*) > 1 LIMIT 0, 1000	3 row(s) returned	0.016 sec / 0.000 sec
17	15:15:42	SELECT customer_id, SUM(purch_amt) AS total_purchase FROM orders GROUP BY customer_id HAVING SUM(purch_amt) > ...	5 row(s) returned	0.000 sec / 0.000 sec

```
SELECT customer_id,
       MAX(purch_amt) AS max_purchase
FROM orders
GROUP BY customer_id
HAVING MAX(purch_amt) BETWEEN 2000 AND 6000;
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content:

customer_id	max_purchase
3002	5760.00
3009	2480.40
3007	2400.60

Result 19 | Read Only

Output | Action Output

#	Time	Action	Message	Duration / Fetch
12	15:12:40	SELECT customer_id, SUM(purch_amt) AS total_purchase FROM orders GROUP BY customer_id LIMIT 0, 1000	8 row(s) returned	0.000 sec / 0.000 sec
13	15:13:14	SELECT customer_id, MAX(purch_amt) AS highest_purchase FROM orders GROUP BY customer_id LIMIT 0, 1000	8 row(s) returned	0.016 sec / 0.000 sec
14	15:13:47	SELECT salesman_id, SUM(purch_amt) AS total_sales FROM orders GROUP BY salesman_id HAVING SUM(purch_amt) > 300...	1 row(s) returned	0.015 sec / 0.000 sec
15	15:14:25	SELECT customer_id, SUM(purch_amt) AS total_purchase FROM orders GROUP BY customer_id HAVING SUM(purch_amt) > ...	2 row(s) returned	0.000 sec / 0.000 sec
16	15:15:12	SELECT customer_id, COUNT(*) AS total_orders FROM orders GROUP BY customer_id HAVING COUNT(*) > 1 LIMIT 0, 1000	3 row(s) returned	0.016 sec / 0.000 sec
17	15:15:42	SELECT customer_id, SUM(purch_amt) AS total_purchase FROM orders GROUP BY customer_id HAVING SUM(purch_amt) > ...	5 row(s) returned	0.000 sec / 0.000 sec
18	15:16:30	SELECT customer_id, MAX(purch_amt) AS max_purchase FROM orders GROUP BY customer_id HAVING MAX(purch_amt) BE...	3 row(s) returned	0.000 sec / 0.000 sec

```
SELECT salesman_id,
       COUNT(*) AS total_orders
FROM orders
GROUP BY salesman_id
HAVING COUNT(*) >= 2;
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content:

salesman_id	total_orders
5002	3
5001	4
5003	2

Result 20 | Read Only

Output | Action Output

#	Time	Action	Message	Duration / Fetch
13	15:13:14	SELECT customer_id, MAX(purch_amt) AS highest_purchase FROM orders GROUP BY customer_id LIMIT 0, 1000	8 row(s) returned	0.016 sec / 0.000 sec
14	15:13:47	SELECT salesman_id, SUM(purch_amt) AS total_sales FROM orders GROUP BY salesman_id HAVING SUM(purch_amt) > 300...	1 row(s) returned	0.015 sec / 0.000 sec
15	15:14:25	SELECT customer_id, SUM(purch_amt) AS total_purchase FROM orders GROUP BY customer_id HAVING SUM(purch_amt) > ...	2 row(s) returned	0.000 sec / 0.000 sec
16	15:15:12	SELECT customer_id, COUNT(*) AS total_orders FROM orders GROUP BY customer_id HAVING COUNT(*) > 1 LIMIT 0, 1000	3 row(s) returned	0.016 sec / 0.000 sec
17	15:15:42	SELECT customer_id, SUM(purch_amt) AS total_purchase FROM orders GROUP BY customer_id HAVING SUM(purch_amt) > ...	5 row(s) returned	0.000 sec / 0.000 sec
18	15:16:30	SELECT customer_id, MAX(purch_amt) AS max_purchase FROM orders GROUP BY customer_id HAVING MAX(purch_amt) BE...	3 row(s) returned	0.000 sec / 0.000 sec
19	15:17:00	SELECT salesman_id, COUNT(*) AS total_orders FROM orders GROUP BY salesman_id HAVING COUNT(*) >= 2 LIMIT 0, 1000	3 row(s) returned	0.000 sec / 0.000 sec

```
SELECT ord_date,
       MAX(purch_amt) AS highest_purchase
FROM orders
GROUP BY ord_date
HAVING MAX(purch_amt) > 2000;
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content:

ord_date	highest_purchase
2012-10-10	2480.40
2012-07-27	2400.60
2012-09-10	5760.00
2012-04-25	3045.60

Result 21 | Read Only

Output | Action Output

#	Time	Action	Message	Duration / Fetch
14	15:13:47	SELECT salesman_id, SUM(purch_amt) AS total_sales FROM orders GROUP BY salesman_id HAVING SUM(purch_amt) > 300...	1 row(s) returned	0.015 sec / 0.000 sec
15	15:14:25	SELECT customer_id, SUM(purch_amt) AS total_purchase FROM orders GROUP BY customer_id HAVING SUM(purch_amt) > ...	2 row(s) returned	0.000 sec / 0.000 sec
16	15:15:12	SELECT customer_id, COUNT(*) AS total_orders FROM orders GROUP BY customer_id HAVING COUNT(*) > 1 LIMIT 0, 1000	3 row(s) returned	0.016 sec / 0.000 sec
17	15:15:42	SELECT customer_id, SUM(purch_amt) AS total_purchase FROM orders GROUP BY customer_id HAVING SUM(purch_amt) > ...	5 row(s) returned	0.000 sec / 0.000 sec
18	15:16:30	SELECT customer_id, MAX(purch_amt) AS max_purchase FROM orders GROUP BY customer_id HAVING MAX(purch_amt) BE...	3 row(s) returned	0.000 sec / 0.000 sec
19	15:17:00	SELECT salesman_id, COUNT(*) AS total_orders FROM orders GROUP BY salesman_id HAVING COUNT(*) >= 2 LIMIT 0, 1000	3 row(s) returned	0.000 sec / 0.000 sec
20	15:17:56	SELECT ord_date, MAX(purch_amt) AS highest_purchase FROM orders GROUP BY ord_date HAVING MAX(purch_amt) > 200...	4 row(s) returned	0.000 sec / 0.000 sec