



© 2022 ANSYS, Inc. or affiliated companies
Unauthorized use, distribution, or duplication prohibited.

Dummy Reference Manual



ANSYS, Inc.
Southpointe
2600 ANSYS Drive
Canonsburg, PA 15317
ansysinfo@ansys.com
<http://www.ansys.com/Products/Semiconductors>
(T) 724-746-3304
(F) 724-514-9494

Release 2023R2.1
July 2023

ANSYS, Inc. and ANSYS Europe, Ltd. are UL registered ISO 9001:2015 companies.
--

Copyright and Trademark Information

© 2022 ANSYS, Inc. Unauthorized use, distribution or duplication is prohibited.

ANSYS, Ansys Workbench, AUTODYN, CFX, FLUENT and any and all ANSYS, Inc. brand, product, service and feature names, logos and slogans are registered trademarks or trademarks of ANSYS, Inc. or its subsidiaries located in the United States or other countries. ICEM CFD is a trademark used by ANSYS, Inc. under license. CFX is a trademark of Sony Corporation in Japan. All other brand, product, service and feature names or trademarks are the property of their respective owners. FLEXlm and FLEXnet are trademarks of Flexera Software LLC.

Disclaimer Notice

THIS ANSYS SOFTWARE PRODUCT AND PROGRAM DOCUMENTATION INCLUDE TRADE SECRETS AND ARE CONFIDENTIAL AND PROPRIETARY PRODUCTS OF ANSYS, INC., ITS SUBSIDIARIES, OR LICENSORS. The software products and documentation are furnished by ANSYS, Inc., its subsidiaries, or affiliates under a software license agreement that contains provisions concerning non-disclosure, copying, length and nature of use, compliance with exporting laws, warranties, disclaimers, limitations of liability, and remedies, and other provisions. The software products and documentation may be used, disclosed, transferred, or copied only in accordance with the terms and conditions of that software license agreement.

ANSYS, Inc. and ANSYS Europe, Ltd. are UL registered ISO 9001: 2015 companies.

U.S. Government Rights

For U.S. Government users, except as specifically granted by the ANSYS, Inc. software license agreement, the use, duplication, or disclosure by the United States Government is subject to restrictions stated in the ANSYS, Inc. software license agreement and FAR 12.212 (for non-DOD licenses).

Third-Party Software

See the legal information in the product help files for the complete Legal Notice for ANSYS proprietary software and third-party software. If you are unable to access the Legal Notice, contact ANSYS, Inc.

Published in the U.S.A.

Table of Contents

1. A_Element	1
1.1. Function__A	1
1.2. Function__B	1
2. B_Element	3
2.1. Function__C	3
2.2. Function__D	3
3. C_Element	5
3.1. Function__E	5
3.2. Function__E	6
3.3. Function__F	6
3.4. Function__G	7
3.5. Function__H	7
3.6. Function__I	8
3.7. Function__J	8
3.8. Function__K	8
3.9. Function__L	9
3.10. Function__M	9
3.11. Function__N	9
3.12. Function__O	10
4. D_Element	13
4.1. Function__Q	13
4.2. Function__R	13
5. E_Element	15
5.1. Function__K	15
5.2. Function__J	15
5.3. Function__Q	16
6. F_Element	17
6.1. Function__K	17
6.2. Function__J	17
6.3. Function__Q	18
7. G_Element	19
7.1. Function__K	19
7.2. Function__J	19
7.3. Function__Q	20
8. H_Element	21
8.1. Function__K	21
8.2. Function__J	21
8.3. Function__Q	22
9. I_Element	23
9.1. Function__K	23
9.2. Function__J	23
9.3. Function__Q	24
10. J_Element	25
11. K_Element	27
11.1. Function__X	27

Chapter 1: A_Element

dummy content.

SEE ALSO:

[F_Element](#)

FUNCTIONS:

1.1. Function__A

dummy content.

1.1.1. SYNTAX

```
Function__A(syntax, syntax=syntax)
```

1.1.2. RETURN VALUE

dummy content.

1.2. Function__B

dummy content.

1.2.1. SYNTAX

```
Function__B(syntax, syntax=syntax)
```

1.2.2. ARGUMENTS

arg : arg def

Chapter 2: B_Element

dummy content.

SEE ALSO:

[H_Element](#)

DETAILS:

dummy content.

FUNCTIONS:

2.1. Function__C

dummy content.

2.1.1. SYNTAX

```
Function__C(syntax, syntax=syntax)
```

2.1.2. RETURN VALUE

dummy content.

2.2. Function__D

dummy content.

2.2.1. SYNTAX

```
Function__D(syntax, syntax=syntax)
```

2.2.2. ARGUMENTS

arg : arg def

Chapter 3: C_Element

dummy content.

SEE ALSO:

- [D_Element](#)
- [H_Element](#)

DETAILS:

dummy_content dummy_content

FUNCTIONS:

3.1. Function__E

dummy content

3.1.1.SYNTAX

```
Function__E(syntax, syntax=syntax)
```

3.1.2.ARGUMENTS

- arg1 : arg def
- arg2 : arg def
- arg3 : arg def
- arg4 : arg def

3.1.3.DETAILS

dummy content dummy content	dummy content dummy content	dummy content	dummy content
dummy content dummy content	dummy content	dummy content	dummy content
content dummy content dummy content	dummy content	dummy content	dummy
dummy content	dummy content	dummy content	

3.2. Function__E

dummy content.

3.2.1. SYNTAX

```
Function__E(syntax, syntax={'syntax': 'syntax', 'syntax': syntax})
```

3.2.2. ARGUMENTS

- arg1 : arg def (type=syntax, required=syntax)
- arg2 : arg def (type=dict, default_value={'dummy', 'dummy'})
- arg3 : arg def (type=dict, default_value={'dummy', 'dummy'})
- arg4 : arg def (type=str, default_value=arg def)
- arg5 : arg def (type=dict, default_value=arg def)

3.2.3. DETAILS

dummy content dummy content	dummy content dummy content	dummy content	dummy content
dummy content dummy content	dummy content	dummy content	dummy content
content dummy content dummy content	dummy content	dummy content	dummy
dummy content	dummy content	dummy content	

3.3. Function__F

dummy content

3.3.1. SYNTAX

```
Function__F(syntax, syntax={'syntax': 'syntax', 'syntax': syntax})
```

3.3.2. ARGUMENTS

- arg1 : arg def (type=syntax, required=syntax)
- arg2 : arg def (type=dict, default_value={'dummy', 'dummy'})
- arg3 : arg def (type=dict, default_value={'dummy', 'dummy'})

3.3.3. RETURN VALUE

dummy content

3.3.4. KEYWORDS

dummy, dummy, dummy

3.4. Function___G

dummy content dummy content.

3.4.1. SYNTAX

```
Function___G(syntax=syntax, syntax=syntax)
```

3.4.2. ARGUMENTS

- arg1 : arg def (type=syntax, required=syntax)
- arg2 : arg def (type=dict, default_value={'dummy', 'dummy'})

3.4.3. RETURN VALUE

dummy content

3.4.4. KEYWORDS

dummy, dummy, dummy

3.5. Function___H

dummy content.

3.5.1. SYNTAX

```
Function___H(syntax, syntax, syntax)
```

3.5.2. ARGUMENTS

- arg1 : arg def (type=syntax, required=syntax)
- arg2 : arg def (type=dict, default_value={'dummy', 'dummy'})
- arg3 : arg def (type=dict, default_value={'dummy', 'dummy'})

3.5.3. RETURN VALUE

dummy content

3.6. Function__I

dummy content dummy content.

3.6.1. SYNTAX

```
Function__I(syntax=syntax, syntax=syntax)
```

3.7. Function__J

dummy content dummy content.

3.7.1. SYNTAX

```
Function__J(syntax=syntax, syntax=syntax)
```

3.7.2. RETURN VALUE

dummy content dummy content : dict of {dummy('dummy') : [dummy('dummy')]}

dummy content dummy content : dict of {dummy('dummy') : [dummy('dummy')]}

3.7.3. DETAILS

dummy content dummy content. dummy content dummy content.

3.7.4. SEE ALSO

H_Element

Function__C in A_Element

G_Element

3.7.5. KEYWORDS

dummy, dummy, dummy

3.8. Function__K

dummy content dummy content.

3.8.1. SYNTAX

```
Function__K(syntax)
```

3.8.2. ARGUMENTS

arg1 : arg def (syntax=syntax, syntax=syntax)

3.8.3. RETURN VALUE

dummy content; dummy content

3.8.4. KEYWORDS

dummy, dummy, dummy

3.9. Function___L

dummy content dummy content.

3.9.1. SYNTAX

```
Function___L()
```

3.10. Function___M

dummy content dummy content.

3.10.1. SYNTAX

```
Function___M()
```

3.10.2. RETURN VALUE

dummy content dummy content.

3.11. Function___N

dummy content dummy content.

3.11.1. SYNTAX

```
Function___N(syntax='syntax')
```

3.11.2. ARGUMENTS

arg1 : arg def (dummy=dummy, dummy='dummy')

3.11.3. DETAILS

content	dummy content dummy content	dummy content dummy content	dummy content	dummy content
	dummy content dummy content	dummy content	dummy content	dummy content
	dummy content dummy content	dummy content	dummy content	dummy
	dummy content	dummy content	dummy content	

3.11.4. KEYWORDS

dummy, dummy, dummy, dummy, dummy, dummy

3.12. Function__0

dummy content dummy content.

3.12.1. SYNTAX

```
Function__0(syntax='syntax')
```

3.12.2. ARGUMENTS

- arg1 : arg def (dummy=dummy, dummy='dummy')
- arg2 : arg def (dummy=dummy, dummy='dummy')

3.12.3. DETAILS

content	dummy content dummy content	dummy content dummy content	dummy content	dummy content
	dummy content dummy content	dummy content	dummy content	dummy content
	dummy content dummy content	dummy content	dummy content	dummy
	dummy content	dummy content	dummy content	

3.12.4. KEYWORDS

dummy, dummy, dummy, dummy, dummy, dummy

Chapter 4: D__Element

dummy content dummy content.

FUNCTIONS:

4.1. Function__Q

dummy content.

4.1.1. SYNTAX

```
Function__Q(syntax, syntax='syntax', syntax=syntax, syntax=syntax)
```

4.1.2. ARGUMENTS

- arg1 : arg def (dummy=dummy, dummy='dummy')
- arg2 : arg def (dummy=dummy, dummy='dummy')

4.1.3. DETAILS

dummy content dummy content	dummy content dummy content	dummy content	dummy content
dummy content dummy content	dummy content	dummy content	dummy content
content dummy content dummy content	dummy content	dummy content	dummy
dummy content	dummy content	dummy content	

4.1.4. KEYWORDS

dummy, dummy, dummy, dummy, dummy, dummy

4.2. Function__R

dummy content.

4.2.1. SYNTAX

```
Function__R(syntax, syntax)
```

4.2.2. ARGUMENTS

- arg1 : arg def
- arg2 : arg def

4.2.3. EXAMPLE

```
dummy content
```

4.2.4. KEYWORDS

dummy, dummy

Chapter 5: E_Element

dummy_content dummy_content

SEE ALSO:

[C_Element](#)

FUNCTIONS:

5.1. Function__K

dummy content.

5.1.1. SYNTAX

```
Function__K(syntax, syntax)
```

5.1.2. ARGUMENTS

- arg1 : arg def
- arg2 : arg def

5.1.3. EXAMPLE

```
dummy content
```

5.1.4. KEYWORDS

dummy, dummy

5.2. Function__J

dummy content.

5.2.1. SYNTAX

```
Function__J(syntax, syntax='syntax', syntax=syntax, syntax=syntax)
```

5.2.2.ARGUMENTS

- arg1 : arg def (syntax, syntax)
-

5.3. Function__Q

dummy content.

5.3.1. SYNTAX

```
Function__Q(syntax, syntax='syntax', syntax=syntax, syntax=syntax)
```

5.3.2.ARGUMENTS

- arg1 : arg def (dummy=dummy, dummy='dummy')
- arg2 : arg def (dummy=dummy, dummy='dummy')

5.3.3.DETAILS

dummy content dummy content	dummy content dummy content	dummy content	dummy content
dummy content dummy content	dummy content	dummy content	dummy content
content dummy content dummy content	dummy content	dummy content	dummy
dummy content	dummy content	dummy content	

5.3.4. KEYWORDS

dummy, dummy, dummy, dummy, dummy, dummy

Chapter 6: F_Element

dummy_content dummy_content

SEE ALSO:

[C_Element](#)

FUNCTIONS:

6.1. Function__K

dummy content.

6.1.1. SYNTAX

```
Function__K(syntax, syntax)
```

6.1.2. ARGUMENTS

- arg1 : arg def
- arg2 : arg def

6.1.3. EXAMPLE

```
dummy content
```

6.1.4. KEYWORDS

dummy, dummy

6.2. Function__J

dummy content.

6.2.1. SYNTAX

```
Function__J(syntax, syntax='syntax', syntax=syntax, syntax=syntax)
```

6.2.2.ARGUMENTS

- arg1 : arg def (syntax, syntax)
-

6.3. Function__Q

dummy content.

6.3.1. SYNTAX

```
Function__Q(syntax, syntax='syntax', syntax=syntax, syntax=syntax)
```

6.3.2.ARGUMENTS

- arg1 : arg def (dummy=dummy, dummy='dummy')
- arg2 : arg def (dummy=dummy, dummy='dummy')

6.3.3.DETAILS

dummy content dummy content	dummy content dummy content	dummy content	dummy content
dummy content dummy content	dummy content	dummy content	dummy content
content dummy content dummy content	dummy content	dummy content	dummy
dummy content	dummy content	dummy content	

6.3.4. KEYWORDS

dummy, dummy, dummy, dummy, dummy, dummy

Chapter 7: G_Element

dummy_content dummy_content

SEE ALSO:

[F_Element](#)

FUNCTIONS:

7.1. Function__K

dummy content.

7.1.1. SYNTAX

```
Function__K(syntax, syntax)
```

7.1.2. ARGUMENTS

- arg1 : arg def
- arg2 : arg def

7.1.3. EXAMPLE

```
dummy content
```

7.1.4. KEYWORDS

dummy, dummy

7.2. Function__J

dummy content.

7.2.1. SYNTAX

```
Function__J(syntax, syntax='syntax', syntax=syntax, syntax=syntax)
```

7.2.2.ARGUMENTS

- arg1 : arg def (syntax, syntax)
-

7.3. Function__Q

dummy content.

7.3.1.SYNTAX

```
Function__Q(syntax, syntax='syntax', syntax=syntax, syntax=syntax)
```

7.3.2.ARGUMENTS

- arg1 : arg def (dummy=dummy, dummy='dummy')
- arg2 : arg def (dummy=dummy, dummy='dummy')

7.3.3.DETAILS

dummy content dummy content	dummy content dummy content	dummy content	dummy content
dummy content dummy content	dummy content	dummy content	dummy content
content dummy content dummy content	dummy content	dummy content	dummy
dummy content	dummy content	dummy content	

7.3.4.KEYWORDS

dummy, dummy, dummy, dummy, dummy, dummy

Chapter 8: H_Element

dummy_content dummy_content

SEE ALSO:

[G_Element](#)

FUNCTIONS:

8.1. Function__K

dummy content.

8.1.1. SYNTAX

```
Function__K(syntax, syntax)
```

8.1.2. ARGUMENTS

- arg1 : arg def
- arg2 : arg def

8.1.3. EXAMPLE

```
dummy content
```

8.1.4. KEYWORDS

dummy, dummy

8.2. Function__J

dummy content.

8.2.1. SYNTAX

```
Function__J(syntax, syntax='syntax', syntax=syntax, syntax=syntax)
```

8.2.2.ARGUMENTS

- arg1 : arg def (syntax, syntax)
-

8.3. Function__Q

dummy content.

8.3.1. SYNTAX

```
Function__Q(syntax, syntax='syntax', syntax=syntax, syntax=syntax)
```

8.3.2.ARGUMENTS

- arg1 : arg def (dummy=dummy, dummy='dummy')
- arg2 : arg def (dummy=dummy, dummy='dummy')

8.3.3.DETAILS

dummy content dummy content	dummy content dummy content	dummy content	dummy content
dummy content dummy content	dummy content	dummy content	dummy content
content dummy content dummy content	dummy content	dummy content	dummy
dummy content	dummy content	dummy content	

8.3.4. KEYWORDS

dummy, dummy, dummy, dummy, dummy, dummy

Chapter 9: I_Element

dummy_content dummy_content

SEE ALSO:

[G_Element](#)

FUNCTIONS:

9.1. Function__K

dummy content.

9.1.1. SYNTAX

```
Function__K(syntax, syntax)
```

9.1.2. ARGUMENTS

- arg1 : arg def
- arg2 : arg def

9.1.3. EXAMPLE

```
dummy content
```

9.1.4. KEYWORDS

dummy, dummy

9.2. Function__J

dummy content.

9.2.1. SYNTAX

```
Function__J(syntax, syntax='syntax', syntax=syntax, syntax=syntax)
```

9.2.2.ARGUMENTS

- arg1 : arg def (syntax, syntax)
-

9.3. Function__Q

dummy content.

9.3.1. SYNTAX

```
Function__Q(syntax, syntax='syntax', syntax=syntax, syntax=syntax)
```

9.3.2.ARGUMENTS

- arg1 : arg def (dummy=dummy, dummy='dummy')
- arg2 : arg def (dummy=dummy, dummy='dummy')

9.3.3.DETAILS

dummy content dummy content	dummy content dummy content	dummy content	dummy content
dummy content dummy content	dummy content	dummy content	dummy content
content dummy content dummy content	dummy content	dummy content	dummy
dummy content	dummy content	dummy content	

9.3.4. KEYWORDS

dummy, dummy, dummy, dummy, dummy, dummy

Chapter 10: J_Element

dummy content.

SEE ALSO:

[E_Element](#)

DETAILS:

dummy content

FUNCTIONS:

Chapter 11: K_Element

dummy content.

SEE ALSO:

[I_Element](#)

DETAILS:

dummy content

FUNCTIONS:

11.1. Function__X

dummy content.

11.1.1. SYNTAX

```
Function__X(syntax, syntax=syntax)
```

11.1.2. RETURN VALUE

dummy content.

