

MACHINE LEARNING

In Q1 to Q8, only one option is correct, Choose the correct option:

1. The computational complexity of linear regression is:

- | | |
|----------------------------------|------------------------------|
| A) $(n^{2.4})$ | B) (n) |
| C) (n^2) | D) (n^3) |

Ans- D

2. Which of the following can be used to fit non-linear data?

- | | |
|---------------------------------|-------------------------------|
| A) Lasso Regression | B) Logistic Regression |
| C) Polynomial Regression | D) Ridge Regression |

Ans- C

3. Which of the following can be used to optimize the cost function of Linear Regression?

- | | |
|-------------------|------------------------------|
| A) Entropy | B) Gradient Descent |
| C) Pasting | D) None of the above. |

Ans- B

4. Which of the following method does not have closed form solution for its coefficients?

- | | |
|-------------------------|------------------------|
| A) extrapolation | B) Ridge |
| C) Lasso | D) Elastic Nets |

Ans- C

5. Which gradient descent algorithm always gives optimal solution?

- | | |
|---------------------------------------|---------------------------------------|
| A) Stochastic Gradient Descent | B) Mini-Batch Gradient Descent |
| C) Batch Gradient Descent | D) All of the above |

6. Generalization error measures how well a model performs on training data.

- | | |
|----------------|-----------------|
| A) True | B) False |
|----------------|-----------------|

Ans- A

7. The cost function of linear regression can be given as $J = \frac{1}{2} \sum_{i=1}^m (w_0 + w_1 x^{(i)} - y^{(i)})^2$.

The half term at start is due to:

- | | |
|---|---|
| A) scaling cost function by half makes gradient descent converge faster. | B) presence of half makes it easy to do grid search. |
| C) it does not matter whether half is there or not. | D) None of the above. |

8. Which of the following will have symmetric relation between dependent variable and independent variable?

- | | |
|------------------------|-------------------------|
| A) Regression | B) Correlation |
| C) Both of them | D) None of these |

Ans- B

In Q9 to Q11, more than one options are correct, Choose all the correct options:

9. Which of the following is true about Normal Equation used to compute the coefficient of the Linear Regression?

- | |
|--|
| A) We don't have to choose the learning rate. |
|--|

MACHINE LEARNING

- B) It becomes slow when number of features are very large.
 - C) We need to iterate.
 - D) It does not make use of dependent variable.
10. Which of the following statement/s are true if we generated data with the help of polynomial features with 5 degrees of freedom which perfectly fits the data?
- A) Linear Regression will have high bias and low variance.
 - B) Linear Regression will have low bias and high variance.
 - C) Polynomial with degree 5 will have low bias and high variance.
 - D) Polynomial with degree 5 will have high bias and low variance.
-

MACHINE LEARNING

11. Which of the following sentence is false regarding regression?

- A) It relates inputs to outputs.**
- B) It is used for prediction.**
- C) It discovers causal relationship.**
- D) No inference can be made from regression line.**

Q12 and Q13 are subjective answer type questions, Answer them briefly.

- 12. Which Linear Regression training algorithm can we use if we have a training set with millions of features?**
- 13. Which algorithms will not suffer or might suffer, if the features in training set have very different scales?**



FLIP ROBO