Java Assessment 2

• What is the correct syntax to declare a variable in Java?

Marked Answer:

int name;

Correct Answer:

int name;

Total Marks: 1MARKS OBTAINED 1

• Which of the following is a primitive data type in Java?

Marked Answer:

Boolean

Correct Answer:

Boolean

Total Marks: 1MARKS OBTAINED 1

• What is the output of the following code?

```
String name = "John";
```

System.out.println(name.length());

Marked Answer:

4

Total Marks: 1MARKS OBTAINED 0

• What is the syntax for a do-while loop in Java?

Marked Answer:

```
do { } while (condition);
```

Correct Answer:

do { } while (condition);

Total Marks: 1MARKS OBTAINED 1

• What is the result of the following code?

```
int a = 10;
```

int b = 5;

about:blank 1/28

```
int result = a + b * 2;
```

System.out.println(result);

Marked Answer:

25

Correct Answer:

25

Total Marks: 1MARKS OBTAINED 1

• What is a method in Java?

Marked Answer:

A block of code that performs a specific task

Correct Answer:

A block of code that performs a specific task

Total Marks: 1MARKS OBTAINED 1

• What is the difference between a method and a function in Java?

Marked Answer:

A method is defined inside a class, a function is not

Correct Answer:

A method is defined inside a class, a function is not

Total Marks: 1MARKS OBTAINED 1

• What is the correct way to call a method in Java?

Marked Answer:

methodName();

Correct Answer:

methodName();

Total Marks: 1MARKS OBTAINED 1

• What is the output of the following code?

```
int num = 5;
while (num > 0) {
```

System.out.println(num);

about:blank 2/28

num-;

}

Marked Answer:

54321

Correct Answer:

54321

Total Marks: 1MARKS OBTAINED 1

• What is the result of the following code?

String str1 = "Hello";

String str2 = "World";

String str3 = str1 + "" + str2;

System.out.println(str3);

Marked Answer:

"Hello World"

Correct Answer:

"Hello World"

Total Marks: 1MARKS OBTAINED 1

• What is the output of the following Java code snippet?

int
$$x = 5$$
;

int
$$y = ++x * 3 + x -$$
;

System.out.println("x = " + x + " y = " + y);

Marked Answer:

$$x = 4, y = 21$$

Correct Answer:

$$x = 4, y = 21$$

Total Marks: 1MARKS OBTAINED 1

• What is the output of the following Java code snippet?

int
$$a = 10$$
;

int
$$b = 20$$
;

```
if (a == b) {
  System.out.println("a is equal to b");
  } else if (a > b) {
  System.out.println("a is greater than b");
  } else {
  System.out.println("a is less than b");
  Marked Answer:
  a is less than b
  Correct Answer:
  a is less than b
  Total Marks: 1MARKS OBTAINED 1
• What is the output of the following Java code snippet?
  int day = 5;
  String dayName;
  switch (day) {
  case 1:
  dayName = "Sunday";
  break;
  case 2:
  dayName = "Monday";
  break;
  case 3:
  dayName = "Tuesday";
  break;
  case 4:
  dayName = "Wednesday";
  break;
  case 5:
```

about:blank 4/28

```
dayName = "Thursday";
  break;
  case 6:
  dayName = "Friday";
  break;
  case 7:
  dayName = "Saturday";
  break;
  default:
  dayName = "Invalid day";
  break;
  System.out.println("Day name: " + dayName);
  Marked Answer:
  Day name: Thursday
  Correct Answer:
  Day name: Thursday
  Total Marks: 1MARKS OBTAINED 1
• What is the output of the following Java code snippet?
  int[] numbers = \{1, 2, 3, 4, 5\};
  int sum = 0;
  for (int i = 0; i < numbers.length; i++) {
  sum += numbers[i];
  System.out.println("Sum: " + sum);
  Marked Answer:
  Sum: 15
  Correct Answer:
  Sum: 15
```

about:blank 5/28

Total Marks: 1MARKS OBTAINED 1

```
• What is the output of the following Java code snippet?
```

```
String str = "Hello World";
```

System.out.println("Length: " + str.length());

System.out.println("Substring: " + str.substring(6));

System.out.println("Index of 'W': " + str.indexOf('W'));

Marked Answer:

Length: 11, Substring: World, Index of 'W': 5

Correct Answer:

Length: 11, Substring: World, Index of 'W': 5

Total Marks: 1MARKS OBTAINED 1

• What is the output of the following Java code snippet?

```
int x = 5;
if (x < 10) {
System.out.println("x is less than 10");
} else {
System.out.println("x is greater than or equal to 10");
}</pre>
```

Marked Answer:

x is less than 10

Correct Answer:

x is less than 10

Total Marks: 1MARKS OBTAINED 1

• What is the output of the following Java code snippet?

```
int[] numbers = {1, 2, 3, 4, 5};
int sum = 0;
for (int i = 0; i < numbers.length; i++) {
  if (i % 2 == 0) {
    sum += numbers[i];
}</pre>
```

about:blank 6/28

```
System.out.println("Sum: " + sum);
  Marked Answer:
  Sum: 10
  Correct Answer:
  Sum: 10
  Total Marks: 1MARKS OBTAINED 1
• What is the output of the following Java code snippet?
  String[] fruits = {"apple", "banana", "orange"};
  for (String fruit: fruits) {
  System.out.println(fruit);
  Marked Answer:
  apple, banana, orange
  Correct Answer:
  apple, banana, orange
  Total Marks: 1MARKS OBTAINED 1
• What is the output of the following Java code snippet?
  String str1 = "Hello";
  String str2 = "World";
  String str3 = str1.concat(str2);
  System.out.println("Concatenated string: " + str3);
  Marked Answer:
  Concatenated string: HelloWorld
  Correct Answer:
  Concatenated string: HelloWorld
  Total Marks: 1MARKS OBTAINED 1
```

• What is the output of the following Java code snippet?

about:blank 7/28

```
int x = 5;
  while (x < 10) {
  System.out.println("x is less than 10");
  X++;
  System.out.println("x is now" + x);
  Marked Answer:
  x is less than 10, x is now 10
  Correct Answer:
  x is less than 10, x is now 10
  Total Marks: 1MARKS OBTAINED 1
 What is OOPS?
  Marked Answer:
  Object Oriented Programming System
  Correct Answer:
  Object Oriented Programming System
  Total Marks: 1MARKS OBTAINED 1
• Which of the following is not an object-oriented programming concept?
  Marked Answer:
  Exception Handling
  Correct Answer:
  Exception Handling
  Total Marks: 1MARKS OBTAINED 1
• Which of the following is not a primitive data type in Java?
  Marked Answer:
  string
  Correct Answer:
```

string

Total Marks: 1MARKS OBTAINED 1

about:blank 8/28

• What is the default value of an integer data type in Java?

Marked Answer:

0

Correct Answer:

0

Total Marks: 1MARKS OBTAINED 1

• What is the use of the keyword "static" in Java?

Marked Answer:

It indicates that a variable or method is related to the class and not to any instance of the class

Correct Answer:

It indicates that a variable or method is related to the class and not to

any instance of the class

Total Marks: 1MARKS OBTAINED 1

• Which of the following is not a type of inheritance in Java?

Marked Answer:

Multiple inheritance

Correct Answer:

Multiple inheritance

Total Marks: 1MARKS OBTAINED 1

• What is the purpose of the "super" keyword in Java?

Marked Answer:

It is used to call the constructor of the superclass

Correct Answer:

It is used to call the constructor of the superclass

Total Marks: 1MARKS OBTAINED 1

• What is the purpose of the "this" keyword in Java?

Marked Answer:

It is used to refer to the current object

about:blank 9/28

Correct Answer:

It is used to refer to the current object

Total Marks: 1MARKS OBTAINED 1

• What is polymorphism in Java?

Marked Answer:

It is the ability of an object to take on many forms

Correct Answer:

It is the ability of an object to take on many forms

Total Marks: 1MARKS OBTAINED 1

• What is encapsulation in Java?

Marked Answer:

It is the process of hiding the implementation details and showing only

the functionality to the user

Correct Answer:

It is the process of hiding the implementation details and showing only

the functionality to the user

Total Marks: 1MARKS OBTAINED 1

• What is an array in Java?

Marked Answer:

A collection of related objects

Correct Answer:

A collection of related objects

Total Marks: 1MARKS OBTAINED 1

• How do you declare an array in Java?

Marked Answer:

int[] array = new int[];

Correct Answer:

int[] array = new int[];

Total Marks: 1MARKS OBTAINED 1

about:blank 10/28

• What is the index of the first element in an array?

Marked Answer:

0

Correct Answer:

0

Total Marks: 1MARKS OBTAINED 1

• What is the purpose of the length property in Java arrays?

Marked Answer:

It returns the number of elements in the array

Correct Answer:

It returns the number of elements in the array

Total Marks: 1MARKS OBTAINED 1

• How do you access a specific element in an array?

Marked Answer:

array[element]

Correct Answer:

array[element]

Total Marks: 1MARKS OBTAINED 1

• What is an array index out of bounds exception?

Marked Answer:

An error that occurs when you try to access an element of an array that

is too small

Correct Answer:

An error that occurs when you try to access an element of an array that

doesn't exist

Total Marks: 1MARKS OBTAINED 0

• Can you change the size of an array after it has been declared?

Marked Answer:

No

about:blank 11/28

Correct Answer:

No

Total Marks: 1MARKS OBTAINED 1

• What is a two-dimensional array in Java?

Marked Answer:

An array that can hold multiple rows and columns

Correct Answer:

An array that can hold multiple rows and columns

Total Marks: 1MARKS OBTAINED 1

• How do you initialize a two-dimensional array in Java?

Marked Answer:

All of the above

Correct Answer:

All of the above

Total Marks: 1MARKS OBTAINED 1

• What is a jagged array in Java?

Marked Answer:

An array that has a fixed number of rows but varying number of

columns

Correct Answer:

An array that has a fixed number of rows but varying number of

columns

Total Marks: 1MARKS OBTAINED 1

Total Marks 38 / 40

38/40

Question 1

about:blank 12/28

What is the correct syntax to declare a variable in Java?
Ovar name;
○ String name;
• int name;
Question 2
Which of the following is a primitive data type in Java?
String
○Integer
Boolean
Question 3
What is the output of the following code?
String name = "John";
System.out.println(name.length());
O3
4
O 5
Question 4

about:blank 13/28

What is the syntax for a do-while loop in Java?

Owhile (condition) { }
odo { } while (condition);
O for (initialization; condition; increment) { }
Question 5
What is the result of the following code?
int $a = 10$;
int $b = 5$;
int result = $a + b * 2$;
System.out.println(result);
\bigcirc 20
\bigcirc 30
Question 6 1
What is a method in Java?
O A block of code that performs a specific task
O A variable that stores data
O A loop that repeats a set of instructions

Question 7

What is the difference between a method and a function in Java?

about:blank 14/28

O There is no difference, they are the same thing
O A function returns a value, a method does not
A method is defined inside a class, a function is not
Question 8 1
What is the correct way to call a method in Java?
O methodName;
methodName();
OmethodName(param1, param2);
Question 9 1
What is the output of the following code?
int num = 5;
while (num > 0) {
System.out.println(num);
num-;
}
O12345
5 4 3 2 1
O 5

Question 10

What is the result of the following code?

about:blank 15/28

String str1 = "Hello";

String str2 = "World";

String str3 = str1 + "" + str2;

System.out.println(str3);



O "HelloWorld"

O"World Hello"

Question 11

What is the output of the following Java code snippet?

int
$$x = 5$$
;

int
$$y = ++x * 3 + x-;$$

System.out.println("x = " + x + " y = " + y);

$$\bigcirc$$
 x = 5, y = 20

$$\bigcirc$$
 x = 5, y = 21

$$\bigcirc$$
 x = 4, y = 21

$$\bigcirc$$
 x = 4, y = 20

Question 12

What is the output of the following Java code snippet?

int
$$a = 10$$
;

int
$$b = 20$$
;

if
$$(a == b)$$
 {

System.out.println("a is equal to b");

$$\}$$
 else if $(a > b)$ {

about:blank 16/28

```
System.out.println("a is greater than b");
} else {
System.out.println("a is less than b");
}

a is equal to b

a is greater than b

None of the above
```

Question 13

```
What is the output of the following Java code snippet?
int day = 5;
String dayName;
switch (day) {
case 1:
dayName = "Sunday";
break;
case 2:
dayName = "Monday";
break;
case 3:
dayName = "Tuesday";
break;
case 4:
dayName = "Wednesday";
break;
case 5:
```

about:blank 17/28

```
about:blank
dayName = "Thursday";
break;
case 6:
dayName = "Friday";
break;
case 7:
dayName = "Saturday";
break;
default:
dayName = "Invalid day";
break;
System.out.println("Day name: " + dayName);
 O Day name: Thursday
 O Day name: Invalid day
 O Day name: Friday
 O None of the above
```

Question 14 1

What is the output of the following Java code snippet?

```
int[] numbers = \{1, 2, 3, 4, 5\};
int sum = 0;
for (int i = 0; i < numbers.length; i++) {
sum += numbers[i];
System.out.println("Sum: " + sum);
```

about:blank 18/28

```
○ Sum: 10
 O Sum: 15
 ○ Sum: 20
 O None of the above
Question 15
What is the output of the following Java code snippet?
String str = "Hello World";
System.out.println("Length: " + str.length());
System.out.println("Substring: " + str.substring(6));
System.out.println("Index of 'W': " + str.indexOf('W'));
 O Length: 11, Substring: World, Index of 'W': 6
 Length: 11, Substring: World, Index of 'W': 5
 O Length: 10, Substring: World, Index of 'W': 6
 O Length: 10, Substring: World, Index of 'W': 5
Question 16
What is the output of the following Java code snippet?
int x = 5;
if (x < 10) {
System.out.println("x is less than 10");
} else {
System.out.println("x is greater than or equal to 10");
```

about:blank 19/28

```
o x is less than 10
 \bigcirc x is greater than or equal to 10
 O Compilation error
 O None of the above
Question 17
What is the output of the following Java code snippet?
int[] numbers = \{1, 2, 3, 4, 5\};
int sum = 0;
for (int i = 0; i < numbers.length; i++) {
if (i \% 2 == 0) {
sum += numbers[i];
System.out.println("Sum: " + sum);
 ○ Sum: 6
 ○ Sum: 9
 O Sum: 10
 ○ Sum: 11
Question 18
What is the output of the following Java code snippet?
String[] fruits = {"apple", "banana", "orange"};
for (String fruit : fruits) {
```

about:blank 20/28

```
System.out.println(fruit);
 o apple, banana, orange
 ○ "apple", "banana", "orange"
 O [apple, banana, orange]
 O None of the above
Question 19
What is the output of the following Java code snippet?
String str1 = "Hello";
String str2 = "World";
String str3 = str1.concat(str2);
System.out.println("Concatenated string: " + str3);
 O Concatenated string: HelloWorld
 O Concatenated string: Hello World
 Concatenated string: HelloWorld
 O None of the above
Question 20
What is the output of the following Java code snippet?
int x = 5;
while (x < 10) {
System.out.println("x is less than 10");
x++;
```

about:blank 21/28

31/03/2023, 15:19

about:blank System.out.println("x is now" + x); • x is less than 10, x is now 10 \bigcirc x is less than 10, x is now 9 \bigcirc x is now 10 O None of the above Question 21 What is OOPS? Object Oriented Programming System Object Oriented Programming Solution Object Oriented Programming Syntax Object Oriented Programming Style Question 22 Which of the following is not an object-oriented programming concept? O Inheritance

○ Polymorphism

Exception Handling

O Encapsulation

Question 23

about:blank 22/28

Which of the following is not a primitive data type in Java?

Obyte
Oshort
\bigcirc int
string
Question 24
What is the default value of an integer data type in Java?
● 0
01
Onull
O-1
Question 25
What is the use of the keyword "static" in Java?
It indicates that a variable or method is related to the class and not to any instance of the class
O It indicates that a variable or method is related to an instance of the class and not to the class itself
O It indicates that a variable or method is public and can be accessed from outside the class
O It indicates that a variable or method is private and can only be accessed from within the class

Question 26 23/28

Which of the following is not a type of inheritance in Java?

○ Single inheritance
Multiple inheritance
O Multilevel inheritance
O Hybrid inheritance
Question 27
What is the purpose of the "super" keyword in Java?
Tt is used to call the constructor of the sumanaloss
O It is used to call the constructor of the superclass
O It is used to call the constructor of the subclass
O It is used to access the instance variables of the superclass
O It is used to access the instance variables of the subclass
Question 28
Question 28
What is the purpose of the "this" keyword in Java?
O It is used to call the constructor of the superclass
OIt is used to call the constructor of the subclass
O It is used to access the instance variables of the superclass
This used to decess the instance variables of the superclass
It is used to refer to the current chiest
It is used to refer to the current object

Question 29 about:blank 24/28

What is polymorphism in Java?
● It is the ability of an object to take on many forms
OIt is the process of hiding the implementation details and showing only the functionality to the user
OIt is the process of creating multiple instances of a class
OIt is the process of creating a new class from an existing class
Question 30
What is encapsulation in Java?
O It is the ability of an object to take on many forms
• It is the process of hiding the implementation details and showing only the functionality to the user
O It is the process of creating multiple instances of a class
O It is the process of creating a new class from an existing class
Question 31
What is an array in Java?
O A collection of unrelated objects
A collection of related objects
O A collection of primitive data types
O A collection of wrapper classes

Question 32 about:blank 25/28

How do you declare an array in Java?
○ int array = new int[];
oint[] array = new int[];
O array int = new int[];
<pre>O array[] int = new int[];</pre>
Question 33
What is the index of the first element in an array?
01
O-1
O None of the above
Question 34
What is the purpose of the length property in Java arrays?
● It returns the number of elements in the array
O It returns the sum of all the elements in the array
O It returns the average value of all the elements in the array
O It returns the maximum value of all the elements in the array

Question 35 about:blank 26/28

How do you access a specific element in an array?
• array[element]
O array[element-1]
O array[element+1]
O None of the above
Question 36
What is an array index out of bounds exception?
O An error that occurs when you try to access an element of an array that doesn't exist
O An error that occurs when you try to access an element of an array that is too large
On error that occurs when you try to access an element of an array that is too small
O An error that occurs when you try to access an element of an array that is not a valid data type
Question 37
Can you change the size of an array after it has been declared?
○Yes
◎ No

What is a two-dimensional array in Java?

Question 38

about:blank 27/28

O An array that can hold multiple rows and columns
O An array that can hold only one row and multiple columns
O An array that can hold only one column and multiple rows
O An array that can hold only one row and one column
Question 39
How do you initialize a two-dimensional array in Java?
$\bigcirc int[][] array = \{\{1,2\},\{3,4\}\};$
$\bigcirc int[][] array = \{\{1,2,3\}, \{4,5,6\}, \{7,8,9\}\};$
Oint[][] array = new int[3][3];
All of the above
Question 40 1
What is a jagged array in Java?
O An array that has a fixed number of rows and columns
On array that has a fixed number of rows but varying number of columns
O An array that has a varying number of rows and columns
O An array that can hold only one element

about:blank 28/28