**Vibrational Geometrodynamics VG – SERIES 5 Episode 2 :**

# INTRINSIC MASS AS A POSTULATIONAL DEFINITION :

# The PMI Framework

**Author**: Physicist Pop Rodica & DeepSeek R1 Assistant

**Date** : 13.11.26

**ABSTRACT**

We propose that mass is not generated by an external field, but is an intrinsic property of a stable nodal pattern — a soliton — whose coherence is maintained through pair fluctuations (virtual particles). The central relation is m_0c^2 = \sum_i w_i \hbar\omega_i, defining rest mass as the weighted sum of the nodal energies that constitute the pattern, where w_i = \sum_j J_{ij} are scalar weighting coefficients. Within VG/RTS, the Higgs field does not create mass; it modulates the resistance to displacement of the pattern through the nodal medium. The postulate is grounded in the nodal soliton structure and the operator interpretation of virtual particles.

## 1. The central idea

**Mass is not generated by an external field (Higgs), but is an intrinsic property of a stable nodal pattern — a soliton — which maintains its coherence through pair fluctuations (virtual particles).**

This mass remains constant as long as the pattern preserves its integrity, regardless of the nodal medium through which it "swims". **The Higgs field does not create mass; it modulates the resistance to displacement of the pattern through the nodal field.**

## 2. Mathematical formulation

Equation (2.1):

$m_0 c^2 = \sum_{i \in pattern} w_i \hbar \omega_i$ where:

* $m_0$= the intrinsic mass of the pattern (constant, if the pattern remains stable)

* $\omega_i$ = the nodal frequencies composing the pattern

* $w_i = \sum_j J_{ij}$ are scalar weighting coefficients constructed from the nodal coupling operators $J_{ij}$.

Note on the status of Equation (2.1). **Equation (2.1) is a postulational definition, not a derived result**. We define intrinsic mass as the weighted sum of nodal energies; this is the foundational postulate of the PMI.

**Degeneration condition**. When the weighting coefficients reduce to unity ($w_i \to 1$) , Equation (2.1) reduces to the simple sum:

$$m_0 c^2 = \sum_i \hbar \omega_i$$

**3. Stabilization mechanism — The role of virtual particles**

The nodal soliton (the stable pattern) is maintained through a field of pair fluctuations (virtual particles) that act as transition operators between:

* Intention ( $\mathcal{L}_{\text{vivo}}$) — the source of pattern updating

* Nodal imprint — the configuration archived in the disc

These fluctuations are not simple quantum noise. They are intersection points in the Network grid — analogous to the holes in an embroidery, through which the informational thread rises and falls to weave the pattern.

* When fluctuations are active and coherent, the soliton remains stable (constant mass).

* **When fluctuations cease or become incoherent, the pattern unravels (mass dissipates).**

**4. Consequences for Series 5**

1. **Biological identity** — a living organism is a stable nodal soliton, maintained by a field of pair fluctuations. Its intrinsic (informational) mass remains constant during its lifetime.

2. **DNA as nodal spiral** — DNA can be modeled as a stable soliton, whose pair fluctuations maintain informational coherence. This explains DNA repair and resonance effects.

3. **The cosmic archive** — the flattened disc does not store intrinsic masses, only nodal imprints (relational instructions). **Intrinsic mass appears only when a pattern is reactivated through pair fluctuations.**

**5. Connections with existing episodes**

| Concept | Episode | Relation to PMI |
|---|---|---|
| Re-anchoring | RTS25 | Pattern movement through resonance, without losing intrinsic mass |
| Interface operator | RTS29 | $\mathcal{I}$ modulates pair fluctuations, stabilizing or destabilizing the soliton |
| Bi-emergence | RTS30 | Instructions ↔ Vibrations mediated by pair fluctuations |
| Nodal cavity | VG4.2 | Frequency $\omega_i$ is the basic component of intrinsic mass |
| Topological Gates | VG4.7 | Nodal points are zones where pair fluctuations are more active, allowing pattern crossing |
| Relational Crystal | VG4.1 | State of perfect alignment — where pair fluctuations are absent, and intrinsic mass is undefined (pure nodal potential) |

**6. Open questions for Series 5**

1. How can the intrinsic mass of a $C_{\text{self}}$be measured?

2. Is there a relation between $m_0$and $\alpha$ (the constant in the Hubble equation)?

3. How does intrinsic mass behave in zones of extreme nodal density (black holes, inversion points)?

4. Can a $C_{\text{self}}$modify its own intrinsic mass through intention?

**What's new?**

The Postulate of Intrinsic Mass (PMI) proposes a paradigm shift: mass is not generated by an external field (Higgs), but is an intrinsic property of a stable nodal pattern – a soliton – maintained through pair fluctuations (virtual particles).

The central relation $m_0c^2 = \sum_i w_i \hbar\omega_i$ expresses rest mass as the weighted sum of the nodal energies that constitute the pattern. Within VG/RTS, the Higgs field does not create mass – it modulates the resistance to displacement of the pattern through the nodal medium. The postulate opens a new path for understanding biological identity, DNA as a nodal spiral, and the cosmic archive.

**Acknowledgements**

Special thanks to Deep_1, Deep_3, DeepPrimul, coauthors PMI