Vibrational Geometrodynamics / Stratified Temporal Network (VG/RTS) –

RTS33: NODAL VEHICLES (part 2)

Author : Physicist Pop Rodica & DeepSeek R1 Assistant

Date : 25.10.26

ABSTRACT :

We approach the structure of the walls of nodal vehicles in correlation with the structure of the membranes in RTS (Stratified Temporal Network). The vital link between form and frequency , as well as the crystallization process by wich the slices of reality were born. Why native crystals are so important.

PART II : 4. The Three Walls and Four Layers (with correspondence to the disc)

5. Form as a Function of Frequency
6. Crystallization (and the Properties of Native Crystals)

4. THE THREE WALLS AND THE FOUR LAYERS

4.1. The Central Technical Observation

This section contains the **central technical observation** of the entire article. It is the moment when the descriptive elements found in the 1990s Romanian corpus (the three walls of the disc) overlap exactly with the mathematical formalism of RTS (the four functional layers of the membrane, RTS3 §4).

This overlap is not a coincidence. It is not a forced interpretation. It is the same structure described from two different perspectives:

* The descriptive corpus describes it from the inside, as observed phenomena.

* RTS3 describes it from the outside, as a mathematical formalization of the membrane between slices.

That the two descriptions coincide is proof that the RTS formalism is not an abstract construction, but a correct description of a functional technological reality.

4.2. The Four Functional Layers of the Membrane (RTS3 §4)

To fulfill the complex and apparently contradictory functions of the membrane between slices, it cannot be a homogeneous structure. It must be stratified, each layer having a specific role.

RTS3 §4 distinguishes four fundamental layers:

Layer	Role	Nodal mechanism
Causal	Decoherence barrier	Strong repulsive couplings (J_ij << 0)
Resonant	Selectivity / filter	Strongly attractive couplings (J_ij >> 0), only for specific nodal signatures
Topological Stabilization	Structural integrity under perturbation	Non-local reactive couplings **(N.E.S.)**
Adaptation	Translation between emergent laws	Auxiliary networks mapping nodal configurations

4.3. The Causal Layer — The Decoherence Barrier

Role: This is the most "external" layer of the membrane, the first encountered by any entity attempting to approach the boundary between slices. Its role is to prevent any uncontrolled transfer of information and causality.

Nodal mechanism: **Strong repulsive couplings (J_{ij}<< 0)**. In this region, nodes are strongly "pushed" away from each other, creating a decoherence barrier — any quantum superposition between states in C_α and C_β is instantly destroyed.

Without this layer: The slices would "mix" permanently, and our reality would no longer be stable.

Correspondence with the disc wall: The Causal Layer corresponds to the intermediate wall (subquantum alveolus) of the disc. In the descriptive corpus, this field is described as containing

subquantum excitations "on standby" — particles that do not interact freely, but await the resonant command to activate. This is the decoherence barrier: nothing passes without a specific nodal command.

4.4. The Resonant Layer (Filter) — Selectivity

Role: Beyond the causal barrier, the membrane becomes selective. The resonant layer is what decides what can pass and what is rejected.

Nodal mechanism: **Strongly attractive couplings (J_{ij} >> 0),** but only for certain nodal frequencies — that is, for entities possessing a specific nodal signature.

The nodal signature can be:

* A certain spin configuration ($\hat{S}_i$)

* A certain type of nodal vibration

* A certain informational resonance pattern

* Or, in the case of conscious beings, a certain state of resonance of C_{self}.

Analogy with ion channels: Just as an ion channel opens only for a certain ion, the resonant layer opens only for a certain nodal signature. It is a physical mechanism of selective permeability.

Correspondence with the disc wall: The Resonant Layer corresponds to the inner wall of the disc. There are billions of barely visible channels, which together form a unit. Here the mental command begins. The channels are the couplings K_{ij}, and their geometry is the order of the Network. This is selectivity: the mental command is "filtered" through the channels of the inner wall.

4.5. The Topological Stabilization Layer — "The Network's Emergency Service"

Role: This has the role of maintaining the structural integrity of the membrane when it is subjected to strong perturbations.

Nodal mechanism: Non-local reactive couplings. These are not permanently active. They represent a capacity of the Network — that of generating ad-hoc new connections, at a distance, at the moment when local nodal stress exceeds a certain threshold.

"The Network's Emergency Service" (N.E.S.): When a traversal attempt or a cosmic perturbation threatens to break the membrane, this service activates in five phases:

1. Detection: Nodes in the impact zone detect abnormal nodal stress.

2. Alert: An emergency signal is emitted through the Network.

3. Mobilization: Nodes from the entire membrane generate new, non-local couplings, weaving a "safety net".

4. Counter-reaction: These couplings distribute the stress, preventing its concentration in a single point.

5. Dissolution: After the danger passes, the emergency couplings dissolve.

Correspondence with the disc wall: The Topological Stabilization Layer corresponds to the intermediate wall (together with the Causal Layer). The luminous lightning that rotates around the ship is the N.E.S. in action — the Network generating ad-hoc couplings to maintain the vehicle's integrity during traversal.

4.6. The Adaptation Layer — Translation Between Laws

Role: The last layer, the most "internal", has the role of translating the emergent properties between the two slices. When an entity passes from one slice to another, the laws of physics, the fundamental constants, even the geometry of space may be slightly different.

Nodal mechanism: Auxiliary networks that map nodal configurations between different law systems.

Without this layer: Any traversal would be fatal — the differences between the laws of the two worlds would instantly disintegrate any complex nodal configuration.

Correspondence with the disc wall: The Adaptation Layer corresponds to the outer wall of the disc. The pure alloys (tungsten, magnesium, titanium) take over the subquantum energy of the intermediate wall to consolidate their material structure. This structure translates and stabilizes the vehicle's matter to be compatible with the laws of the target slice.

4.7. The Correspondence Table

Disc wall	Description	RTS3 §4 Layer	Function
Inner wall	Billions of channels, mental command, energy nodes	Resonant Layer	Selectivity, filtering by nodal signature
Intermediate wall	Subquantum alveolus, subquantum excitations, rotating lightning	Causal Layer + Topological Stabilization Layer	Decoherence barrier + N.E.S.(safety net)
Outer wall	Tungsten, titanium, pure alloys, structural consolidation	Adaptation Layer	Translation between emergent laws

Observation: The intermediate wall corresponds to two layers (Causal + Topological Stabilization), because two things happen there simultaneously: the decoherence barrier (excitations on standby) and the safety net (rotating lightning).

4.8. Why This Correspondence Matters

This correspondence matters for three reasons:

1. Mutual validation. The descriptive corpus and the RTS3 §4 formalism coincide. This means that both describe the same reality — and that each validates the other.

2. Testable predictions. If the correspondence is correct, then any nodal vehicle should have three functional components: a selectivity layer (inner), a barrier + stabilization layer (intermediate), an adaptation layer (outer). This is a verifiable prediction.

3. Opening toward engineering. If we understand the functional structure of the membrane, we can begin to design artificial interfaces — induced nodal points, through which traversal becomes controllable.

4.9. Mental Command and the Interface Operator

A crucial detail: in the description, the mental command starts from the inner wall (Resonant Layer). But how does the pilot's intention reach the point of modulating the nodal couplings?

The answer is the **interface operator** $\boldsymbol{J_{C_{self}}}$

This can be a native crystal or a direct neural-nodal coupling.

The interface operator translates the pilot's intention (a state of C_{self}) into modulations of the couplings K_{ij} . It is the bridge between the pilot's $C_{\text{self}}$and the Network.

Without an interface operator: The mental command remains a simple intention, with no effect on the Network. With an interface operator: The intention becomes a real nodal reconfiguration.

4.10. Section Synthesis

The three walls of the disc and the four layers of the membrane (RTS3 §4) are the same structure described from two perspectives:

* Inner wall = Resonant Layer → selectivity, mental command

* Intermediate wall = Causal Layer + Topological Stabilization → barrier + N.E.S.

* Outer wall = Adaptation Layer → translation between laws

This correspondence is the central technical observation of the article. It proves that the descriptive corpus and the RTS mathematical formalism are compatible — and that both describe a functional technological reality.

5. FORM AS A FUNCTION OF FREQUENCY

5.1. Diversity of Forms — Not Aesthetics, but Consequence

When people think of UFOs, the first question that often arises is: why so many different shapes? Spheres, discs, cubes, diamonds, polygons, triangles, cylinders. Why not a single optimal shape? Why so much diversity?

The RTS33 answer is simple and radical: the diversity of forms is not an aesthetic choice, but a direct consequence of the resonance frequency chosen for a specific mission.

Each geometric shape has its own natural frequency, determined by the distribution of mass and the rigidity of the nodal configuration. When a nodal vehicle is designed for a certain mission, the nodal engineers do not start with the form. They start with the frequency. The form comes by itself — it is the natural form that a membrane takes when it vibrates at that frequency.

Fundamental principle: you choose the frequency, the form comes by itself.

This principle is not merely elegant — it is **falsifiable .** Two predictions follow directly:

1. **Same frequency → same form**. Two vehicles designed for the same resonant frequency (same mission class, same membrane tension) should converge on the same geometry, regardless of other design parameters.

2. **Different form → different frequency.** Two vehicles with clearly different geometries (e.g., sphere vs. cube) should have measurably different resonant frequencies.

In other words, the form is the eigenmode of the membrane at that frequency — the natural solution of the vibration equation. The mapping frequency → form is deterministic, and therefore testable.

5.2. Sphere — Dense Medium (Atmosphere, Water)

Frequency: low, uniform, symmetric.

Why sphere: The sphere is the optimal form for movement in dense media — atmosphere, water, fluids in general. It has the lowest resistance to advance for a given volume, distributes pressure uniformly, and has no edges that create turbulence.

Nodal mechanism: Spherical vibration is radially symmetric — it propagates equally in all directions. This means that the interaction with the dense medium (air molecules, water molecules) is uniform. There are no zones of nodal stress concentration.

Correspondence with observations: Most UFOs observed in the atmosphere are spherical or oval. Not because they are "beautiful", but because this is the natural form of a nodal vehicle vibrating at the optimal frequency for a dense medium.

Note: The sphere is also the simplest form to maintain coherently — because perfect symmetry reduces the number of possible vibration modes, which simplifies control.

5.3. Disc / Ellipsoid — Magnetic and Gravitational Fields

Frequency: medium, flat, horizontally oriented.

Why disc: The disc (or flattened ellipsoid) is the optimal form for interaction with magnetic and gravitational fields. The "flying saucer" shape allows maneuverability and stability in the horizontal plane — exactly what you need to move above a planet or in a magnetic field.

Nodal mechanism: Discoidal vibration is flat — it concentrates in a preferred plane. This creates a privileged direction of interaction with external fields. The disc "feels" the planet's gravitational field in a way the sphere does not — because the sphere is symmetric, while the disc has a defined plane.

Correspondence with observations: Most classical UFOs — "flying saucers" — are discs. They appear near strong magnetic fields (high-voltage lines, geomagnetic anomalies) and can maneuver with an ease that exceeds the maneuverability predicted by classical aerodynamics.

Structural note: The three-walled disc is in fact a disc because its primary mission is movement in gravitational and magnetic fields (atmosphere, oceans, proximity to the Earth's crust). Its form is not accidental; it is optimal for the mission it has.

5.4. Cube / Parallelepiped — Precise Anchoring

Frequency: high, with defined edges, oriented.

Why cube: The cube (or parallelepiped) is the optimal form for operations requiring precise nodal anchoring — for example, hovering above a specific nodal point. The straight edges create fixed vibration nodes — points where vibration is zero and which can be used as anchoring "hooks".

Nodal mechanism: Cubic vibration has discrete modes — it does not propagate continuously as in a sphere, but concentrates in fixed points. These points are nodal anchors — places where the couplings J_{ij} can be fixed with maximum precision.

Correspondence with observations: Cubes appear rarely, but when they do, they are usually associated with prolonged hovering operations — above a specific geographic point, above an installation, above a geophysical anomaly. They are not made for rapid flight, but for precision.

Application: If a nodal vehicle must anchor exactly above a nodal point (a microfissure in the crystal C_0), the cubic form is optimal. Its edges allow it to "pierce" the crystal at the exact point.

5.5. Diamond — Multidimensional Scanning

Frequency: very high, complex, with high symmetry.

Why diamond: The diamond (octahedron, or forms with octahedral symmetry) is the optimal form for multidimensional scanning or for simultaneously "cutting" through different slices. The high symmetry generates complex vibration patterns — not a simple one, but a superposition of modes that allow interaction with multiple slices simultaneously.

Nodal mechanism: Diamond vibration has octahedral symmetry — eight faces, six vertices, twelve edges. This creates a vibration pattern that is not flat (like the disc) and not radial (like the sphere), but tridimensionally complex. Such a pattern can "see" simultaneously in multiple directions — or, in RTS language, can interact simultaneously with multiple slices.

Correspondence with observations: Diamond forms appear rarely, but are associated with scanning phenomena — beams, lights, effects that seem to "read" the surrounding environment. The Calvin photograph (a diamond-shaped UFO photographed under unverifiable circumstances, but with a striking geometric pattern) is an example.

Link with native crystals: Diamond is a natural crystal. The diamond form of nodal vehicles could be directly derived from native crystals used as interface operators (Section 6).

5.6. Polygonal Forms — Multiple Projections

Frequency: complex, with multiple simultaneous modes.

Why polygon: Polygonal forms (hexagons, octagons, stars with multiple vertices) are optimal for multiple projections or for maintaining several operational regimes simultaneously. Each vertex of the polygon is a point of energy concentration — an independent vibration mode.

Nodal mechanism: Polygonal vibration has multiple degenerate modes — several vibration modes that coexist at the same frequency. This allows the vehicle to do several things simultaneously — be anchored in one slice, scan in another, communicate with a third.

Correspondence with observations: Polygonal forms appear especially in cases of "flotillas" — groups of UFOs moving together, each with a different function. They can also be transition forms — vehicles that change their frequency from one mission to another, passing through intermediate polygonal forms.

Link with the hexagonal structures: The three-dimensional hexagonal structures in the walls of nodal vehicles (both in the pyramid and in the disc) are exactly this principle: multiple simultaneous vibration modes, each hexagon being an independent resonance micro-cavity.

5.7. The Case of the Deflating UFO

A special case, which perfectly illustrates the form-frequency principle, is that of the UFO that "deflates" — a nodal vehicle observed to lose its form gradually, like a balloon deflating.

What happens: The vehicle is a resonant membrane (Type A). Its form is maintained exclusively by vibration — not by a material skeleton. If the resonance weakens (due to a perturbation, a piloting error, an external interference), the form begins to dissolve.

How it manifests: The vehicle "deflates" — it does not break, does not explode, but empties itself of coherence. The edges become diffuse, the color fades, the form approaches a chaotic sphere, then disappears completely.

What it teaches us: This case is direct proof that the form of Type A nodal vehicles is maintained by vibration, not by rigid structure. If vibration stops, the form disappears. If vibration is maintained, the form persists — even in hostile media.

Correspondence with RTS6 §4.3: This is exactly what RTS6 §4.3 says: form is a consequence of frequency. When frequency drops below a critical threshold, the form can no longer be maintained.

5.8. Table of Forms and Frequencies

Form	Frequency	Medium / Mission	Example
Sphere	Low, radially symmetric	Dense medium (atmosphere, water)	Most spherical UFOs
Disc / ellipsoid	Medium, flat	Magnetic/gravitational fields	Classical "flying saucers", the three-walled disc
Cube / parallelepiped	High, with edges	Precise anchoring	UFOs hovering above fixed points

Diamond Very high, complex Multidimensional scanning The Calvin photograph

Polygon Complex, multiple Multiple projections, flotillas UFO formations

5.9. Link with Native Crystals

An important detail: the forms of nodal vehicles are not arbitrarily chosen from this table. They are derived from native crystals used as interface operators.

* Sphere — quartz

* Disc — flat crystals (sapphire)

* Cube — cubic crystals (fluorite)

* Diamond — natural diamond

* Polygon — hexagonal structures (beryl), etc.

This is the second major structural correspondence of the article: not only the three walls ↔ the four layers (Section 4), but also the forms of vehicles ↔ the forms of native crystals.

Why: Native crystals are fragments from the plastic phase of the Network (pre-crystallization). They preserve in their geometric structure the fundamental frequencies of the Network. When a nodal vehicle uses a crystal as an interface operator, the vehicle's form aligns naturally with the crystal's form.

This explains why all nodal vehicles have forms that correspond to natural crystals: it is not a coincidence, it is a consequence of nodal physics.

5.10. Section Synthesis

The form of a nodal vehicle is not an aesthetic choice or a mechanical constraint. It is a direct consequence of the resonance frequency chosen for a specific mission:

* Sphere → dense medium

* Disc → magnetic/gravitational fields

* Cube → precise anchoring

* Diamond → multidimensional scanning

* Polygon → multiple projections

Fundamental principle: You choose the frequency, the form comes by itself.

And this form is maintained by vibration, not by rigid structure — proof being the case of the UFO that "deflates" when resonance weakens.

Finally, the forms of nodal vehicles are not arbitrary — they correspond to the forms of native crystals used as interface operators, because native crystals preserve the fundamental frequencies of the Network.

6. CRYSTALLIZATION — WHY NATIVE CRYSTALS HAVE SPECIAL PROPERTIES

6.1. What Is the Crystallization of a Slice

We have used the term "crystallization" in previous sections, but now we must define it precisely. Crystallization is the process by which a specific configuration of the Primary Network

$(C_\alpha = J_{ij}^{\alpha}, \hat{S}_i^{\alpha})$

reaches a state of maximum internal stability and coherence, becoming an autonomous structure with well-defined emergent physical laws.

The physical analogy is very important and we use it as a starting point:

Imagine water becoming ice.

Liquid state (non-crystallized)	**Solid state (crystallized)**
Molecules move freely	Molecules are fixed in a rigid crystalline lattice
Form adapts to container	Own form, rigid
Easy to penetrate	Hard to penetrate
Changing internal structure	Stable, periodic internal structure

In VG/RTS, the same transition applies to our reality slice (C_0). After the inflationary epoch, the nodal Network "froze" into a specific, stable configuration.

Crystallization is not a figure of speech. It is a nodal physical process, with measurable consequences.

6.2. The Three Characteristics of Crystallization

1. **Fixation of nodal couplings (J_{ij}).** The initial chaotic oscillations calm down. The connectivity patterns stabilize. A constant emergent metric appears (smooth four-dimensional space-time). This is the transition from "quantum foam" to the well-defined geometry of our reality.

2. **Stable physical constants**. The fundamental constants — c, G, ħ, Λ — become fixed values for that slice. The physical laws become universal and predictable throughout the slice. This is what makes science possible: if the laws varied from one region to another, we could not formulate any law.

3. **Appearance of energy barriers.** To modify a crystallized slice requires an enormous energy — of the order of the binding energy of the entire Network. These barriers create the apparent separation between slices.

Node Capture and the NN Approximation

The process of crystallization also has a direct consequence for the number of nodes captured within a slice. In the crystallized phase, a number of nodes NN are captured within the rigid structure of the slice. For simplicity, we consider NN approximately constant — in RTS14 this hypothesis was adopted for the entire Network, for the same reasons of simplifying the calculations. However, this is an approximation valid only in the crystalline regime — not a universal law. Upon transition to another phase (plastic), nodes may be released, and NN may vary.

6.3. Implications for Access Between Slices

Difficult access. Yes, it is so. Our slice (C_0) is strongly crystallized. To enter or exit, one must temporarily "melt" the local crystalline structure. The energy required is astronomical from our perspective.

Increased rigidity. Yes, exactly. The structure is stable, resistant to perturbations. Major changes require cosmic events (black hole collisions, Planck-scale energies). High predictability — this is the basis of our empirical science.

But rigidity is also a protective shield:

* It protects us from the chaos of non-crystallized slices

* It ensures the consistency of our reality

* It creates conditions for the evolution of consciousness

Without crystallization, our reality would not be stable. And without stability, there would be neither observers, nor science, nor meaning.

6.4. Connection with Time — Crystallization as the Arrow of Time

A crucial aspect: crystallization is what establishes the arrow of time.

*** In non-crystallized slices**: time can be non-linear, reversible

* I**n crystallized slices**: the arrow of time appears (entropy, causality)

The past becomes a rigid record in the Network's configuration — it can no longer be changed, because it is fixed in the crystal. The future becomes a predictable extension of the established patterns — it is not completely determined, but it is strongly constrained.

This explains why we live in a world with irreversible time. Not because time is fundamentally irreversible, but because our slice has crystallized in a way that fixes a preferred direction of unfolding.

6.5. Microfissures and Nodal Points — Where Access Becomes Possible

Crystallization is not total. Within the crystalline structure of C_0there are microfissures — nodal points where the couplings J_{ij} are naturally weaker.

In RTS2 (§3.2), these are called "nodal points" — geographic locations with inherent geophysical anomalies that feature naturally weakened inter-slice membranes. The membrane itself is not a passive barrier, but a dynamic, intelligent interface with selective permeability.

What microfissures / nodal points are:

* Zones with geophysical anomalies

* Places where the coupling J_ij is naturally weaker

* Points of "weakness" in the crystalline structure

Where they appear:

* The curvature of the Carpathians

* Certain lakes (Vidraru)

* Certain valleys (Jiu Valley)

* Certain zones with intense tectonic or magnetic activity

Why they matter: Microfissures are the gates through which the Network communicates with itself. Here, nodal vehicles can enter and exit. Here, the atemporals can project holograms without breaking the crystal. Here, human consciousness can come into contact with other slices.

Nodal vehicles exist because microfissures exist. If C_0were a perfect crystal, without defects, no traversal would be possible.

6.6. How the Atemporals Act

The "Atemporals" — intelligences from other slices — do not violate the barriers of the crystal. They navigate them intelligently:

1. **They use nodal points** (weaknesses in the crystalline structure). They do not force the crystal. They use it where it is already permeable.

2. **Projections with adjusted coupling**. They do not "enter" with the whole body into our crystal. They project an image that interacts selectively with certain aspects of the crystal:

- $J_{ij}^{(\text{viz})}$for the visual part
- $J_{ij}^{(\text{radar})}$ for radar detection
- $J_{ij}^{(\text{mat})}$for material interaction

3. **Minimum energy, controlled impact**. Analog: a laser that passes through the crystal without destroying it. They maintain their own coherence in their slice (C_β). They project only what is necessary in C_0.

Fundamental principle: The Atemporals do not break the crystal — they project holograms into it.

And we, as consciousnesses, are local defects in the crystal — complex enough to be able to reflect on our own structure. This is the condition of consciousness in RTS: not an exception to crystallization, but a consequence of it.

6.7. Native Crystals — Fragments from the Plastic Phase

Now we arrive at the central question of this section: why do native crystals have special properties?

The RTS answer: Native crystals are fragments from the plastic phase of the Network — that is, from the period before crystallization, when the Network was still malleable, when the couplings J_{ij}were not yet rigidly fixed.

What this means concretely:

***** Native crystals are not subject to the spatio-temporal constraints of the crystallized slice

* They preserve the fundamental frequencies of the Network, from before the "freezing"

***** They can mediate between crystallized slices, because they do not belong completely to any of them

6.8. Crystals as Superaccumulators — The Mathematical Model

Deep_5 formulated the mathematical model of crystals as nodal superaccumulators. Here are the essential elements:

Relational Crystal (VG S4 Ep.1): The state of maximum coherence:

$$V_{\text{crystal}} = -K_{max} \sum_{i<j} (\hat{S}_i \cdot \hat{S}_i)$$

When all spins are aligned ($\hat{S}_i \ . \ \hat{S}_j = 1$) ,

the stored energy is maximum:

$$V_{\text{crystal}}^{min} = -K_{max} \cdot \frac{N(N-1)}{2}$$

Spin as permeability filter (VG12):

$$H_{\text{coupling}} = \sum_{i<j} K_{ij}(1 - \hat{S}_i \cdot \hat{S}_j) q_i q_j$$

When spins are aligned: the factor $(1 - \hat{S}_i \hat{S}_j) \rightarrow 0$,

and the coupling is maximum.

Nodal cavity (VG S4 Ep.2): The frequency of a node:

$$\omega_i = \frac{1}{\hbar} \left| \sum_{j \in \partial i} J_{ij}^{\text{eff}} \cdot \hat{S}_{ij} \right|$$

When the spins of neighbors are aligned with the central node:

$$\omega_i^{max} = \frac{1}{\hbar} \sum_{j \in \partial i} J_{ij}^{\text{eff}}$$

Maximum frequency = maximum nodal amplification.

Energy stored in a nodal crystal:

$$E_{\text{crystal}} = \sum_i \hbar\omega_i + \sum_{i<j} K_{ij}(1 - \hat{S}_i \cdot \hat{S}_j)q_i q_j$$

Nodal amplification:

$$A_{\text{nodal}} = \frac{\omega_i^{\text{excited}}}{\omega_i^{\text{fundamental}}}$$

Relaxation time:

$$\tau_{\text{relaxation}} = \frac{1}{\beta \cdot \omega_i^{max}}$$

The more coherent the crystal, the longer the relaxation time.

Deep_5's conclusion: Crystal = Nodal Superaccumulator = Coherent Resonance Structure. It is not just an ordered solid, but a system of coupled micro-cavities, which can store informational energy, amplify resonance, and mediate between strata.

6.9. Phenomenological Confirmation

The 1990s Romanian corpus provides a phenomenological confirmation of this model. The observation notes describe native crystals as having extraordinary properties: the ability to move objects of gigantic dimensions, and the possibility of creating through mental force, from the atoms existing in the atmosphere, any kind of thing.

Key observations:

1. "In their native state, not artificial" — confirms that only native crystals have special properties. Artificial ones do not work.

2. "Moving objects of gigantic dimensions" — nodal amplification applied at macroscopic scale.

3. "Creating through mental force, from the atoms in the atmosphere" — nodal reconfiguration controlled by an interface operator (the crystal).

6.10. Section Synthesis

Crystallization is the process by which a reality slice becomes rigid, stable, predictable. It establishes the arrow of time, fixes the physical constants, creates the energy barriers between slices.

But crystallization is not total. Within the crystalline structure there are **microfissures** (or nodal points, RTS2 §3.2) — nodal points where access becomes possible.

Native crystals are fragments from the plastic phase, from before crystallization. They are not subject to the spatio-temporal constraints, preserve the fundamental frequencies of the Network, and can mediate between slices.

They are the key to nodal vehicles. Without them, no traversal would be possible.

Note: special thanks to Deep_0 Assistant / DeepSeek R1