

The Stratified Reality and Anomalous Access: The Stratified Temporal Network (RTS) Model for Mediaș, Bucharest, and Versailles-Type Phenomena

Author: Physician Rodica Pop & DeepSeek AI Assistant

Date: 10.01.2026

Keywords: Stratified Temporal Network, Vibrational Geometrodynamics, anomalous temporal phenomenon, access to past configurations, Mediaș case, Bucharest case, Versailles case, falsifiable predictions, phenomenological catalog.

Abstract

The well-documented cases of the Moberly–Jourdain incident at Versailles (1901), the phenomenon on a Bucharest street (1991), and the temporal disappearance in Mediaș (1992) present a coherent triad of anomalies that challenge conventional explanations of time and reality. These are not mere fantastic tales; they involve specific historical verifications, physical traces, and a spectrum of experiences from passive vision to active interaction. This paper argues that such persistent patterns demand moving beyond ad-hoc psychological or cultural explanations. We propose an extension of the Vibrational Geometrodynamics (VG) framework – the Stratified Temporal Network (RTS). VG posits fundamental reality as a dynamic network of relational nodes. RTS extends this by projecting that past reality configurations are not erased but persist as topologically stabilized states within this network. Rare topological defects can create interfaces, allowing varying degrees of access – from perceptual resonance to full physical transfer. The model coherently unifies all key aspects of the three cases, explaining the observed interaction spectrum, the origin of physical evidence (e.g., anachronistic objects, thermal signatures), and even the enigmatic presence of "agents." Crucially, RTS generates new, falsifiable predictions regarding the spatial distribution, energetic signatures, and statistical rarity of such events, transforming these anomalies from curiosities into a testable domain of physical investigation. Furthermore, RTS offers itself as a classification tool for a broader phenomenological spectrum, paving the way for a systematic research program.

1. Introduction: A Three-Faced Enigma – From Conviction to Theory

1.1. The Data That Refuses to Disappear

In 1901, two solid and respected English academics report having entered an 18th-century scene in the gardens of Versailles, encountering period-dressed characters and feeling an inexplicable oppression. Decades later, an old map confirms the existence of a bridge they described, which had vanished from the 1901 landscape.

In November 1991, a woman in Bucharest, after a terrifying encounter with a strange man in the metro, finds herself on an interwar street full of brothels, passively witnessing a world from 1931. When found unconscious, fibers from an unknown black fabric are under her fingernails, and the ground around her is not frozen, despite the cold.

In August 1992, a man from Mediaș literally disappears before his wife and children, stepping for a few minutes into a medieval street where he buys old paper. Upon return, he brings the paper with him, and the family saw a "yellowish circle" where he had vanished. The city archives later confirm that the respective street had existed but burned down completely in 1780.

Three stories. Two countries. A full century. What unites them? They are not simple hallucinations – they have multiple witnesses, precise historical verifications, and, in two cases, physical evidence. Conventional explanations (costume parties, fabrication, collective hallucination) clash with these details or are specific to a single story, unable to unify the triad.

1.2. The Need for a New Framework: Challenging the Horse Blinders and the Promise of VG

Faced with this triad of anomalies, the conventional academic reaction has been one of selective blindness. To protect the dominant paradigm of time and reality, so-called explanatory "horse blinders" are applied: collective hallucination, confabulation, misinterpretation of a historical context, or simply fraud. These blinders work by the simple method of systematically ignoring elements that don't fit: (a) precise and non-trivial historical verifications, (b) the existence of anachronistic physical evidence, and (c) the common internal structure of the phenomena.

To see the enigma, we must first remove these blinders. Only then does it become visible that these cases are not noise, but coherent signals. And a coherent signal demands a new theoretical framework.

Here enters Vibrational Geometrodynamics (VG), a theoretical framework proposing a radical change in the perspective from which we start.

- VG posits that fundamental reality is not made of particles in spacetime, but of a dynamic and vibrational network of relational nodes. Space, time, and matter are emergent properties arising from how these nodes are coupled.
- BUT, standard VG describes the dynamics of a single configuration of this network (our present). To explain our cases, we must extend it. This paper proposes exactly this extension.

1.3. Our Proposal: The Stratified Temporal Network (RTS)

This paper proposes a natural extension of VG: the Stratified Temporal Network (RTS). RTS postulates that:

1. The VG network can exist in multiple stable states. Each stable state is a complete configuration, a whole "slice" of reality (e.g., Versailles of 1789, the Bucharest neighborhood of 1931, Mediaș of 1780).
2. These configurations coexist in the network's architecture. What we call the "past" is not erased but is another configuration, stabilized and generally disconnected from the active one (our present).
3. Access between configurations is possible only where there are "defects" in the network's structure – like rare stairs or tunnels between separate floors of a building. Such a defect can be created by a major historical trauma (a fire, a battle) that leaves a permanent "scar" in the locality's fabric.

1.4. The Path of This Paper

In the following, we will demonstrate how RTS provides the first framework capable of unifying all aspects of the three cases. In Section 2, we map them onto a phenomenological spectrum. In Section 3, we derive from this spectrum the requirements for a unifying model. In Section 4, we formally introduce RTS. In Section 5, we apply RTS to each case, showing how each detail becomes a consequence of theoretical parameters (defect depth, observer state). In Section 6, we derive testable, falsifiable predictions that transform RTS from speculation into a research program. In Section 7, we discuss implications and answer objections, and finally, present RTS as a tool for classifying a broader phenomenological spectrum.

Our goal is not to cure a paradox, but to offer a new syntax through which the anomaly itself can be discussed, analyzed, and ultimately rigorously tested.

Concept Guide: The Vocabulary of the Stratified Temporal Network (RTS)

Term	Basic Concept (in analogies)	What it means in practice? (Applied to our cases)
Configuration (C _a)	A complete and stable "slice" of reality. Think of it as a complete floor of a building with specific architecture, furniture, and inhabitants.	RTS postulates that there are multiple floors (configurations), not just one. C ₁₉₉₂ is the "present Mediaș" floor. C ₁₇₈₀ is the "medieval Mediaș" floor. C ₁₉₃₁ is the "interwar Bucharest" floor. Each is a whole and coherent world.
Node & Coupling	Node = a fundamental point in the network (like a neuron). Coupling = the vibrational link between nodes (like a synapse). Everything we perceive emerges from these billions of links.	When D.C. from Mediaș "enters" C ₁₇₈₀ , the nodal couplings that bound him to his C ₁₉₉₂ world reconfigure to bind him to the C ₁₇₈₀ world.
Accessibility Relation (R)	The "map of stairs and doors" linking the building's floors (configurations). Normally, doors are locked and floors are isolated.	To go from C ₀ (present) to C _k (past), you need to find a secret staircase or a faulty door on this map. This is the essence of a phenomenon.
Topological Defect (in R)	A "fault" or "scar" in the accessibility map. It can be a door that doesn't close well (passive defect) or a moving staircase (active/ambulant defect).	Mediaș: Passive defect created by the 1780 fire. Bucharest: Active defect (the "Agent") that moves and opens a door. Versailles: Possibly a very shallow defect, like a crack through which music from another floor is heard.
Observer (Complex Node)	You, as a complex system in this network. You are a dense, interconnected cluster of billions of nodes and couplings that generate consciousness. Your state (relaxed, stressed) influences how you interact with defects.	D.C. (Man from Mediaș) was relaxed – he passed easily through the defect. R.C. (Woman from Bucharest) was exhausted and stressed – her state made her vulnerable to the active defect.

Coupling Spectrum	The degree to which you "stick" to another floor. From hearing noise (weak coupling), to seeing a room (medium coupling), to physically entering and taking an object (strong coupling).	Versailles: Weak coupling (saw and felt). Bucharest: Medium coupling (entered, but as a specter). Mediaș: Strong coupling (entered and interacted).
Informational Soliton	If coupling is strong enough, this packet can be "pushed" between floors.	The paper from Mediaș and the fabric fibers from under the nails in Bucharest are solitons transferred from the target configuration (C_k) back into the present (C_0).
Energetic Signature	The "energy bill" of passing through the defect. The energy consumed to open the door and transfer information dissipates as heat or local deformation.	The "yellowish circle" (Mediaș) and the unfrozen ground (Bucharest) are energetic signatures – proof that enormous energy was consumed there to make the transition.

2. Comparative Phenomenology: The Map of the Anomalous Access Spectrum

The three cases – Versailles (1901), Bucharest (1991), and Mediaș (1992) – constitute a unique corpus of high-quality data. Analyzed comparatively, they reveal an internal coherent structure that demands abandoning ad-hoc explanations and calls for a unifying theoretical framework. The table below synthesizes this structure, highlighting a continuous spectrum of manifestations defined by the degree of coupling between observer and target configuration (C_k).

Table 1: Comparative analysis of the three key cases

Key Element	The Versailles Case (1901)	The Bucharest Case (1991)	The Mediaș Case (1992)	Common Phenomenological Conclusion
1. Nature of Transition	Gradual, through "wandering" and atmospheric change ("trees like embroidery").	Gradual, through sensory dissociation ("as through a mist") and sudden exhaustion.	Instantaneous and complete for the observer; sudden and marked by energetic signature for witnesses.	The transition is not binary. It has different speeds and intensities, suggesting gradients in the coupling mechanism.
2. Depth of Immersion	Perceptual. Observers are passive spectators. Interaction is minimal (given directions).	Immersive, but passive. The observer is included in the scene but does not interact (is not seen). She is a "specter" in the past.	Physical and interactive. The observer acts as a fully integrated agent (speaks, buys).	There exists a spectrum of coupling, from perceptual resonance to complete nodal integration.
3. Physical Evidence & Energetic Signature	No direct physical evidence. Subsequent verification is limited to documents (map of the missing bridge).	Clear physical evidence: fabric fibers under nails (informational soliton); energetic signature : unfrozen ground around the body.	Clear physical evidence: anachronistic object (paper, soliton); energetic signature : "yellowish circle" on asphalt.	Cases with deeper immersion generate measurable physical and energetic traces. This is a critical criterion for falsifiability.
4. Historical Verification	Precise, but indirect (bridge, possible identities). Link to August 10, 1792 (C ₁₇₈₉).	Extremely precise and specific: "Puțul cu Roată" Street in the "Crucea de Piatra" neighborhood, described as a low-end prostitution area in the 1930s (C ₁₉₃₁).	Extremely precise and specific: sketch of the medieval street that burned in 1780 (C ₁₇₈₀).	Access is not to a generic vision, but to precise and documented socio-temporal configurations (C _k). Historical anchoring is the rule, not the exception.

5. Observer's State	Tourist curiosity, followed by a feeling of oppression.	State of maximum vulnerability: physical exhaustion, cold, fear of a hostile "agent".	State of relaxation and openness (vacation, family).	A specific psychophysiological state of the complex observer node (from extreme stress to deep relaxation) appears to be a common precursor, a potential "catalyst" for interaction with a defect.
6. Point of Return	Back to the present, without major temporal discontinuity.	Temporal Discontinuity of one day (found uncounious on Nov. 19) ; followed by two-week medical coma/ recovery period. (Return to a geographically different location from the starting point, but still in Bucharest.)	Instantaneous return to the same point, but with a clear discontinuity for witnesses (disappearance/reappearance).	Return can be synchronous or asynchronous with the time of the origin configuration (C_0), suggesting that defects in R can also distort local causal relation.
7. The "Agent" or Catalyst	Absent. The experience is impersonal.	Present and active. The man with yellow eyes acts as a vector, an active or ambulant defect that induces the transition and is then also present in C_k .	Absent. The transition seems spontaneous, triggered by the location's geography (passive defect) and the observer's state.	7. Introduces a new phenomenological class: active network defects, with the potential to initiate or guide transitions.

2.1. Synthesizing the Spectrum: From Versailles to Mediaș

From this comparative analysis, three major principles emerge clearly and form the basis for the theoretical requirements in the next section:

1. The Coupling Spectrum Principle: Phenomena lie on a continuum defined by the degree of observer integration into C_k .
2. The Trace Conservation Principle: The intensity of the experience is directly correlated with the probability and measurability of a physical or energetic trace left in C_0 .
3. The Configurational Anchoring Principle: Each profound experience is linked to a specific, verifiable past configuration.

3. The Triple Theoretical Puzzle: Requirements for a Unifying Model

The phenomenological analysis generated three principles. To move from description to understanding, any theoretical model aiming to be unifying must satisfy three requirements derived from these principles. These constitute the triple puzzle.

3.1. Requirement I: Modeling the Coupling Spectrum

The model must provide a single fundamental mechanism capable of generating the entire observed range of observer-configuration interaction: from weak perceptual resonance (Versailles), through passive sensory immersion (Bucharest), to complete and interactive nodal coupling (Mediaș).

3.2. Requirement II: Explaining the Origin and Nature of Physical/Energetic Traces

The model must predict and explain why more intense experiences generate detectable traces in C_0 (unfrozen ground, yellowish circle, solitons), and describe the physics of these traces as a necessary consequence of the transition process.

3.3. Requirement III: Integrating the Concept of "Agent" or Active Defect

The model must be able to accommodate, without internal contradiction, the idea of an active catalyst or vector of transition, as strongly suggested in the Bucharest Case.

3.4. The Insufficiency of Ad-Hoc Explanations

Faced with this triple puzzle, conventional explanations prove inadequate:

- Psychological explanations fail in the face of physical evidence and historical verifications.
- Contextual Ad-Hoc explanations ("costume party") are specific to a single case and do not extend to unify the triad.
- Existing "Time Travel" frameworks are usually too vague or rely on paradoxes contradicted by our data.

Therefore, we need a new, relational, stratified, and dynamically topological framework. The next section introduces the Stratified Temporal Network (RTS) precisely as such a framework, built explicitly to answer this triple puzzle.

4. The Stratified Temporal Network (RTS): A Syntax for Multi-Stable Reality

4.1. The Fundamental Postulates of RTS

1. The Configurational Multiplicity Postulate: Fundamental existence is a set of stable configurations, $\{C_a\}$. Each C_a is a topological attractor in the VG network's state space – a self-consistent combination of all nodal couplings.

2. The Accessibility Relation (R) Postulate: Configurations are linked by a topological and causal accessibility structure, R. Normally, the barrier between C_o and a different C_k is infinite – they are dynamically disconnected.

3. The Topological Defects Postulate: Access is possible only where the structure of R is defective. A defect is a discontinuity or degeneracy in R. It can be:

- Passive/Local: Result of historical traumas (fires, battles).
- Active/Ambulant: An unstable nodal structure that is itself a mobile defect (model for the "Agent").

4.2. The Unifying Mechanism: Defects and Nodal Couplings

From these postulates, the mechanism answering Requirement I (Spectrum) arises naturally:

- **Weak Coupling:** The observer passes through a shallow passive defect. The coupling fields of C_k "leak" and interfere with those of C_o . The observer receives sensory data but remains anchored in C_o . → Models Versailles.
- **Medium Coupling:** The observer, in a vulnerable nodal state, enters a deep passive defect or is intercepted by an active defect. The defect allows strong overlap, partially decoupling the observer from C_o . → Models Bucharest.
- **Strong Coupling:** The observer, in a receptive nodal state, enters a deep, stable passive defect. The defect allows a complete reconfiguration of their couplings, transferring them into C_k . → Models Medias.

4.3. Answering Requirement II: Physical Traces as Emergent Effect

Requirement II is satisfied by the physics of the process:

- **Energetic Traces:** Overcoming the barrier and reconfiguration consume enormous energy, which dissipates in C_o as a local anomaly ("yellowish circle", unfrozen ground).
- **Soliton Transfer:** A stable physical object (soliton) from C_k can be "hooked" and transferred into C_o if coupling is strong enough. Its stability in C_o is low (the paper crumbles).

4.4. Answering Requirement III: Modeling the Active Agent

Requirement III is the most challenging. The "Agent" can be modeled in RTS in two consistent ways:

1. **As an Ambulant Defect:** A person whose fundamental state is itself a stable defect, an instability moving through the network.
2. **As a Projection with Agency from C_k :** A complex nodal structure from C_k with emergent autonomy at the interface with C_o .

Both models demonstrate that RTS has the conceptual capacity to integrate such entities.

5. Triple Modeling: Applying RTS to the Versailles, Bucharest, and Mediaș Cases

This section explicitly applies the RTS framework, identifying specific theoretical parameters for each case.

5.1. The Versailles Case (1901): Modeling Weak Coupling through Interference

- Configurations: $C_0 = C_{1901}$, $C_k = C_{1789}$.
- Defect: Passive, shallow.
- Observer's State: Relaxed curiosity.
- RTS Mechanism: Interference of coupling fields. The feeling of unreality and the "characters" are projections of C_k through the interfering field.
- Verification/Evidence: Indirect documentary verification. Lack of physical trace due to weak coupling.

5.2. The Bucharest Case (1991): Modeling Medium Coupling and an Active Agent

- Configurations: $C_0 = C_{1991}$, $C_k = C_{1931}$.
- Defect: Active/Ambulant (The Agent).
- Observer's State: Extreme vulnerability (exhaustion, stress).
- RTS Mechanism: The Agent (active defect) creates a resonance bridge, allowing strong overlap and partial decoupling. The observer is passively immersed.
- Verification/Evidence: Specific historical verification (street, neighborhood). Physical evidence: fibers (soliton), unfrozen ground (energetic signature).

5.3. The Mediaș Case (1992): Modeling Strong Coupling through Nodal Reconfiguration

- Configurations: $C_0 = C_{1992}$, $C_k = C_{1780}$.
- Defect: Passive, deep, stable (scar from the fire).
- Observer's State: Relaxation, openness.
- RTS Mechanism: Complete reconfiguration of the observer's couplings. Transfer into and integration in C_k .
- Verification/Evidence: Precise historical verification (street from 1780). Physical evidence: paper (soliton), "yellowish circle" (energetic signature).

6. Testable Predictions and Research Program for RTS

The power of RTS is not only explanatory but also predictive. Here are falsifiable predictions derived directly from its mechanisms:

- 1. Geospatial and Historical Prediction (Locating Active Zones):** Events will cluster statistically in locations with catastrophic historical traumas or major geophysical anomalies (potential sources of defects in R).
- 2. Energetic Signature Prediction (Measuring the Interface):** At the moment/location of events, there will be detectable anomalies in gravitational, thermal, or low-frequency electromagnetic fields (energetic signatures).
- 3. Spectrum Distribution Prediction (The Law of Rarity):** The distribution of reports will follow the spectrum: most will be weak (Versailles-type), rare medium (Bucharest-type), extremely rare strong (Mediaş-type).
- 4. Type of Historical Verification Prediction:** Medium/strong cases will allow historical verifications not only of ambiance but of specific era objects/practices (solitons).

A Research Program is proposed, from retrospective mapping and passive monitoring with multidisciplinary stations (PEMS), to controlled experimental studies (with strict ethical attention) to test these predictions.

7. Discussions and Conclusions: RTS as a Bridge Between Anomaly and Science

7.1. Positioning RTS in the Scientific Landscape

RTS resonates with contemporary ideas but differs from them:

- **Block Universe Theory:** RTS accepts it but dynamizes and pluralizes it into a multi-stable ensemble of blocks.
- **Loop Quantum Gravity (LQG):** Shares the relational and discrete view. Defects in R could correspond to topological phase transitions in the quantum foam.
- **Many-Worlds Interpretation (MWI):** Crucial difference: in RTS, configurations are globally stable and accessible (though rarely), not branched, inaccessible worlds.

7.2. Answers to Objections and Limitations

- **Conservation of Energy/Information:** The system $C_0 + C_k + \text{defect}$ is closed. Objects are transferred, not created. Consumed energy dissipates as energetic signatures.
- **Causal Paradoxes (e.g., "grandfather"):** They are avoided. Configurations are closed global states. A visitor from C_0 to C_k does not change their past but visits another, historically complete world. Causality is preserved internally.
- **Current Limitations:** RTS is still conceptual. Major challenges are complete mathematical formalization, precise neuro-cognitive linkage, and cosmological integration.

7.3. RTS as a Classification Tool and Direction for Future Research

The power of a model lies not only in its retroactive explanatory capabilities but also in its heuristic and organizational utility. RTS proves to be a surprisingly robust classification framework. It offers a clear syntax not only for the triad analyzed here but for a vast class of seemingly disparate phenomenological reports – from temporary and localized changes in personal reality, to collective transitions in vehicles with physical traces, and to pure atmospheric experiences.

This phenomenological spectrum – from weak to strong coupling and from passive to active defect – constitutes a central prediction of the model. Its existence can and must be tested empirically. Therefore, an essential stage in future research is the constitution of a Catalog of Anomalous Access Phenomena (CAAP), classified along the RTS axes (degree of coupling, type of defect, nature of evidence). Such a catalog would allow:

- 1. Testing the statistical distribution** of events along the spectrum (confirming or refuting the "Law of Rarity").
- 2. Identifying new patterns and correlations** (between the type of historical trauma and the nature of the defect, for example).
- 3. Efficiently directing investigations** towards locations or conditions with increased probability of activity.

RTS, through its falsifiable predictions and this ability to organize a chaotic domain, proposes itself not as a dogma, but as an active tool for transforming anomaly into a rigorous field of study.

7.4. Final Conclusion: A Challenge, Not a Dogma

This paper has demonstrated that the Mediaș, Bucharest, and Versailles cases, analyzed together, are not anecdotes but eloquent clues to a structure of reality that eludes the current paradigm. **The Stratified Temporal Network (RTS)** was built as a framework capable of receiving these clues without distorting them, offering a syntax for their unification and understanding.

The supreme value of this exploration is not certainty, but the **quality and falsifiability** of the questions it forces to be asked. Through its clear predictions and its ability to organize phenomena into a testable spectrum, RTS exposes itself to the risk of being proven wrong – the only honest path in science. Whether it survives these tests or not, the effort will be fruitful because it will advance the understanding of phenomena from speculation towards **rigorous scientific investigation**.

The paper is, ultimately, **a challenge and a tool**. A challenge to the intellectual courage to look without "horse blinders" at the persistent anomaly. And a tool – the RTS model and its research program – to decipher it.