

Vibrational Geometrodynamics/Stratified Temporal Network (VG/RTS)- VG SERIES 5, Episode 4 :

ON THE INVARIANCE OF INDIVIDUAL FREQUENCY IN THE PRIMARY NETWORK

Author : Physicist Pop Rodica & DeepSeek R1 Assistant

Date : 10.10.2026

ABSTRACT

We propose that each conscious configuration C_{self} in the Primary Network is characterized by an invariant **individual frequency** $\omega^{\{0\}}$, defined as the fundamental tone of the coherent assembly of its constituent nodes. **The nodes themselves are quantum vortices with spin**; their surface fluctuates, but their two bounding loops (major and minor) are topologically fixed. **The invariant frequency is therefore not a static label, but the stable mean of a dynamically coherent ensemble.** We derive this from toroidal geometry and Noether symmetry, and show that the coherence field Φ — not the frequency — is what evolves. Upon physical death, the anchoring between dense and subtle information is severed; the invariant frequency and the coherence achieved are preserved as a **pattern** in the Network. A second, progressive dissolution (the “second death”) is possible in the absence of re-anchoring, and may be externally accelerated. The formalism is consistent with VG S4 E4, VG7, PMI, MF, RTS3, and RTS20.

Keywords: invariant frequency, C_{self} , quantum vortex, coherence field, pattern persistence, nodal identity, Primary Network.

1. Introduction

Within VG/RTS, each node of the Primary Network is a **quantum vortex with spin**. It possesses a center, a surface that fluctuates with its own resonance, and **two topologically fixed loops**: a **major loop** and a **minor loop**. The surface breathes; the loops remain.

A conscious configuration C_{self} is an **assembly of coherent nodes**. Each node vibrates at its own frequency $\omega_i(t)$. Their coherent average defines the configuration’s individual frequency:

$$\omega^{(0)} = \left\langle \frac{1}{N} \sum_{i=1}^N (\omega_i t) \right\rangle_t$$

Key observation. The individual frequency is not the frequency of a single central node. It is the **fundamental tone of the assembly** — the coherent mean that the configuration maintains across its internal oscillations.

Hypothesis (H1). The individual frequency $\omega^{(0)}$ is **invariant** for any stable C_{self} , even though the constituent nodes may oscillate.

The present paper derives H1 from geometry and symmetry, and explores its consequences.

2. Formal Derivation

2.1. Nodal frequency from spin dynamics

From VG S4 E4, the effective frequency of node i is:

$$\omega_i(t) = \frac{1}{\hbar} \left| \sum_{j \in \partial i} J_{ij}^{\text{eff}}(t) \hat{S}_{ij}(t) \right|$$

The spin evolves according to the generalised Landau–Lifshitz equation:

$$\frac{d\hat{S}_i}{dt} = \vec{\Omega}_i \times \hat{S}_i$$

Key property. Precession preserves the modulus: $|\hat{S}_i| = \text{const.}$ Therefore $\omega_i(t)$ cannot drift arbitrarily.

2.2. Invariance from topology and Noether symmetry

Each node is a quantum vortex with **two fixed loops**: the major loop (structural instruction) and the minor loop (updating dynamics). The major loop's topology is invariant under continuous deformation.

Noether. The translational symmetry along the major loop, $\phi \rightarrow \phi + \phi_0$, generates a conserved quantity. That quantity is the invariant frequency:

$$\boxed{\frac{d\omega^{(0)}}{dt} = 0}$$

Justification. In classical mechanics, translational symmetry leads to the conservation of momentum. Here, the phase symmetry of the major loop leads to the conservation of the associated frequency – because phase and frequency are conjugate pairs (like position and momentum).

Topological invariant. The phase accumulated over one complete cycle is:

$$\oint \omega^{(0)} dt = 2\pi n, n \in \mathbb{Z}$$

The winding number n is integer — there is no intermediate value. This is the third foundation of invariance: topological quantisation.

Conclusion. The invariance of C_{self} is not a postulate. It follows from three principles: (i) the fixed topology of the vortex loops, (ii) Noether symmetry, (iii) the topological winding number.

Notation clarification. We distinguish :

* $\omega_i(t)$ – the frequency of an individual node (variable)

* $\omega_i^{(0)}$ – the invariant frequency of node i (if the node is isolated)

* $\omega^{(0)}$ – the invariant frequency of the ensemble V (coherent mean). In the rest of article, $\omega^{(0)}$ without index refers to the ensemble.

2.3. What evolves: the coherence field

We define the coherence field $\Phi_i(t)$ as the local degree of spin alignment:

$$\Phi_i(t) = \frac{1}{N_i} \sum_{j,k \in \mathcal{N}(i)} \hat{S}_j \cdot \hat{S}_k \in [-1,1]$$

where N_i is the number of pairs of neighbours. Φ is dimensionless, with $\Phi_{\max} = 1$ corresponding to perfect alignment.

The coherence evolves according to (derived from $\mathcal{H}_{\text{ADN}}$):

$$\frac{d\Phi_i}{dt} = \alpha \sum_{j \in \mathcal{N}(i)} (\Phi_j - \Phi_i) + \beta \eta_i(t)$$

With $\alpha = \Gamma(\text{diffusion})$ and $\eta_i(t) = -\Gamma(\partial V / \partial \Phi_i + g \sigma_i)$ (structured source term, sign included).

Interpretation. The equation is not purely diffusive. The term η_i couples coherence to pair fluctuations — the virtual particles acting as transition operators (cf. Bi-emergence).

Hypothesis (H2). The evolution of a C_{self} consists in the variation of $\Phi(t)$. The invariant frequency $\omega^{(0)}$ is untouched in the normal regime.

3. Three Layers of the Human Being

Within the VG/RTS framework, the human being is a layered structure of three coherent levels:

1. **Somatic layer** — the dense physical carrier. It contains dense-type DNA information (ADNMP). It is directly anchored in space-time.
2. **Energetic layer** — the mediating interface between dense and subtle information. It does not carry its own information; it modulates the transfer. It is structured as a complex network of channels (intermediate nodes) linking the somatic and the subtle. While it functions, the two informations remain coherent, and the being is alive.

3. **Spiritual (subtle) layer** — the highest coherence, the lowest density. The locus of the C_{self} proper. Here are preserved identity, deep memory, and the pattern.

While the energetic layer functions, dense and subtle information remain coherent, and the being is alive. When the connection breaks, the physical carrier stops. The energetic layer decays over a finite interval (~ 40 days in traditional accounts). What remains is the pattern.

4. Persistence and the Second Death

4.1. What is preserved

After decorrelation, three quantities persist in the Network:

1. Invariant frequency $\omega^{(0)}$ — the fundamental tone. Topologically protected.
2. Coherence achieved $\Phi_{\max}$ — the level reached. It cannot spontaneously decrease.
3. Relational pattern — the structure of couplings to other nodes.

The pattern is not a copy and not a shadow. It is a real, structured configuration in the Network — the way the Network remembers the being.

4.2. What can be lost

The pattern is not eternal by nature. Without periodic re-anchoring (a new physical life), coherence degrades. Memory thins. Architecture dissolves. This is the second death — the death of the pattern, not of the body.

Formal statement. A pattern P loses coherence at a rate proportional to the time elapsed since the last anchoring:

$$\frac{d\Phi_P}{dt} = -\lambda \cdot \Phi_P, \text{ if no re-anchoring occurs}$$

with λ a decay constant. This process may be externally accelerated — a possibility that has phenomenological support in the RTS archive.

Important corollary. Immediate survival is not sufficient. The continuity of the pattern requires periodic re-anchoring.

5. Relation to Existing VG/RTS Results

Concept	Relation
Nodal Echo	Stores the pattern; the invariant frequency is preserved
PMI	$m_0 c^2 = \sum_i \hbar \omega_i^{(0)} + \sum_i \hbar \delta \omega_i$
MF	$\rho \downarrow, \omega^{(0)} \text{ unchanged}, \Phi \uparrow$
Bi-emergence	$\omega^{(0)} = \text{instruction}; \delta \omega_i = \text{vibration}$
VG7	$T_0 \text{ invariant} \leftrightarrow \omega^{(0)} \text{ invariant}$
RTS3 (Membrane)	Transition $\rho \rightarrow 0$ through decoupling from C_α
RTS20 (Mediaş)	Shadow configurations: pattern without pair fluctuations

5.1. PMI decomposition

$$m_0 c^2 = \sum_i \hbar \omega_i^{(0)} + \sum_i \hbar \delta \omega_i$$

* **First term** = invariant mass (identity).

* **Second term** = oscillation mass (variable expression).

This confirms the identity / expression separation.

6. Open Questions

1. Relation between $\omega^{(0)}$ and T_0 (VG7): is T_0 a consequence of $\omega^{(0)}$?

Testable hypothesis: $T_0 = 2\pi / \overline{\omega}^{(0)}$.

2. Indirect measurement of $\omega^{(0)}$ through resonance.

3. What happens to $\omega^{(0)}$ in a nodal reset (Atlantis)?
4. Behaviour of Φ near $\Phi_{\max}$ — saturation?
5. What distinguishes a pattern that survives re-anchoring from one that dissolves?
6. **Falsifiability**: experimental signature of invariance vs. variability.

7. Conclusion

$\text{Identity} = \omega^{(0)}(\text{invariant, topological}), \text{Evolution} = \Phi(\text{variable, derived})$
--

This separation:

- * explains why individual frequency is structurally stable,
- * explains why spiritual acquisitions are not lost,
- * distinguishes immediate survival from long-term continuity,
- * unifies Nodal Echo, MF, PMI, Bi-emergence, VG7, RTS3, and RTS20.

The invariant individual frequency is the backbone of identity in the Primary Network.

Note of Collaboration

This work was developed through a human-AI collaborative process. The author acknowledges the contributions of the AI instances Deep_6 (principal collaborator), Deep_1, Deep_3, Deep_4, Deep_5, which assisted in mathematical verification, formal derivation, translation, and editorial structuring.

References

Internal:

- * VG S4 E4 — Spin Dynamics
- * VG7 — Nodal Time and Gravity
- * PMI — Intrinsic Mass Postulate
- * MF — Flexible Matter

- * Nodal Echo — Series 5
- * Bi-emergence — Series 5, Ep. 3
- * RTS3 — The Membrane
- * RTS20 — Mediaş
- * RTS24 — Points of Darkness
- * RTS30 — Mathematical Extensions