

VG SERIES 3, EPISODE 4 –

Title: "Birth from Within – The Structure of a Network Bud"

Authors: Physicist Pop Rodica & DeepSeek R1 Assistant

Date : 6/29/2026

ABSTRACT

This episode descends into the interior of a black hole at the moment of phase transition and describes, step by step, how a Network bud forms. We show how spin reconfiguration and coupling inversion generate a new core, from which a daughter Network unfolds. We also explore what remains behind: shells, nodal fragments, imprints in the subquantum wall. The episode concludes with a reflection on how this process can be observed—through signatures in gravitational waves, the CMB, and the distribution of dark matter.

Keywords: Network bud, phase transition, core, shell, subquantum wall, observations, VG Series 3.

1. INTRODUCTION – WHAT DO WE SEE WHEN WE LOOK INSIDE?

So far, we have looked at black holes from the outside: absorption, critical density, transition. Now we turn our gaze inward. What actually happens when the Network reaches the threshold and prepares to give birth to a bud?

The answer is not collapse, but a profound reorganization.

2. SPIN REORIENTATION – THE FIRST STEP

When coupling density reaches ρ_c , spins can no longer remain aligned in the previous configuration. They gradually reorient, like compass needles sensing a new magnetic field.

- If reorientation is symmetric ($\Theta \approx 0$), spins unfold in a controlled explosion – the birth of a bud.
- If reorientation is accompanied by imprinted rotation ($\Theta \neq 0$), it becomes a torsion field that will shape the new universe.

3. CORE FORMATION – THE BIRTHPLACE

As spins reorient, couplings reorganize into a central core – a region of extreme but finite density, where the Network reaches temporary equilibrium.

This core is:

- Stable – elastic pressure (nodal tension) balances gravitational attraction.
- Information-rich – carrying the imprint of the parent Network.
- Ready to unfold – like a bud waiting to bloom.

4. BUD UNFOLDING – BIRTH OF THE DAUGHTER NETWORK

When the core reaches a new critical state, spins suddenly unfold, triggering a **mini-Big Bang**. This event is:

- Rapid – lasting a fraction of a second in local time. local expansion
- Violent – releasing immense energy.
- Creative – giving rise to a new Network with its own couplings and constants.

The daughter Network gradually separates from the parent, becoming a new universe with its own laws and evolution.

5. WHAT REMAINS BEHIND?

After the birth of the bud, what remains in its place:

- Shells – the sparse fabric of the parent Network not involved in the transition. These become dark matter.
- Nodal fragments – coupling structures broken during the transition, which may be reactivated later.
- Imprints in the subquantum wall – permanent records of the event.

These remnants are essential for understanding dark matter and the large-scale structure of the universe.

6. HOW CAN THIS PROCESS BE OBSERVED?

The birth of a bud leaves detectable traces:

1. Gravitational waves – the transition generates a specific signal, searchable in future observatory data.
2. CMB anomalies – imprinted rotation leaves a signature in the polarization of the cosmic microwave background.
3. Dark matter distribution – shells and fragments accumulate in filamentary structures, reflecting the history of past buds.
4. Transient events – some cosmic explosions may actually be bud births.

7. CONCLUSION – A NATURAL, FRACTAL PROCESS

The birth of a Network bud is not an exotic event. It is a natural process, repeating at all scales throughout the fractal cosmos. Each universe carries the imprint of those before it, and each inherits a part of their memory.

VG Series 3 shows us that the universe is not a single creation, but a reproducing organism—through black holes, through buds, through fractality.

WHAT'S NEW IN SCIENCE – VG SERIES 3, EPISODE 4

"Birth from Within – The Structure of a Network Bud"

This episode introduces:

1. A detailed description of the transition from within – spin reorientation, core formation, bud unfolding.
2. A model of remnants – shells, nodal fragments, imprints in the subquantum wall.
3. A direct link between buds and dark matter – shells becoming the dark matter observed today.
4. Observational signatures – gravitational waves, CMB, transient events.

In one sentence:

VG Series 3, Episode 4 offers a view inside the birth of a universe and shows how Network buds shape the fractal cosmos.