

SINCE 2005

ONEMARK

Complete Product Catalog

Commercial Display Solutions

Digital Signage · Large Displays · Touch · Self-Service

19+

Years

19

Product Lines

20+

Countries

3000m²

Factory

Product Index


#	Product	Available Sizes
1	Vertical Infrared Touch Signage	43" / 49" / 55" / 65" +
2	Vertical Capacitive Touch Signage	32" / 43" / 49" / 55" +
3	Wall-Mounted Infrared Touch Signage	32" / 43" / 49" / 55" +
4	Wall-Mounted Capacitive Signage	21.5" / 27" / 32" / 43" +
5	Horizontal / Tabletop Touch Signage	21.5" / 27" / 32" / 43" +
6	Nameplate / Menu Board Signage	32" / 43" / 49" / 55"
7	Double-Sided Signage	43" / 49" / 55" / 65"
8	Large Format Full-Screen Display	75" / 85" / 98"
9	Double-Sided Hanging Signage	43" / 49" / 55"
10	Slant Query / Information Kiosk	32" / 43" / 49" / 55"
11	Interactive Whiteboard / Conference Display	65" / 75" / 85" / 98"
12	Rotating Touch Signage	43" / 49" / 55" / 65"
13	Video Wall Solutions	46" / 49" / 55" / 65"
14	Self-Service Checkout Kiosk	21.5" / 27" / 32"
15	Mirror Screen Display	32" / 43"
16	Outdoor Waterproof Signage	Custom
17	Custom & Specialty Terminals	Custom
18	Touch Table Displays	Custom
19	Hologram & Transparent Display	Custom

1. Vertical Infrared Touch Signage

Available: 43" | 49" | 55" | 65" | 75" | 85"

Floor-standing digital signage with 10-point infrared touch. Premium brushed aluminum frame with metal-sprayed cold-rolled steel body and 3.5mm tempered glass. Available in silver, black, white, and gold.

PRODUCT VIEWS



Technical Specifications


Parameter	Details
Resolution	1920×1080 / 3840×2160 (75" +)
Brightness	280-350 cd/m ²
Contrast	1200:1 / 3000:1
Viewing Angle	178°(V)/178°(H)
Touch	Infrared 10-point, <15ms
Lifetime	60,000 hrs
Colors	Silver / Black / White / Gold
OS	Android RK3288 / Windows i3-i7

2. Vertical Capacitive Touch Signage

Available: 32" | 43" | 49" | 55" | 65"

Elegant floor-standing kiosk available in capacitive touch or non-touch versions. Perfect for retail, hospitality, and interactive information displays.

PRODUCT VIEWS



Technical Specifications


Parameter	Details
Resolution	1920×1080
Brightness	280-350 cd/m ²
Contrast	1200:1
Viewing Angle	178°(V)/178°(H)
Touch	Capacitive 10-point / Non-touch
Lifetime	60,000 hrs
Colors	Silver / Black / White / Gold
OS	Android RK3288 / Windows i3-i7

3. Wall-Mounted Infrared Touch Signage

Available: 32" | 43" | 49" | 55" | 65" | 75" | 85"

Wall-mounted interactive display with infrared touch. Brushed aluminum frame, high-gloss white or black finish. Ideal for classrooms, training rooms, and retail.

PRODUCT VIEWS



Technical Specifications


Parameter	Details
Resolution	1920×1080 / 3840×2160 (75" +)
Brightness	280-350 cd/m²
Contrast	1200:1 / 3000:1
Viewing Angle	178°(V)/178°(H)
Touch	Infrared 10-point, <15ms
Lifetime	60,000 hrs
Colors	Silver / Black / White
OS	Android RK3288 / Windows i3-i7

4. Wall-Mounted Capacitive Signage

Available: 21.5" | 27" | 32" | 43" | 49" | 55" | 65" | 75"

Professional wall-mounted displays with brushed aluminum frame. Capacitive touch or non-touch, ultra-slim design for modern environments.

PRODUCT VIEWS



Technical Specifications

Parameter	Details
Resolution	1920×1080 / 3840×2160 (75")
Brightness	280-350 cd/m²
Contrast	1200:1
Viewing Angle	178°(V)/178°(H)
Touch	Capacitive 10-point / Non-touch


Lifetime	60,000 hrs
Colors	Silver / Black / White
OS	Android RK3288 / Windows i3-i7

5. Horizontal / Tabletop Touch Signage

Available: 21.5" | 27" | 32" | 43" | 49" | 55" | 65"

Horizontal tabletop displays for product showcases, museum exhibits, and interactive catalogs. Available with capacitive or infrared touch.

PRODUCT VIEWS



Technical Specifications


Parameter	Details
Resolution	1920×1080
Brightness	280-350 cd/m²
Contrast	1200:1
Viewing Angle	178°(V)/178°(H)
Touch	Capacitive / Infrared 10-point
Lifetime	60,000 hrs
Colors	Silver / Black / White
OS	Android RK3288 / Windows i3-i7

6. Nameplate / Menu Board Signage

Available: 32" | 43" | 49" | 55"

Elegant nameplate-style signage for restaurants, hotels, and entrance displays. Ultra-slim profile with premium aluminum finish.

PRODUCT VIEWS



Technical Specifications

Parameter	Details
Resolution	1920×1080
Brightness	280-350 cd/m ²
Contrast	1200:1
Viewing Angle	178°(V)/178°(H)
Touch	Capacitive 10-point / Non-touch
Lifetime	60,000 hrs
Colors	Silver / Black / White
OS	Android RK3288 / Windows i3-i7

7. Double-Sided Signage

Available: 43" | 49" | 55" | 65"

Double-sided displays for retail windows, lobbies, and high-traffic areas. Eye-catching from every angle, black and white color scheme.

PRODUCT VIEWS



Technical Specifications

Parameter	Details
Resolution	1920×1080
Brightness	280-350 cd/m ²
Contrast	1200:1
Viewing Angle	178°(V)/178°(H)
Touch	Capacitive 10-point / Non-touch
Lifetime	60,000 hrs
Colors	Black + White
OS	Android RK3288 / Windows i3-i7

8. Large Format Full-Screen Display

Available: 75" | 85" | 98"

Large format full-screen displays for impressive visual impact in showrooms, lobbies, and public spaces.

PRODUCT VIEWS

多元化展示效果

图片 视频 媒体同时展示设备支持24小时稳定运行

让广告宣传不再烦恼

图片轮播

支持JPG PNG GIF BMP等格式

视频播放

支持MP4 AVI DIVX MPG等格式

音乐播放

内置3D音效喇叭 支持MP3 WMA OGG APE 等格式

滚动字幕

字体颜色自由设置

可自由设置日期天气

自由设置定时内容播放 定时开关机等操作

LOGO定制

最高定制 详细请咨询客服

高清液晶屏

1080P/4K定制 请联系客服

IPS钢化玻璃

防撞击 耐刮花美观时尚

合金边框

一体成型纤薄合金边框

合金底座

让设备稳固站立

立式全屏广告机

播放广告就选它



立式全屏尺寸图：

995.3mm

75寸

1109.1mm

85寸

1267.6mm

98寸

Technical Specifications

Parameter	Details
Resolution	1920×1080
Brightness	280-350 cd/m ²
Contrast	1200:1
Viewing Angle	178°(V)/178°(H)
Touch	Non-touch
Lifetime	60,000 hrs
Colors	Black
OS	Android RK3288 / Windows i3-i7


ONEMARK — Shenzhen Onemark Electronics Co., Ltd.

9. Double-Sided Hanging Signage

Available: 43" | 49" | 55"

Double-sided hanging displays, ideal for airports, stations, malls, and transit areas. Complete with hanging mounting kit.

PRODUCT VIEWS



Technical Specifications


Parameter	Details
Resolution	1920×1080
Brightness	280-350 cd/m²
Contrast	1200:1
Viewing Angle	178°(V)/178°(H)
Touch	Infrared 10-point
Lifetime	60,000 hrs
Colors	White
OS	Android RK3288 / Windows i3-i7

10. Slant Query / Information Kiosk

Available: 32" | 43" | 49" | 55"

Ergonomic slanted query kiosks for public information, wayfinding, and self-service inquiries.

PRODUCT VIEWS



Technical Specifications


Parameter	Details
Resolution	1920×1080
Brightness	280-350 cd/m ²
Contrast	1200:1
Viewing Angle	178°(V)/178°(H)
Touch	Capacitive / Infrared 10-point
Lifetime	60,000 hrs
Colors	Black / White
OS	Android RK3288 / Windows i3-i7

11. Interactive Whiteboard / Conference Display

Available: 65" | 75" | 85" | 98"

All-in-one interactive whiteboards for education, corporate training, and video conferencing. 10-point infrared touch, 4K UHD on larger sizes, built-in Android with optional OPS computer.

PRODUCT VIEWS



Technical Specifications


Parameter	Details
Resolution	1920×1080 / 3840×2160
Brightness	280-350 cd/m ²
Contrast	1200:1 / 3000:1
Viewing Angle	178°(V)/178°(H)
Touch	Infrared 10-point, <15ms
Lifetime	60,000 hrs
Colors	Silver / Black / White
OS	Android 8.0 / OPS i5 + 128GB SSD

12. Rotating Touch Signage

Available: 43" | 49" | 55" | 65"

Innovative rotating displays that capture attention in retail and exhibition environments. Capacitive or infrared touch available.

PRODUCT VIEWS



Technical Specifications

Parameter	Details
Resolution	1920×1080
Brightness	280-350 cd/m ²
Contrast	1200:1
Viewing Angle	178°(V)/178°(H)
Touch	Capacitive / Infrared / Non-touch
Lifetime	60,000 hrs
Colors	Black + White
OS	Android RK3288 / Windows i3-i7

13. Video Wall Solutions

Available: [46"](#) | [49"](#) | [55"](#) | [65"](#)

Ultra-narrow bezel video walls for control rooms, command centers, and large-format advertising. Bezel options: 3.5mm, 1.7mm, and 0.88mm.

PRODUCT VIEWS



Technical Specifications



Parameter	Details
Resolution	1920×1080 / 3840×2160 (65")
Brightness	500 cd/m ²
Contrast	1200:1
Viewing Angle	178°(V)/178°(H)
Bezel	3.5mm / 1.7mm / 0.88mm
Lifetime	60,000 hrs
Colors	Black
Weight	11.3 - 30 KG

14. Self-Service Checkout Kiosk

Available: 21.5" | 27" | 32"

Self-service checkout kiosks with thermal printer and QR scanner built in. Optional: camera, ID card reader, IC card reader, POS slot, fingerprint reader. Fully customizable.

PRODUCT VIEWS



Technical Specifications


Parameter	Details
Resolution	1920×1080
Brightness	280-350 cd/m²
Touch	Capacitive 10-point
Printer	Thermal MS-FPT301 (80mm)
Scanner	QR scanner ZD-3120
Lifetime	60,000 hrs
Colors	Black / White
Extras	Camera / ID reader / Fingerprint

15. Mirror Screen Display

Available: 32" | 43"

Mirror screen displays for beauty salons, retail, and premium showrooms. When off, it's a mirror; when on, it's a display.

PRODUCT VIEWS



Technical Specifications

Parameter	Details
Resolution	1920×1080
Brightness	280-350 cd/m²
Touch	Non-touch / Capacitive 10-point
Lifetime	60,000 hrs
Colors	Black
Extras	Optional camera, sensors

16. Outdoor Waterproof Signage

Available: Custom

Outdoor-rated displays with high brightness and waterproof design for all weather conditions.

PRODUCT VIEWS



尺寸与参数					
产品配置	43英寸横屏壁挂	43英寸横屏落地	55英寸公交路牌	55英寸横屏壁挂	55英寸横屏落地
外观尺寸 mm	1180*830*380	1180*830*1352	1210*2200*600	1460*680*380	1530*2212*700
显示面积 mm	941*530	941*530	1209*680	1209*680	1209*680
净重	90kg	120kg	200kg	110kg	180kg
散热模式	风冷	风冷	风冷	风冷	风冷
显示比例	16: 9	16: 9	16: 9	16: 9	16: 9
分辨率	1920*1080	1920*1080	1920*1080	1920*1080	1920*1080
产品配置	55英寸风冷落地	55英寸空调落地	55英寸竖屏壁挂	65英寸竖屏落地	
外观尺寸 mm	950*2000*200	850*2000*255	930*1550*330	1050*2200*220	
显示面积 mm	1209*680	1209*680	1209*680	1428*803	
净重	160kg	200kg	110kg	200kg	
散热模式	风冷	空调	风冷	风冷	
显示比例	16: 9	16: 9	16: 9	16: 9	
分辨率	1920*1080	1920*1080	1920*1080	1920*1080	
机身材料	钣金外壳, 防暴玻璃				
屏幕	高亮液晶屏				
显示屏参数	LED直下式背光, 亮度1500cd/m2, 阳光下可视				

Technical Specifications

Parameter	Details
Rating	Waterproof, outdoor-rated
Brightness	High brightness
Use	Outdoor advertising, signage
Custom	Sizes and features available





17. Custom & Specialty Terminals




Available: Custom

Fully customized kiosks with optional printers, dual cameras, card readers, QR scanners, storage cabinets, and more. Built exactly to your requirements.

PRODUCT VIEWS







Technical Specifications

Parameter	Details
Options	Printer / Dual camera / Card reader / QR scanner
Custom	Sizes, colors, logos, features
Configs	Android / Windows
Applications	Retail, banking, government, education

18. Touch Table Displays

Available: Custom

Interactive touch tables for exhibitions, museums, and collaborative spaces.

PRODUCT VIEWS



Technical Specifications



Parameter	Details
Touch	Multi-touch interactive
Use	Exhibitions, museums
Custom	Sizes available

19. Hologram & Transparent Display

Available: Custom

Cutting-edge hologram cabinets, transparent displays, and digital human solutions for premium brand experiences.

PRODUCT VIEWS



Technical Specifications

Parameter	Details
Types	Hologram cabinet / Transparent screen / Digital human
Use	Premium brand experiences
Custom	Fully customizable

About Onemark

Founded in 2005 in Shenzhen, Onemark is a high-tech enterprise integrating R&D, manufacturing, and sales — a leading provider of industry-specific display solutions.

Over nearly two decades, Onemark has built four product series:

Digital Signage, Large-Format Displays, Multimedia Touch,
and **Self-Service Terminals.**

With a 3000m² factory, 50+ professionals, in-house industrial design, and factory-direct sales, we provide full customization — size, color, logo, and features — for clients worldwide.

- ▶ Founded 2005, 19+ Years Experience
- ▶ Factory-Direct, Audit-Friendly
- ▶ In-House Industrial Design
- ▶ 4 Series, 19 Product Lines
- ▶ Full Customization
- ▶ OEM / ODM / SKD
- ▶ CE, FCC, RoHS Certified
- ▶ Exported to 20+ Countries

Why Choose Onemark



Manufacturing

3000m² facility, strict QC at every stage.



Customization

Size, color, logo, features — tailored to you.



Global Export

Shipped to 20+ countries with full docs.



Certified

CE, FCC, RoHS. Factory audits welcome.



Support

Responsive team, technical documentation.



Speed

Samples in 15 days, production in 30.

Ready to Start Your Project?

Tell us your requirements — competitive prices, quality products.

✉ onemark@foxmail.com

☎ +86 181 9408 6045

Shenzhen Onemark Electronics Co., Ltd.
Building A, 3F, Baoguan Science & Technology Park, Zhangge Community, Fucheng Street, Longhua District, Shenzhen, China
Since 2005