activity_main.xml

```
<RelativeLayout
    android:layout width="match parent"
        android:layout width="wrap content"
    <androidx.appcompat.widget.AppCompatButton</pre>
        android:textAllCaps="false"
    <androidx.recyclerview.widget.RecyclerView</pre>
        android:layout height="match parent"
        android:scrollbars="vertical"
</RelativeLayout>
```

std_item_layout.xml

add dialog layout.xml

```
<!xml version="1.0" encoding="utf-8"?>
<LinearLayout
xmlns:android="http://schemas.android.com/apk/res/android"
    android:layout_width="match_parent"
    android:layout_height="match_parent"
    android:orientation="vertical"
    android:padding="20dp">
    <TextView
        android:layout_width="match_parent"
        android:layout_height="wrap_content"
        android:text="Add Student Dailog"
        android:textAlignment="center"
        android:textSize="25sp"
        android:textStyle="bold"/>
```

```
<com.google.android.material.textfield.TextInputLayout</pre>
        android:layout height="wrap content"
        <com.google.android.material.textfield.TextInputEditText</pre>
            android:layout height="wrap content"
    </com.google.android.material.textfield.TextInputLayout>
    <com.google.android.material.textfield.TextInputLayout</pre>
        <com.google.android.material.textfield.TextInputEditText</pre>
            android:layout height="wrap content"
            android:textSize="20sp"/>
    </com.google.android.material.textfield.TextInputLayout>
    <com.google.android.material.textfield.TextInputLayout</pre>
        <com.google.android.material.textfield.TextInputEditText</pre>
            android:inputType="number"
</LinearLavout>
```

MainActivity.kt

```
import android.view.LayoutInflater
import androidx.appcompat.app.AlertDialog
com.example.lab7recyclerviewdialog2022.databinding.ActivityMainBinding
import com.google.android.material.textfield.TextInputEditText
    var studentList = arrayListOf<Student>()
    override fun onCreate(savedInstanceState: Bundle?) {
        super.onCreate(savedInstanceState)
        binding = ActivityMainBinding.inflate(layoutInflater)
        setContentView(binding.root)
        val itemDecor = DividerItemDecoration(this,
DividerItemDecoration.VERTICAL)
        binding.recylerView.addItemDecoration(itemDecor)
        binding.btnAddstudent.setOnClickListener{
                this).inflate(R.layout.add dialog layout, null)
            val myBuilder = AlertDialog.Builder(this)
            myBuilder.setPositiveButton("Save") {dialog, which ->
TextInputEditText
                val name = mDailogView.findViewById(R.id.edtName) as
                val age = mDailogView.findViewById(R.id.edtAge) as
TextInputEditText
Student(id.text.toString(), name.text.toString(), age.text.toString().toI
                Toast.makeText(
```

```
Toast.LENGTH_LONG
    ).show()
    }
    //Cancel Button
    myBuilder.setNegativeButton("Cancel",) {dailog, which ->
        dailog.dismiss()
    }
    myBuilder.show()
}

fun studentData() {
    studentList.add(Student("No1","Aj.Monlica Wattana",29))
    studentList.add(Student("623020380-0","P.Qs",20))
    studentList.add(Student("623020408-4","P.Plang",20))
    studentList.add(Student("623020408-5","P.Peachs",20))
    studentList.add(Student("623020375-3","P.Peachs",20))
    studentList.add(Student("623020373-7","P.Tuiz",20))
}
}
```

Student.kt

```
    package com.example.lab7recyclerviewdialog2022
    data class Student (val id:String, val name:String, val age:Int)
```

StudentsAdapter.kt

```
class StudentAdapter(val studentList:ArrayList<Student>?,val
        RecyclerView.Adapter<StudentAdapter.ViewHolder>() {
    override fun onBindViewHolder(holder: ViewHolder, position: Int) {
    override fun getItemCount(): Int {
```