

International Taskforce



Port Call Optimization

Port Call Optimization

Request for data quality

For optimizing:

- Deadweight
- Speed / Emissions / Bunker savings
- Port stay
- Safety
- Berth utilization
- Hinterland connections
- Resources port services

 MAERSK LINE

Specific information required for Safe Port Memos

- | | |
|--|---|
| > Name of port | > Material used for fendering |
| > Name of terminal | > Distance between berth and shipside |
| > Name of berth | |
| Why is this information so difficult to obtain? | |
| > Certified Bollard Capacity | > Max speed in channel/port |
| > Angle at which capacity is measured | > Max draft alongside |
| > Distance between Bollards | > Berthing day/night |
| > Distance from Bollards to edge of berth | > Other: ice, weather, swell, surge, aircraft, currents etc |
| > Height of berth at Chart Datum | |

Present situation

Ports and shipping use their own standards



Present situation

Data not from data owner



Present situation

Less efficient communication



Present situation

No data quality assurance



Present situation

Summary

- Not possible to cross check data
- Not possible to share data
- No alerts if data has changed
- No data quality indications
- No binding data
- Many parties working for the same ship use different data



Data quality is key for Port Call Optimization

Decision as good as the data

International Taskforce Port Call Optimization

Shipping



Ports



Standards



Endorsers




Agenda – update 12/06/18

- 1) Agree on business process of port calls
- 2) Agree on minimum scope of data
- 3) Agree on functional definitions
- 4) Use of functional definitions by industry
- 5) Agree on data model and formats
- 6) Use of data model and formats by industry
- 7) Agree on quality ISO label
- 8) Use of ISO quality label by industry
- 9) Local roll out by industry
- 10) Global roll out by industry




1) Agree on business process of port calls

Done Q2/14




2) Agree on minimum scope of data

Done Q3/15



3) Agree on functional definitions

Done Q3/17



4) Use of functional definitions by industry



Done Q3/17

Shipping and agents	Ports	Standards partners	Endorsers
CMA-CGM	Algeciras	UKHO	BIMCO
Inchcape	Busan	GS1	IALA
Maersk	Göteborg		IHMA
MSC	Houston		IHO
Shell	Ningbo-Zhoushan		Lloyds List Intelligence
Vopak	Rotterdam		Marine Traffic
	Singapore		STM
	Tanger Med		UK P&I
			Xvela
			IAPH
			Nautical Institute
			Green Award

5) Agree on data model and formats




Q2/19

3. BERTHING POSITION MAXIMUM SIZES AND CONDITIONS



6) Use of data model and formats by industry

Q2/19



7) Agree on ISO quality label
Q3/18



8) Use of ISO quality label by industry

XX/XX



9) Local roll out by industry

2018

<u>Basic data</u> Berth and Berthing position ID Pilot Boarding Place – Berth sections ID	
<u>Static data</u>	<u>Dynamic data</u>
Minimum depth	ATA/ATD Berth
Maximum sizes	ETA / ETD Berth
Maximum conditions	PTA / PTD Berth

10) Global roll out by industry

XX/XX



Frequently Asked Questions

- 1) Shipping is 5000 years old, why have standards never been used?
- 2) Roughly 80% of goods is transported by sea, why have supply chain standards never been used?



Good news

- There's nothing new
- Addressing existing contracts and resolutions, using existing definitions and technology, will already create dramatic improvements



