

Loop-else Clauses



Robert Smallshire

COFOUNDER - SIXTY NORTH

@robsmallshire



Austin Bingham

COFOUNDER - SIXTY NORTH

@austin_bingham

Control Flow Structures

If-else

```
if some_condition:  
    do_something()  
  
else:  
    do_this_instead()
```

Loop-else

```
while some_condition:  
    do_something()  
  
else:  
    what()    # ?!
```

The while...else Construct



*I would not have
this feature at all if I
had to do it over.*

Guido van Rossum
Python-ideas mailing list
(2009)

Photo: Jason E. Kaplan



*I gave the ... example of a
program for which the
capabilities of while and if
statements are inadequate*

Donald Knuth
Structured Programming with
go to Statements (1974)
Computing Surveys. ACM.

Photo: Dasha Slobozhanina CC-BY

The while ... else Construct


```
while condition:
    flag = execute_condition_is_true()
    if flag:
        break

if not condition:
    execute_condition_is_false()
```

while ... if

An independent if clause with negated condition can prevent execution when **breaking**

```
while condition:
    flag = execute_condition_is_true()
    if flag:
        break
else: # nobreak
    execute_condition_is_false()
```



while ... if

Allows us to avoid the redundant test
Assist readers of your code with a helpful **comment**

Stack Evaluation Demo



Using while ... else in practice


Evaluating stack programs

infix **5 + 2**


postfix **5 2 +**

(4 + 8) * 3

4 8 + 3 *



stack evolution →



stack evolution →


```
execute() > else
```

