# Модуль 1. Практика 1.

Выполнил: Мищук Андрей Валерьевич

Преподаватель: Менжулин Сергей Алексеевич

## Раздел 1

```
eltex-pg2-v8@eltex-2026-autumn:~$ screen


eltex-pg2-v8@eltex-2026-autumn:~$ tty
/dev/pts/128
eltex-pg2-v8@eltex-2026-autumn:~$ screen -ls
There is a screen on:
        119144.pts-117.eltex-2026-autumn        (10/07/2026 08:00:59 PM)        (Attached)
1 Socket in /run/screen/S-eltex-pg2-v8.
eltex-pg2-v8@eltex-2026-autumn:~$ w | head -n 20
 20:02:21 up  5:27, 56 users,  load average: 0.05, 0.11, 0.06
USER     TTY      FROM             LOGIN@   IDLE   JCPU   PCPU WHAT
tech     tty1     -                15:42    3:58m  0.14s  ?    -bash
tech     pts/0    37.193.179.176   16:06    3:44m  0.08s  0.02s sshd: tech [priv]
eltex-pg pts/2    188.162.12.228   18:22    1:37m  0.13s  ?    -bash
eltex-pg pts/5    176.59.135.16    17:50    2:11m  0.00s  ?    -bash
eltex-pg pts/8    176.59.142.165   18:42    1:03m  0.02s  0.01s screen -r top
eltex-pg pts/11   91.79.235.158    17:52    2:07m  0.01s  0.01s -bash
eltex-pg pts/14   188.162.12.228   17:53    2:09m  0.00s  ?    -bash
eltex-pg pts/16   :pts/95:S.0      19:57   29.00s  0.00s  ?    SCREEN
eltex-pg pts/23   :pts/8:S.0       18:46    1:04m  1.19s  1.19s watch /usr/bin/vmstat
eltex-pg pts/25   217.71.131.234   19:35    1:33   0.02s  ?    screen -S top
eltex-pg pts/27   31.76.3.126      19:35    8:21   0.01s  0.01s -bash
eltex-pg pts/28   176.59.135.16    18:19    1:37m  0.01s  0.01s -bash
eltex-pg pts/30   :pts/82:S.1      18:30    1:31m  0.00s  ?    /usr/bin/bash
eltex-pg pts/33   :pts/106:S.0     19:59    1:40   1.53s  1.53s top
eltex-pg pts/35   :pts/29:S.0      18:07    1:48m 11.21s  2.14s SCREEN -S top -d -m top
eltex-pg pts/38   :pts/20:S.0      18:09    1:50m  8.77s  0.54s SCREEN -S top -d -m top
eltex-pg pts/46   217.71.131.234   18:44   45:25   0.02s  ?    man screen
eltex-pg pts/49   217.71.131.234   18:09    1:50m  0.00s  ?    -bash
eltex-pg2-v8@eltex-2026-autumn:~$
[detached from 121634.pts-117.eltex-2026-autumn]
eltex-pg2-v8@eltex-2026-autumn:~$
```

```
eltex-pg2-v8@eltex-2026-autumn:~$ screen -S top -dm top
```


```
eltex-pg2-v8@eltex-2026-autumn:~$ screen -ls
There are screens on:
        143372.top      (10/07/2026 08:22:17 PM)        (Detached)
        121634.pts-117.eltex-2026-autumn        (10/07/2026 08:03:29 PM)        (Detached)
2 Sockets in /run/screen/S-eltex-pg2-v8.
eltex-pg2-v8@eltex-2026-autumn:~$
```


```
eltex-pg2-v8@eltex-2026-autumn:~$ screen -r top
```

Ctrl-a C
**eltex-pg2-v8@eltex-2026-autumn**:**~$** watch /usr/bin/vmstat




Ctrl-a “






Выбираем top, затем ctrl-a d:

```
[detached from 143372.top]
eltex-pg2-v8@eltex-2026-autumn:~$
```

```
eltex-pg2-v8@eltex-2026-autumn:~$ screen -m vi report_part1.txt
[detached from 162160.pts-71.eltex-2026-autumn]
eltex-pg2-v8@eltex-2026-autumn:~$ screen -ls
There are screens on:
        162160.pts-71.eltex-2026-autumn (10/07/2026 08:32:59 PM)        (Detached)
        143372.top      (10/07/2026 08:22:17 PM)        (Detached)
        121634.pts-117.eltex-2026-autumn        (10/07/2026 08:03:29 PM)        (Detached)
3 Sockets in /run/screen/S-eltex-pg2-v8.
eltex-pg2-v8@eltex-2026-autumn:~$ logout
```

```
login as: eltex-pg2-v8
eltex-pg2-v8@217.71.138.1's password:
Linux eltex-2026-autumn 6.1.0-50-amd64 #1 SMP PREEMPT_DYNAMIC Debian 6.1.176-1
(2026-07-02) x86_64

The programs included with the Debian GNU/Linux system are free software;
the exact distribution terms for each program are described in the
individual files in /usr/share/doc/*/copyright.

Debian GNU/Linux comes with ABSOLUTELY NO WARRANTY, to the extent
permitted by applicable law.
Last login: Wed Oct  7 20:19:13 2026 from 217.71.139.234
eltex-pg2-v8@eltex-2026-autumn:~$ screen -ls
There are screens on:
        162160.pts-71.eltex-2026-autumn (10/07/2026 08:33:00 PM)        (Detached)
        143372.top      (10/07/2026 08:22:18 PM)        (Detached)
        121634.pts-117.eltex-2026-autumn        (10/07/2026 08:03:30 PM)        (Detached)
3 Sockets in /run/screen/S-eltex-pg2-v8.
```

Заходим в режим insert (i), записываем, esc и вводим :w – записали изменения, :q - выходим

```
[screen is terminating]
eltex-pg2-v8@eltex-2026-autumn:~$ cat report_part1.txt
Мищук Андрей Валерьевич часть 1 модуль 1 успешно завершен 07/10/2026 20:36


eltex-pg2-v8@eltex-2026-autumn:~$ screen -ls
There are screens on:
        143372.top      (10/07/2026 08:22:18 PM)        (Detached)
        121634.pts-117.eltex-2026-autumn        (10/07/2026 08:03:30 PM)        (Detached)
2 Sockets in /run/screen/S-eltex-pg2-v8.
eltex-pg2-v8@eltex-2026-autumn:~$ screen -X -S 143372 quit
eltex-pg2-v8@eltex-2026-autumn:~$ screen -X -S 121634 quit
eltex-pg2-v8@eltex-2026-autumn:~$ screen -ls
No Sockets found in /run/screen/S-eltex-pg2-v8.
```

## Раздел 2

```
eltex-pg2-v8@eltex-2026-autumn:~$ screen -S whoami_part2 -T dumb -L -Logfile
"${USER}_part.log"
```

**eltex-pg2-v8_part.log**

```
eltex-pg2-v8@eltex-2026-autumn:~$ compgen -c ls
ls
lsblk
lsattr
lscpu
lsipc
lsmod
lsmem
lspci
lsinitramfs
lsns
lsusb
lsof
ls
lslogins
lsfd
lslocks
lsb_release
lsirq
lsblk
lsattr
lscpu
lsipc
lsmod
lsmem
lspci
lsinitramfs
lsns
lsusb
lsof
ls
lslogins
```

```
lsfd
lslocks
lsb_release
lsirq
eltex-pg2-v8@eltex-2026-autumn:~$ compgen -v HIST
HISTCMD
HISTCONTROL
HISTFILE
HISTFILESIZE
HISTSIZE
eltex-pg2-v8@eltex-2026-autumn:~$ echo $HISTFILESIZE
2000
eltex-pg2-v8@eltex-2026-autumn:~$ ls -d /.*
/home/eltex-pg2-v8/.bash_history  /home/eltex-pg2-v8/.bashrc  /home/eltex-pg2-
v8/.lesshst  /home/eltex-pg2-v8/.profile
/home/eltex-pg2-v8/.bash_logout   /home/eltex-pg2-v8/.config  /home/eltex-pg2-
v8/.local    /home/eltex-pg2-v8/.viminfo
eltex-pg2-v8@eltex-2026-autumn:~$ export HISTTIMEFORMAT="%F "
eltex-pg2-v8@eltex-2026-autumn:~$ history | tail -n 5
  159  2026-10-09 compgen -v HIST
  160  2026-10-09 echo $HISTFILESIZE
  161  2026-10-09 ls -d ~/.*
  162  2026-10-09 export HISTTIMEFORMAT="%F "
  163  2026-10-09 history | tail -n 5
eltex-pg2-v8@eltex-2026-autumn:~$ date
Fri Oct  9 04:44:57 PM +07 2026
eltex-pg2-v8@eltex-2026-autumn:~$ history | grep date
  164  2026-10-09 date
  165  2026-10-09 history | grep date
eltex-pg2-v8@eltex-2026-autumn:~$ echo $HISTFILE
/home/eltex-pg2-v8/.bash_history
eltex-pg2-v8@eltex-2026-autumn:~$ cat ~/.bash_history | grep date
export PROMPT_COMMAND="history -a"
eltex-pg2-v8@eltex-2026-autumn:~$ date
Fri Oct  9 04:53:24 PM +07 2026
eltex-pg2-v8@eltex-2026-autumn:~$ history | grep date
  164  2026-10-09 date
  165  2026-10-09 history | grep date
  167  2026-10-09 cat ~/.bash_history | grep date
  169  2026-10-09 date
  170  2026-10-09 history | grep date
eltex-pg2-v8@eltex-2026-autumn:~$ cat ~/.bash_history
date
history | grep date
cat ~/.bash_history | grep date
date
history | grep date
eltex-pg2-v8@eltex-2026-autumn:~$ DATE=$(date +%F)
eltex-pg2-v8@eltex-2026-autumn:~$ echo $DATE
2026-10-09
eltex-pg2-v8@eltex-2026-autumn:~$ TIME=$(date +%T)
eltex-pg2-v8@eltex-2026-autumn:~$ echo $TIME
16:55:48
eltex-pg2-v8@eltex-2026-autumn:~$ DATE_TIME=$($DATE $TIME)
bash: 2026-10-09: command not found
eltex-pg2-v8@eltex-2026-autumn:~$ DATE_TIME="$DATE$$TIME")
eltex-pg2-v8@eltex-2026-autumn:~$ echo $DATE_TIME
```

2026-10-09 16:55:48
**eltex-pg2-v8@eltex-2026-autumn**:**~$** ls -p /bin | grep -v / | grep -E '[0-9]'
addr2line
b2sum
base32
base64
bunzip2
bzip2
bzip2recover
c89
c89-gcc
c99
c99-gcc
cpan5.36-x86_64-linux-gnu
cpp-12
diff3
enc2xs
gcc-12
gcc-ar-12
gcc-nm-12
gcc-ranlib-12
gcov-12
gcov-dump-12
gcov-tool-12
grub-menulst2cfg
grub-mkpasswd-pbkdf2
grub-syslinux2cfg
h2ph
h2xs
i386
linux32
linux64
lto-dump-12
md5sum
md5sum.textutils
pdb3
pdb3.11
perl5.36.0
perl5.36-x86_64-linux-gnu
ping4
ping6
pl2pm
pod2html
pod2man
pod2text
pod2usage
py3clean
py3compile
py3versions
pydoc3
pydoc3.11
pygettext3
pygettext3.11
python3
python3.11
sha1sum
sha224sum

```
sha256sum
sha384sum
sha512sum
ssh-argv0
systemd-id128
traceroute6
traceroute6.db
x86_64
x86_64-linux-gnu-addr2line
x86_64-linux-gnu-ar
x86_64-linux-gnu-as
x86_64-linux-gnu-c++filt
x86_64-linux-gnu-cpp
x86_64-linux-gnu-cpp-12
x86_64-linux-gnu-dwp
x86_64-linux-gnu-elfedit
x86_64-linux-gnu-gcc
x86_64-linux-gnu-gcc-12
x86_64-linux-gnu-gcc-ar
x86_64-linux-gnu-gcc-ar-12
x86_64-linux-gnu-gcc-nm
x86_64-linux-gnu-gcc-nm-12
x86_64-linux-gnu-gcc-ranlib
x86_64-linux-gnu-gcc-ranlib-12
x86_64-linux-gnu-gcov
x86_64-linux-gnu-gcov-12
x86_64-linux-gnu-gcov-dump
x86_64-linux-gnu-gcov-dump-12
x86_64-linux-gnu-gcov-tool
x86_64-linux-gnu-gcov-tool-12
x86_64-linux-gnu-gold
x86_64-linux-gnu-gp-archive
x86_64-linux-gnu-gp-collect-app
x86_64-linux-gnu-gp-display-html
x86_64-linux-gnu-gp-display-src
x86_64-linux-gnu-gp-display-text
x86_64-linux-gnu-gprof
x86_64-linux-gnu-gprofng
x86_64-linux-gnu-ld
x86_64-linux-gnu-ld.bfd
x86_64-linux-gnu-ld.gold
x86_64-linux-gnu-lto-dump
x86_64-linux-gnu-lto-dump-12
x86_64-linux-gnu-nm
x86_64-linux-gnu-objcopy
x86_64-linux-gnu-objdump
x86_64-linux-gnu-ranlib
x86_64-linux-gnu-readelf
x86_64-linux-gnu-size
x86_64-linux-gnu-strings
x86_64-linux-gnu-strip
eltex-pg2-v8@eltex-2026-autumn:~$ ls -p /sbin | grep -v / | grep -E '[0-9]'
dumpe2fs
e2freefrag
e2fsck
e2image
e2label
```

```
e2mmpstatus
e2scrub
e2scrub_all
e2undo
e4crypt
e4defrag
fsck.ext2
fsck.ext3
fsck.ext4
killall5
mke2fs
mkfs.ext2
mkfs.ext3
mkfs.ext4
resize2fs
tune2fs
update-grub2
eltex-pg2-v8@eltex-2026-autumn:~$ export PS1='$USER@$HOSTNAME-$(date
+%H:%M)> '
eltex-pg2-v8@eltex-2026-autumn-17:17> export PS1
eltex-pg2-v8@eltex-2026-autumn-17:19> bash --norc
eltex-pg2-v8@eltex-2026-autumn-17:19> echo $SHLVL
3
eltex-pg2-v8@eltex-2026-autumn-17:20> exit
exit
eltex-pg2-v8@eltex-2026-autumn-17:21> echo $SHLVL
2
eltex-pg2-v8@eltex-2026-autumn-17:22> bash
eltex-pg2-v8@eltex-2026-autumn:~$ exit
exit
eltex-pg2-v8@eltex-2026-autumn-17:33> for i in {01..12}; do mkdir ~/"$(date +%Y)"-$i; done
eltex-pg2-v8@eltex-2026-autumn-17:33> ls
2026-01  2026-02  2026-03  2026-04  2026-05  2026-06  2026-07  2026-08  2026-09  2026-
10  2026-11  2026-12  col.sh  eltex-pg2-v8_part.log  report_part1.txt
eltex-pg2-v8@eltex-2026-autumn-17:33>
```

## Раздел 3

```
eltex-pg2-v8@eltex-2026-autumn:~$ touch "$USER_part3.log"
eltex-pg2-v8@eltex-2026-autumn:~$ screen -S part3

eltex-pg2-v8@eltex-2026-autumn:~$ LOG="$HOME/${USER}_part3.log"
eltex-pg2-v8@eltex-2026-autumn:~$ PS0='$(echo "\$" $(history 1 | sed "s/^ *[0-9]*
*//") >>"$LOG")'
```

**eltex-pg2-v8_part3.log**

```
$ mkdir -p D1/D2/D3
$ ls -R | grep D1 >> "$LOG"
D1
./D1:
./D1/D2:
./D1/D2/D3:
$ touch D1/D2/file.txt
```

```
$ echo "Hello World!" >> D1/D2/file.txt
$ ln D1/D2/file.txt D1/D2/D3/file_hard.txt
$ ln -s ../file.txt D1/D2/D3/file_sym.txt
$ ls -li D1/D2/file.txt D1/D2/D3/ >> "$LOG"
917619 -rw-r--r-- 2 eltex-pg2-v8 eltex-pg2-v8   13 Oct  9 19:14 D1/D2/file.txt

D1/D2/D3/:
total 4
917619 -rw-r--r-- 2 eltex-pg2-v8 eltex-pg2-v8 13 Oct  9 19:14 file_hard.txt
917623 lrwxrwxrwx 1 eltex-pg2-v8 eltex-pg2-v8 11 Oct  9 19:19 file_sym.txt -> ../file.txt
$ cat D1/D2/D3/file_hard.txt >> "$LOG"
Hello World!
$ cat D1/D2/D3/file_sym.txt >> "$LOG"
Hello World!
$ mv D1/D2/file.txt D1/file.txt
$ cat D1/D2/D3/file_hard.txt >> "$LOG"
Hello World!
$ cat D1/D2/D3/file_sym.txt >> "$LOG"
$ cat D1/D2/D3/file_sym.txt 2>> "$LOG"
cat: D1/D2/D3/file_sym.txt: No such file or directory
$ rm -r D1/D2
$ LOG20="${USER}_part3_gt20M.log"

$ clear
$ find / -type f -size +20M 2>/dev/null > "$LOG20"
$ cat "$LOG20" >> "$LOG"
/usr/bin/x86_64-linux-gnu-lto-dump-12
/usr/lib/gcc/x86_64-linux-gnu/12/lto1
/usr/lib/gcc/x86_64-linux-gnu/12/cc1
/usr/lib/x86_64-linux-gnu/libicudata.so.72.1
/proc/kcore
/boot/initrd.img-6.1.0-44-amd64
/boot/initrd.img-6.1.0-50-amd64
/boot/initrd.img-6.1.0-53-amd64
/var/log/journal/8247b53b6ae84ae0ad9bb1c96113fd29/system@4f44ef78d53d4cd0a5555898
b8d0015b-00000000000db8c9-000653f1df947936.journal
/var/log/journal/8247b53b6ae84ae0ad9bb1c96113fd29/system@4f44ef78d53d4cd0a5555898
b8d0015b-0000000000179b0c-000659e0105337c7.journal
/var/log/journal/8247b53b6ae84ae0ad9bb1c96113fd29/system@00065be42e22b64e-
29e46ef12bfd5644.journal~
/var/log/journal/8247b53b6ae84ae0ad9bb1c96113fd29/system@4f44ef78d53d4cd0a5555898
b8d0015b-000000000016aef5-0006585775bcfe03.journal
/var/log/journal/8247b53b6ae84ae0ad9bb1c96113fd29/system@00065b6e0461a953-
e594878e03ffcfa9.journal~
/var/log/journal/8247b53b6ae84ae0ad9bb1c96113fd29/system@00065c4bf168df91-
94a074e01b8fde49.journal~
/var/log/journal/8247b53b6ae84ae0ad9bb1c96113fd29/system@4f44ef78d53d4cd0a5555898
b8d0015b-000000000012bd18-0006541efb4e910b.journal
/var/log/journal/8247b53b6ae84ae0ad9bb1c96113fd29/system@4f44ef78d53d4cd0a5555898
b8d0015b-000000000013b06c-000654303a1201f5.journal
/var/log/journal/8247b53b6ae84ae0ad9bb1c96113fd29/system@4f44ef78d53d4cd0a5555898
b8d0015b-00000000000bb4ae-000653e0e464fbba.journal
/var/log/journal/8247b53b6ae84ae0ad9bb1c96113fd29/system@4f44ef78d53d4cd0a5555898
b8d0015b-000000000011beb5-000654152c40ea73.journal
/var/log/journal/8247b53b6ae84ae0ad9bb1c96113fd29/system@000654e914b0fb5f-
f20d94ab522960d7.journal~
/var/log/journal/8247b53b6ae84ae0ad9bb1c96113fd29/system@4f44ef78d53d4cd0a5555898
```

b8d0015b-000000000014a0db-000654440c96a329.journal
/var/log/journal/8247b53b6ae84ae0ad9bb1c96113fd29/system@4f44ef78d53d4cd0a5555898
b8d0015b-000000000009b91d-000653cc93c81e56.journal
/var/log/journal/8247b53b6ae84ae0ad9bb1c96113fd29/system.journal
/var/log/journal/8247b53b6ae84ae0ad9bb1c96113fd29/system@4f44ef78d53d4cd0a5555898
b8d0015b-00000000000fbec9-0006540279fb0af2.journal
/var/log/journal/8247b53b6ae84ae0ad9bb1c96113fd29/system@4f44ef78d53d4cd0a5555898
b8d0015b-00000000000ab4ea-000653d77c5c1149.journal
/var/log/journal/8247b53b6ae84ae0ad9bb1c96113fd29/system@4f44ef78d53d4cd0a5555898
b8d0015b-000000000010c0ec-0006540b1cd179ef.journal
/var/log/journal/8247b53b6ae84ae0ad9bb1c96113fd29/system@4f44ef78d53d4cd0a5555898
b8d0015b-00000000000cb658-000653e97bef6d7f.journal
/var/log/journal/8247b53b6ae84ae0ad9bb1c96113fd29/system@4f44ef78d53d4cd0a5555898
b8d0015b-00000000000ebb8b-000653fa31acb7c1.journal
/var/cache/apt/srcpkgcache.bin
/var/cache/apt/pkgcache.bin
/var/lib/apt/lists/deb.debian.org_debian_dists_bookworm_main_binary-amd64_Packages
/var/lib/apt/lists/deb.debian.org_debian_dists_bookworm_main_source_Sources
/var/lib/apt/lists/deb.debian.org_debian_dists_bookworm_main_i18n_Translation-en
**$** while IFS= read -r f; do du -h "$f"; done < "$LOG20"
**$** while IFS= read -r f; do du -h --apparent-size "$f"; done < "$LOG20"
**$** while IFS= read -r f; do du -h --apparent-size "$f"; done < "$LOG20" >> "$LOG"
31M	/usr/bin/x86_64-linux-gnu-lto-dump-12
31M	/usr/lib/gcc/x86_64-linux-gnu/12/lto1
32M	/usr/lib/gcc/x86_64-linux-gnu/12/cc1
30M	/usr/lib/x86_64-linux-gnu/libicudata.so.72.1
128T	/proc/kcore
33M	/boot/initrd.img-6.1.0-44-amd64
33M	/boot/initrd.img-6.1.0-50-amd64
33M	/boot/initrd.img-6.1.0-53-amd64
44M	/var/log/journal/8247b53b6ae84ae0ad9bb1c96113fd29/system@4f44ef78d53d4cd0a5
555898b8d0015b-00000000000db8c9-000653f1df947936.journal
41M	/var/log/journal/8247b53b6ae84ae0ad9bb1c96113fd29/system@4f44ef78d53d4cd0a5
555898b8d0015b-0000000000179b0c-000659e0105337c7.journal
24M	/var/log/journal/8247b53b6ae84ae0ad9bb1c96113fd29/system@00065be42e22b64e-
29e46ef12bfd5644.journal~
42M	/var/log/journal/8247b53b6ae84ae0ad9bb1c96113fd29/system@4f44ef78d53d4cd0a5
555898b8d0015b-000000000016aef5-0006585775bcfe03.journal
32M	/var/log/journal/8247b53b6ae84ae0ad9bb1c96113fd29/system@00065b6e0461a953-
e594878e03ffcfa9.journal~
24M	/var/log/journal/8247b53b6ae84ae0ad9bb1c96113fd29/system@00065c4bf168df91-
94a074e01b8fde49.journal~
44M	/var/log/journal/8247b53b6ae84ae0ad9bb1c96113fd29/system@4f44ef78d53d4cd0a5
555898b8d0015b-000000000012bd18-0006541efb4e910b.journal
43M	/var/log/journal/8247b53b6ae84ae0ad9bb1c96113fd29/system@4f44ef78d53d4cd0a5
555898b8d0015b-000000000013b06c-000654303a1201f5.journal
44M	/var/log/journal/8247b53b6ae84ae0ad9bb1c96113fd29/system@4f44ef78d53d4cd0a5
555898b8d0015b-00000000000bb4ae-000653e0e464fbba.journal
44M	/var/log/journal/8247b53b6ae84ae0ad9bb1c96113fd29/system@4f44ef78d53d4cd0a5
555898b8d0015b-000000000011beb5-000654152c40ea73.journal
32M	/var/log/journal/8247b53b6ae84ae0ad9bb1c96113fd29/system@000654e914b0fb5f-
f20d94ab522960d7.journal~
43M	/var/log/journal/8247b53b6ae84ae0ad9bb1c96113fd29/system@4f44ef78d53d4cd0a5
555898b8d0015b-000000000014a0db-000654440c96a329.journal
44M	/var/log/journal/8247b53b6ae84ae0ad9bb1c96113fd29/system@4f44ef78d53d4cd0a5
555898b8d0015b-000000000009b91d-000653cc93c81e56.journal
24M	/var/log/journal/8247b53b6ae84ae0ad9bb1c96113fd29/system.journal

```
44M     /var/log/journal/8247b53b6ae84ae0ad9bb1c96113fd29/system@4f44ef78d53d4cd0a5
555898b8d0015b-00000000000fbec9-0006540279fb0af2.journal
44M     /var/log/journal/8247b53b6ae84ae0ad9bb1c96113fd29/system@4f44ef78d53d4cd0a5
555898b8d0015b-00000000000ab4ea-000653d77c5c1149.journal
44M     /var/log/journal/8247b53b6ae84ae0ad9bb1c96113fd29/system@4f44ef78d53d4cd0a5
555898b8d0015b-000000000010c0ec-0006540b1cd179ef.journal
44M     /var/log/journal/8247b53b6ae84ae0ad9bb1c96113fd29/system@4f44ef78d53d4cd0a5
555898b8d0015b-00000000000cb658-000653e97bef6d7f.journal
44M     /var/log/journal/8247b53b6ae84ae0ad9bb1c96113fd29/system@4f44ef78d53d4cd0a5
555898b8d0015b-00000000000ebb8b-000653fa31acb7c1.journal
39M     /var/cache/apt/srcpkgcache.bin
39M     /var/cache/apt/pkgcache.bin
48M     /var/lib/apt/lists/deb.debian.org_debian_dists_bookworm_main_binary-
amd64_Packages
49M     /var/lib/apt/lists/deb.debian.org_debian_dists_bookworm_main_source_Sources
32M     /var/lib/apt/lists/deb.debian.org_debian_dists_bookworm_main_i18n_Translation-en
$ find "$HOME" -type f -mtime -1
$ find "$HOME" -type f -mtime -1 >> "$LOG"
/home/eltex-pg2-v8/eltex-pg2-v8_part3_gt20M.log
/home/eltex-pg2-v8/.viminfo
/home/eltex-pg2-v8/eltex-pg2-v8_part.log
/home/eltex-pg2-v8/.log
/home/eltex-pg2-v8/eltex-pg2-v8_part3.log
/home/eltex-pg2-v8/D1/file.txt
/home/eltex-pg2-v8/.bash_history
/home/eltex-pg2-v8/col.sh
$ which find >> "$LOG"
/usr/bin/find
$ file /usr/bin/find  >> "$LOG"
/usr/bin/find: ELF 64-bit LSB pie executable, x86-64, version 1 (SYSV), dynamically linked,
interpreter /lib64/ld-linux-x86-64.so.2,
BuildID[sha1]=5545a6c7162d325fbe5ffabcbfe4e5521b66ce70, for GNU/Linux 3.2.0,
stripped
$ file /boot/initrd.img-6.1.0-44-amd64 /boot/initrd.img-6.1.0-50-amd64 /boot/initrd.img-6.1.0-53-
amd64 >> "$LOG"
/boot/initrd.img-6.1.0-44-amd64: ASCII cpio archive (SVR4 with no CRC)
/boot/initrd.img-6.1.0-50-amd64: ASCII cpio archive (SVR4 with no CRC)
/boot/initrd.img-6.1.0-53-amd64: ASCII cpio archive (SVR4 with no CRC)
```