```
Last login: Sun Jul 10 19:17:52 on ttys003
(base) → ~ docker network inspect bridge
Γ
    {
        "Name": "bridge",
        "Id": "72ed8d6bf0501d0c3dfcea7b1db69c1b89907f2f2ee9df630ed4766662cb4b62"
        "Created": "2022-07-09T01:48:11.99032575Z",
        "Scope": "local",
        "Driver": "bridge",
        "EnableIPv6": false,
        "IPAM": {
            "Driver": "default",
            "Options": null,
            "Config": [
                {
                    "Subnet": "172.17.0.0/16",
                    "Gateway": "172.17.0.1"
                }
            1
        },
        "Internal": false,
        "Attachable": false,
        "Ingress": false,
        "ConfigFrom": {
            "Network": ""
        "ConfigOnly": false,
        "Containers": {},
        "Options": {
            "com.docker.network.bridge.default_bridge": "true",
            "com.docker.network.bridge.enable_icc": "true",
            "com.docker.network.bridge.enable ip masquerade": "true",
            "com.docker.network.bridge.host_binding_ipv4": "0.0.0.0",
            "com.docker.network.bridge.name": "docker0",
            "com.docker.network.driver.mtu": "1500"
        },
        "Labels": {}
    }
1
(base) → ~ docker network ls
NETWORK ID
                          DRIVER
                                    SCOPE
               NAME
72ed8d6bf050
               bridge
                          bridge
                                    local
8b85c1f4c658
               host
                          host
                                    local
7c26338c1132
               lafs-net
                          bridge
                                    local
9fe24ae2bf05
                          null
                                    local
               none
(base) → ~ docker network inspect lafs-net
Γ
    {
        "Name": "lafs-net",
        "Id": "7c26338c1132d733e038ffcb089f91a301511462c40019ecd1516cb256f30db2"
```

```
"Created": "2022-07-09T21:10:46.626772841Z",
        "Scope": "local",
        "Driver": "bridge",
        "EnableIPv6": false,
        "IPAM": {
            "Driver": "default",
            "Options": {},
            "Config": [
                {
                    "Subnet": "172.18.0.0/16",
                    "Gateway": "172.18.0.1"
                }
            1
        },
        "Internal": false,
        "Attachable": false,
        "Ingress": false,
        "ConfigFrom": {
            "Network": ""
        },
        "ConfigOnly": false,
        "Containers": {
            "191e797c2a065cb5bb2dd0a04fe10eef281191f324f764878efc131edb97dd08":
{
                "Name": "lafs-db",
                "EndpointID": "6b1fa891ed1153edcb03af03c2642497227fbc13468110b60
3f3dff78dba0d8b",
                "MacAddress": "02:42:ac:12:00:03",
                "IPv4Address": "172.18.0.3/16",
                "IPv6Address": ""
            },
            "c9ca4aceef347eb63aa7bcb0e970fb1338c9e56d8ae2dc58e4eafcb694d99c8d":
{
                "Name": "lafs-web",
                "EndpointID": "1b86cbcaba46fd79f009f5eae092586d89fa63ddb38e13c4b
c86ff0e746c4d1c",
                "MacAddress": "02:42:ac:12:00:02",
                "IPv4Address": "172.18.0.2/16",
                "IPv6Address": ""
            },
            "f5d3ae7f1aa7a9ce9431d7484ed6c36a184317671d335fda7d58a3d92c361b02":
{
                "Name": "lafs-api",
                "EndpointID": "cca7a1da9947a83829dc744e6ff9e52ffdd7290d235a4a798
742754be24cc542",
                "MacAddress": "02:42:ac:12:00:04",
                "IPv4Address": "172.18.0.4/16",
                "IPv6Address": ""
            }
        },
        "Options": {},
        "Labels": {}
```

```
}
]
(base) → ~
```