

**<Company Name>**

---

**PoS System**

# **Use Case Specification: Cash Opening Entry**

**Version 1.1**

## Revision History

Date	Version	Description	Author
24.11.16	1.0	Creation of document	Sven Baumann
10.12.16	1.1	Change Links of feature files	Sandra Kramlich

## **Table of Contents**

<b>Table of Contents.....</b>	<b>3</b>
1. Use-Case Cash Opening Entry .....	4
1.1 Brief Description .....	4
2. Flow of Events .....	4
2.1 Basic Flow .....	4
3. Special Requirements .....	5
3.1 Other devices.....	5
4. Preconditions .....	5
4.1 Entering the view.....	5
5. Postconditions .....	5
6. Extension Points .....	5

## Use-Case Specification: Cash Opening Entry

### 1. Use-Case Cash Opening Entry


#### 1.1 Brief Description

Each day, during the first start of the cash, the user has to type in the amount of the cash.

### 2. Flow of Events

#### 2.1 Basic Flow


Activity Diagram:



Feature-Datei:

[Cash Opening Entry Feature-Datei](#)

Mockup:



### 3. Special Requirements

#### 3.1 Other devices

As this POS application is targeted towards small retail business we expect it to run on screen sizes of desktop computers. As this is a web application and as such can potentially be used in mobile devices too, we should keep in mind to make singular UI components not too large to make it easier to adapt to smaller screens should the need arise. This explicitly is not a must and must in no way stand in the way of other important design decisions.

### 4. Preconditions

#### 4.1 Entering the view

The window will only appear during the first start of the cash at a day.

### 5. Postconditions

n/a

### 6. Extension Points

n/a