



Readme file for POSADA.IO BOT

POSADA Desktop

POSADA is a standalone Cardano trading bot with a desktop interface.

- Runs as a local desktop application (pywebview)
- Signs transactions using pure Python (PyCardano)
- No cardano-cli required
- Installed using a .deb package
- First run requires only a valid license key

This is not a browser app.
Everything runs locally on your machine.

IMPORTANT

POSADA can move real funds.

Strategies needs coin information based on time. It can take the most of 24 hours before the first trades come in, therefore have patience.

You are fully responsible for:

- - Your wallet
- - Your signing key / keystore
- - Your configuration
- - Any trading losses
- -

Never share:

- Your keystore file
- payment.skey
- .env file
- Blockfrost key

Trading involves risk.

INSTALLATION (Debian / Ubuntu)

Double-click the .deb file.
Enter your password when prompted.
POSADA installs automatically.

After installation, launch from the application menu:

POSADA

Or from terminal:



Readme file for POSADA.IO BOT

posada

If dependencies fail to install automatically:

```
sudo apt -f install
```

FIRST RUN

On first launch, POSADA opens a setup window.

1. Enter your license key.
2. Activation completes.
3. A wallet is created automatically.
4. The bot is ready.

A default Blockfrost API key is included.

To use your own, set BLOCKFROST_PROJECT_ID in .env.

No manual CLI setup required.

HOW IT WORKS

POSADA runs two components locally:

- 1) Trading engine (Python backend on port 8516)
- 2) Desktop window (pywebview)

Buttons:

Start = begin trading loop

Pause = pause trading

Stop = stop trading, keep app open

Quit = safe shutdown and exit

Dashboard (local only):

<http://127.0.0.1:8516>

DATA LOCATION

POSADA stores data in your OS application directory.

Linux:

~/.local/share/posada/

This folder contains:



Readme file for POSADA.IO BOT

- Logs
- Trading state
- PnL data
- Customer ID
- Configuration

Back up this folder, in case you need it, preferably on a move to another machine.

BACKUP

Example (Linux):

```
tar -czf posada-backup.tar.gz ~/.local/share/posada
```

To restore:

- 1) Install POSADA
- 2) Restore the folder to the same path
- 3) Start POSADA

If not restored, trading history and PnL will be empty (but funds remain on-chain).

CUSTOMER ID

POSADA generates a local ID:

POS-XXXX-XXXX

It is stored in the app-data directory.
It is not your wallet address.

STRATEGIES EXPLAINED

Five strategies, all pure signal generators:

Strategy: LWMR (Liquidity Weighted Mean Reversion)

Logic: Buys when price dips >1 stdev below 20-period SMA, sells on reversion to mean

Best for: Range-bound tokens

Strategy: BWR (Breakout With Retest)

Logic: Buys after price breaks resistance then retests and holds, sells if rejected below breakout zone



Readme file for POSADA.IO BOT

Best for: Trending/breakout tokens

Strategy: VBR (Volatility Band Reversion)

Logic: Buys below lower Bollinger Band, sells half at mid-band, full at upper band

Best for: High-volatility tokens

Strategy: LRM (Liquidity Rotation Momentum)

Logic: Buys on strong 3+5 period momentum ($>1\%$), sells on reversal ($<-1\%$)

Best for: Momentum surges

Strategy: RRA (Relative Rotation Arbitrage)

Logic: Weighted momentum score ($3p + 10p$), buys above threshold, sells when strength fades

Best for: Relative strength plays

Shared features across all five:

- Take-profit / stop-loss exits (default 8% TP, 10% SL)
 - ADD signals for averaging into positions (with cooldown)
 - SELL_HALF support (VBR uses it at mid-band)
 - Minimum 10-30 price samples before generating signals
 - Pure math — no I/O, called by the strategy engine in `auto_bot.py`
-

SYSTEM REQUIREMENTS

- Debian / Ubuntu
- Python 3.10+
- Internet access

GTK dependencies are handled by the .deb package.

TROUBLESHOOTING

If the app does not start:

Check dependencies:

```
sudo apt -f install
```



Readme file for POSADA.IO BOT

If you see GTK errors:

```
sudo apt install -y python3-gi python3-gi-cairo \  
gir1.2-gtk-3.0 gir1.2-webkit2-4.1
```

SECURITY NOTES

- Use a dedicated trading wallet. Internal. Use the transfer page to transfer out.
- Keep an ADA reserve for fees.
- Do not expose POSADA to the public internet.
- Always keep offline backups of signing keys.

DISCLAIMER

POSADA is provided as-is.

The developer is not responsible for:

- Financial losses
- Misconfiguration
- Key compromise
- Incorrect usage

Use responsibly.

POSADA.IO SUPPORT

support@posada.io