Penetration Test Report

VirtualHackingLab Report

email address, Student id, Name

Contents

1	Virt	ualHack	kingLab Certificate of Completetion Penetration Test Report	1
	1.1	Introd	uction	1
	1.2	Object	tive	1
	1.3	Requir	rements	1
2	High	ı-Level	Summary	2
	2.1	Recom	nmendations	3
3	Met	hodoloį	gies	4
	3.1	Inform	nation Gathering	4
	3.2	Penetr	ration	5
		3.2.1	System IP: 10.1x.1.x (hostname)	5
			3.2.1.1 Service Enumeration	5
			3.2.1.2 Privilege Escalation	5
		3.2.2	System IP: 10.1x.1.x (hostname)	6
			3.2.2.1 Service Enumeration	6
			3.2.2.2 Privilege Escalation	6
		3.2.3	System IP: 10.1x.1.x (hostname)	7
			3.2.3.1 Service Enumeration	7
			3.2.3.2 Privilege Escalation	7
		3.2.4	System IP: 10.1x.1.x (hostname)	8
			3.2.4.1 Service Enumeration	8
			3.2.4.2 Privilege Escalation	8
		3.2.5	System IP: 10.1x.1.x (hostname)	9
			3.2.5.1 Service Enumeration	9
			3.2.5.2 Privilege Escalation	9
		3.2.6	System IP: 10.1x.1.x (hostname)	9
			3.2.6.1 Service Enumeration	9
			3.2.6.2 Privilege Escalation	10
		3.2.7	System IP: 10.1x.1.x (hostname)	10
			3 2 71 Service Enumeration	10

	3.2.7.2	Privilege Escalation	. 11
3.2.8	System I	IP: 10.1x.1.x (hostname)	. 11
	3.2.8.1	Service Enumeration	. 11
	3.2.8.2	Privilege Escalation	. 12
3.2.9	System I	IP: 10.1x.1.x (hostname)	. 12
	3.2.9.1	Service Enumeration	. 12
	3.2.9.2	Privilege Escalation	. 13
3.2.10	System I	IP: 10.1x.1.x (hostname)	. 13
	3.2.10.1	Service Enumeration	. 13
	3.2.10.2	Privilege Escalation	. 14
3.2.11	System I	IP: 10.1x.1.x (hostname)	. 14
	3.2.11.1	Service Enumeration	. 14
	3.2.11.2	Privilege Escalation	. 15
3.2.12	System I	IP: 10.1x.1.x (hostname)	. 15
	3.2.12.1	Service Enumeration	. 15
	3.2.12.2	Privilege Escalation	. 16
3.2.13	System I	IP: 10.1x.1.x (hostname)	. 16
	3.2.13.1	Service Enumeration	. 16
	3.2.13.2	Privilege Escalation	. 17
3.2.14	System I	IP: 10.1x.1.x (hostname)	. 17
	3.2.14.1	Service Enumeration	. 17
	3.2.14.2	Privilege Escalation	. 18
3.2.15	System I	IP: 10.1x.1.x (hostname)	. 18
	3.2.15.1	Service Enumeration	. 18
	3.2.15.2	Privilege Escalation	. 19
3.2.16	System I	IP: 10.1x.1.x (hostname)	. 19
	3.2.16.1	Service Enumeration	. 19
	3.2.16.2	Privilege Escalation	. 20
3.2.17	System I	IP: 10.1x.1.x (hostname)	
	3.2.17.1	Service Enumeration	. 20
	3.2.17.2	Privilege Escalation	. 21
3.2.18	System I	IP: 10.1x.1.x (hostname)	. 21
	3.2.18.1	Service Enumeration	. 21
	3.2.18.2	Privilege Escalation	. 22
3.2.19	System I	IP: 10.1x.1.x (hostname)	. 22
	3.2.19.1	Service Enumeration	
	3 2 19 2	Privilege Escalation	23

	4.1	Appendix - Proof and Local Contents:	26
4	Addi	itional Items	26
	3.4	House Cleaning	25
	3.3	Maintaining Access	24
		3.2.20.2 Privilege Escalation	24
		3.2.20.1 Service Enumeration	23
		3.2.20 System IP: 10.1x.1.x (hostname)	23

1 VirtualHackingLab Certificate of Completetion Penetration Test Report

1.1 Introduction

The VirtualHackingLab Certificate of Completetion penetration test report contains all efforts that were conducted in order to obtain the VirtualHackingLab Certificate of Completetion. This report will be graded from a standpoint of correctness and fullness to all aspects of the Certificate of Completion Guidelines. The purpose of this report is to ensure that the student has a full understanding of penetration testing methodologies as well as the technical knowledge to pass the qualifications for the VirtualHackingLab Certificate of Completetion.

1.2 Objective

The objective of this assessment is to perform an internal penetration test against the VirtualHackingLab network. The student is tasked with following methodical approach in obtaining access to the objective goals. This test should simulate an actual penetration test and how you would start from beginning to end, including the overall report.

1.3 Requirements

The student will be required to fill out this penetration testing report fully and to include the following sections:

- · Overall High-Level Summary and Recommendations (non-technical)
- Methodology walkthrough and detailed outline of steps taken
- · Each finding with included screenshots, walkthrough, sample code, and key.txt
- Any additional items that were not included

2 High-Level Summary

I was tasked with performing an internal penetration test towards VirtualHackingLab's Network. An internal penetration test is a dedicated attack against internally connected systems. The focus of this test is to perform attacks, similar to those of a hacker and attempt to infiltrate Of VirtualHackingLab's internal systems. My overall objective was to evaluate the network, identify systems, and exploit flaws while reporting the findings back to VirtualHackingLabs.

When performing the internal penetration test, there were several alarming vulnerabilities that were identified on VirtualHackingLab's network. When performing the attacks, I was able to gain access to multiple machines, primarily due to outdated patches and poor security configurations. During the testing, I had administrative level access to multiple systems. All systems were successfully exploited and access granted. These systems as well as a brief description on how access was obtained are listed below:

- 10.1x.1.xx (hostname) Name of initial exploit

• 10.1x.1.xx (hostname) - Name of initial exploit

2.1 Recommendations

I recommend patching the vulnerabilities identified during the testing to ensure that an attacker cannot exploit these systems in the future. One thing to remember is that these systems require frequent patching and once patched, should remain on a regular patch program to protect additional vulnerabilities that are discovered at a later date.

3 Methodologies

I utilized a widely adopted approach to performing penetration testing that is effective in testing how well the Virtual Hacking Labs environments is secured. Below is a breakout of how I was able to identify and exploit the variety of systems and includes all individual vulnerabilities found.

3.1 Information Gathering

The information gathering portion of a penetration test focuses on identifying the scope of the penetration test. During this penetration test, I was tasked with exploiting the exam network. The specific IP addresses were:

Virtual Hacking Lab's Network

- 10.1x.1.xx
- 10.1x.1.xx10.1x.1.xx
- 10.1x.1.xx
- 10.1x.1.xx
- 10.1x.1.xx
- 10.1x.1.xx
- 10.1x.1.xx

• 10.1x.1.xx

3.2 Penetration

The penetration testing portions of the assessment focus heavily on gaining access to a variety of systems. During this penetration test, I was able to successfully gain access to **20** out of the **40** systems.

3.2.1 System IP: 10.1x.1.x (hostname)

3.2.1.1 Service Enumeration

The service enumeration portion of a penetration test focuses on gathering information about what services are alive on a system or systems. This is valuable for an attacker as it provides detailed information on potential attack vectors into a system. Understanding what applications are running on the system gives an attacker needed information before performing the actual penetration test. In some cases, some ports may not be listed.

Server IP Address	Ports Open
10.1x.1.x	TCP : 21,80,5466
	UDP : 53,161

Nmap Scan Results:

Initial Shell Vulnerability Exploited

Additional info about where the initial shell was acquired from

Vulnerability Explanation:

Vulnerability Fix:

Severity:

Proof of Concept Code Here:

3.2.1.2 Privilege Escalation

Additional Priv Esc info

Vulnerability Exploited:

Vulnerability Explanation:

Vulnerability Fix:

Severity:

Proof of Concept Code Here:

Key Screenshot Here:

Key.txt Contents:

3.2.2 System IP: 10.1x.1.x (hostname)

3.2.2.1 Service Enumeration

Server IP Address	Ports Open
10.1x.1.x	TCP : 1433,3389
	UDP : 1434,161

Nmap Scan Results:

Initial Shell Vulnerability Exploited

Additional info about where the initial shell was acquired from

Vulnerability Explanation:

Vulnerability Fix:

Severity:

Proof of Concept Code Here:

Local.txt Proof Screenshot

Local.txt Contents

3.2.2.2 Privilege Escalation

Additional Priv Esc info

Vulnerability Exploited:

Vulnerability Explanation:

Vulnerability Fix:

Severity:

Exploit Code:

Key Screenshot Here:

Key.txt Contents:

3.2.3 System IP: 10.1x.1.x (hostname)

3.2.3.1 Service Enumeration

Server IP Address	Ports Open	
10.1x.1.x	TCP : 1433,3389	
	UDP : 1434,161	

Nmap Scan Results:

Initial Shell Vulnerability Exploited

Additional info about where the initial shell was acquired from

Vulnerability Explanation:

Vulnerability Fix:

Severity:

Proof of Concept Code Here:

3.2.3.2 Privilege Escalation

Additional Priv Esc info

Vulnerability Exploited:

Vulnerability Explanation:

Vulnerability Fix:

Severity:

Exploit Code:

Key Screenshot Here:

Key.txt Contents:

3.2.4 System IP: 10.1x.1.x (hostname)

3.2.4.1 Service Enumeration

Server IP Address	Ports Open
1x.1x.1.x	TCP : 1433,3389
	UDP : 1434,161

Nmap Scan Results:

Initial Shell Vulnerability Exploited

Additional info about where the initial shell was acquired from

Vulnerability Explanation:

Vulnerability Fix:

Severity:

Proof of Concept Code Here:

3.2.4.2 Privilege Escalation

Additional Priv Esc info

Vulnerability Exploited:

Vulnerability Explanation:

Vulnerability Fix:

Severity:

Exploit Code:

Key Screenshot Here:

Key.txt Contents:

3.2.5 System IP: 10.1x.1.x (hostname)

3.2.5.1 Service Enumeration

Server IP Address	Ports Open
10.1x.1.x	TCP : 1433,3389
	UDP : 1434,161

Nmap Scan Results:

Initial Shell Vulnerability Exploited

Additional info about where the initial shell was acquired from

Vulnerability Explanation:

Vulnerability Fix:

Severity:

Proof of Concept Code Here:

3.2.5.2 Privilege Escalation

Additional Priv Esc info

Vulnerability Exploited:

Vulnerability Explanation:

Vulnerability Fix:

Severity:

Exploit Code:

Key Screenshot Here:

Key.txt Contents:

3.2.6 System IP: 10.1x.1.x (hostname)

3.2.6.1 Service Enumeration

Server IP Address	Ports Open
10.1x.1.x	TCP: 21,80,443,8080
	UDP : 53,161

Initial Shell Vulnerability Exploited

Additional info about where the initial shell was acquired from

Vulnerability Explanation:

Vulnerability Fix:

Severity:

Proof of Concept Code Here:

3.2.6.2 Privilege Escalation

Additional Priv Esc info

Vulnerability Exploited:

Vulnerability Explanation:

Vulnerability Fix:

Severity:

Proof of Concept Code Here:

key Screenshot Here:

Key.txt Contents:

3.2.7 System IP: 10.1x.1.x (hostname)

3.2.7.1 Service Enumeration

Server IP Address	Ports Open
10.1x.1.x	TCP : 1433,3389
	UDP : 1434,161

Initial Shell Vulnerability Exploited

Additional info about where the initial shell was acquired from

Vulnerability Explanation:

Vulnerability Fix:

Severity:

Proof of Concept Code Here:

Local.txt Proof Screenshot

Local.txt Contents

3.2.7.2 Privilege Escalation

Additional Priv Esc info

Vulnerability Exploited:

Vulnerability Explanation:

Vulnerability Fix:

Severity:

Exploit Code:

Key Screenshot Here:

Key.txt Contents:

3.2.8 System IP: 10.1x.1.x (hostname)

3.2.8.1 Service Enumeration

Server IP Address	Ports Open
10.1x.1.x	TCP : 1433,3389
	UDP : 1434,161

Initial Shell Vulnerability Exploited

Additional info about where the initial shell was acquired from

Vulnerability Explanation:

Vulnerability Fix:

Severity:

Proof of Concept Code Here:

3.2.8.2 Privilege Escalation

Additional Priv Esc info

Vulnerability Exploited:

Vulnerability Explanation:

Vulnerability Fix:

Severity:

Exploit Code:

Key Screenshot Here:

Key.txt Contents:

3.2.9 System IP: 10.1x.1.x (hostname)

3.2.9.1 Service Enumeration

Server IP Address	Ports Open
1x.1x.1.x	TCP : 1433,3389
	UDP : 1434,161

Initial Shell Vulnerability Exploited

Additional info about where the initial shell was acquired from

Vulnerability Explanation:

Vulnerability Fix:

Severity:

Proof of Concept Code Here:

3.2.9.2 Privilege Escalation

Additional Priv Esc info

Vulnerability Exploited:

Vulnerability Explanation:

Vulnerability Fix:

Severity:

Exploit Code:

Key Screenshot Here:

Key.txt Contents:

3.2.10 System IP: 10.1x.1.x (hostname)

3.2.10.1 Service Enumeration

Server IP Address	Ports Open
10.1x.1.x	TCP : 1433,3389
	UDP : 1434,161

Initial Shell Vulnerability Exploited

Additional info about where the initial shell was acquired from

Vulnerability Explanation:

Vulnerability Fix:

Severity:

Proof of Concept Code Here:

3.2.10.2 Privilege Escalation

Additional Priv Esc info

Vulnerability Exploited:

Vulnerability Explanation:

Vulnerability Fix:

Severity:

Exploit Code:

Key Screenshot Here:

Key.txt Contents:

3.2.11 System IP: 10.1x.1.x (hostname)

3.2.11.1 Service Enumeration

rts Open
P : 21,80,443,8080 P : 53,161

Initial Shell Vulnerability Exploited

Additional info about where the initial shell was acquired from

Vulnerability Explanation:

Vulnerability Fix:

Severity:

Proof of Concept Code Here:

3.2.11.2 Privilege Escalation

Additional Priv Esc info

Vulnerability Exploited:

Vulnerability Explanation:

Vulnerability Fix:

Severity:

Proof of Concept Code Here:

key Screenshot Here:

Key.txt Contents:

3.2.12 System IP: 10.1x.1.x (hostname)

3.2.12.1 Service Enumeration

Server IP Address	Ports Open
10.1x.1.x	TCP : 1433,3389
	UDP : 1434,161

Initial Shell Vulnerability Exploited

Additional info about where the initial shell was acquired from

Vulnerability Explanation:

Vulnerability Fix:

Severity:

Proof of Concept Code Here:

3.2.12.2 Privilege Escalation

Additional Priv Esc info

Vulnerability Exploited:

Vulnerability Explanation:

Vulnerability Fix:

Severity:

Exploit Code:

Key Screenshot Here:

Key.txt Contents:

3.2.13 System IP: 10.1x.1.x (hostname)

3.2.13.1 Service Enumeration

Server IP Address	Ports Open
1x.1x.1.x	TCP : 1433,3389
	UDP : 1434,161

Initial Shell Vulnerability Exploited

Additional info about where the initial shell was acquired from

Vulnerability Explanation:

Vulnerability Fix:

Severity:

Proof of Concept Code Here:

3.2.13.2 Privilege Escalation

Additional Priv Esc info

Vulnerability Exploited:

Vulnerability Explanation:

Vulnerability Fix:

Severity:

Exploit Code:

Key Screenshot Here:

Key.txt Contents:

3.2.14 System IP: 10.1x.1.x (hostname)

3.2.14.1 Service Enumeration

Server IP Address	Ports Open
10.1x.1.x	TCP : 1433,3389
	UDP : 1434,161

Initial Shell Vulnerability Exploited

Additional info about where the initial shell was acquired from

Vulnerability Explanation:

Vulnerability Fix:

Severity:

Proof of Concept Code Here:

3.2.14.2 Privilege Escalation

Additional Priv Esc info

Vulnerability Exploited:

Vulnerability Explanation:

Vulnerability Fix:

Severity:

Exploit Code:

Key Screenshot Here:

Key.txt Contents:

3.2.15 System IP: 10.1x.1.x (hostname)

3.2.15.1 Service Enumeration

Server IP Address	Ports Open
10.1x.1.x	TCP: 21,80,443,8080
	UDP : 53,161

Initial Shell Vulnerability Exploited

Additional info about where the initial shell was acquired from

Vulnerability Explanation:

Vulnerability Fix:

Severity:

Proof of Concept Code Here:

3.2.15.2 Privilege Escalation

Additional Priv Esc info

Vulnerability Exploited:

Vulnerability Explanation:

Vulnerability Fix:

Severity:

Proof of Concept Code Here:

key Screenshot Here:

Key.txt Contents:

3.2.16 System IP: 10.1x.1.x (hostname)

3.2.16.1 Service Enumeration

Server IP Address	Ports Open
10.1x.1.x	TCP : 1433,3389
	UDP : 1434,161

Initial Shell Vulnerability Exploited

Additional info about where the initial shell was acquired from

Vulnerability Explanation:

Vulnerability Fix:

Severity:

Proof of Concept Code Here:

Local.txt Proof Screenshot

Local.txt Contents

3.2.16.2 Privilege Escalation

Additional Priv Esc info

Vulnerability Exploited:

Vulnerability Explanation:

Vulnerability Fix:

Severity:

Exploit Code:

Key Screenshot Here:

Key.txt Contents:

3.2.17 System IP: 10.1x.1.x (hostname)

3.2.17.1 Service Enumeration

Server IP Address	Ports Open
10.1x.1.x	TCP : 1433,3389
	UDP : 1434,161

Initial Shell Vulnerability Exploited

Additional info about where the initial shell was acquired from

Vulnerability Explanation:

Vulnerability Fix:

Severity:

Proof of Concept Code Here:

3.2.17.2 Privilege Escalation

Additional Priv Esc info

Vulnerability Exploited:

Vulnerability Explanation:

Vulnerability Fix:

Severity:

Exploit Code:

Key Screenshot Here:

Key.txt Contents:

3.2.18 System IP: 10.1x.1.x (hostname)

3.2.18.1 Service Enumeration

Server IP Address	Ports Open
1x.1x.1.x	TCP : 1433,3389 UDP : 1434,161

Initial Shell Vulnerability Exploited

Additional info about where the initial shell was acquired from

Vulnerability Explanation:

Vulnerability Fix:

Severity:

Proof of Concept Code Here:

3.2.18.2 Privilege Escalation

Additional Priv Esc info

Vulnerability Exploited:

Vulnerability Explanation:

Vulnerability Fix:

Severity:

Exploit Code:

Key Screenshot Here:

Key.txt Contents:

3.2.19 System IP: 10.1x.1.x (hostname)

3.2.19.1 Service Enumeration

Server IP Address	Ports Open
10.1x.1.x	TCP : 1433,3389
	UDP : 1434,161

Initial Shell Vulnerability Exploited

Additional info about where the initial shell was acquired from

Vulnerability Explanation:

Vulnerability Fix:

Severity:

Proof of Concept Code Here:

3.2.19.2 Privilege Escalation

Additional Priv Esc info

Vulnerability Exploited:

Vulnerability Explanation:

Vulnerability Fix:

Severity:

Exploit Code:

Key Screenshot Here:

Key.txt Contents:

3.2.20 System IP: 10.1x.1.x (hostname)

3.2.20.1 Service Enumeration

Server IP Address	Ports Open
10.1x.1.x	TCP : 21,80,443,8080 UDP : 53,161

Initial Shell Vulnerability Exploited

Additional info about where the initial shell was acquired from

Vulnerability Explanation:

Vulnerability Fix:

Severity:

Proof of Concept Code Here:

3.2.20.2 Privilege Escalation

Additional Priv Esc info

Vulnerability Exploited:

Vulnerability Explanation:

Vulnerability Fix:

Severity:

Proof of Concept Code Here:

key Screenshot Here:

Key.txt Contents:

3.3 Maintaining Access

Maintaining access to a system is important to us as attackers, ensuring that we can get back into a system after it has been exploited is invaluable. The maintaining access phase of the penetration test focuses on ensuring that once the focused attack has occurred (i.e. a buffer overflow), we have administrative access over the system again. Many exploits may only be exploitable once and we may never be able to get back into a system after we have already performed the exploit.

3.4 House Cleaning

The house cleaning portions of the assessment ensures that remnants of the penetration test are removed. Often fragments of tools or user accounts are left on an organization's computer which can cause security issues down the road. Ensuring that we are meticulous and no remnants of our penetration test are left over is important.

After collecting trophies from the exam network was completed, Alec removed all user accounts and passwords as well as the Meterpreter services installed on the system. Offensive Security should not have to remove any user accounts or services from the system.

4 Additional Items

4.1 Appendix - Proof and Local Contents:

IP (Hostname)	Key.txt Contents
10.1x.1.x	hash_here