

<u>Course</u> > <u>Modul</u>... > <u>Graded</u>... > Graded...

## **Graded Review Questions**

## **Graded Review Questions Instructions**

- 1. Time allowed: Unlimited
  - We encourage you to go back and review the materials to find the right answer
  - Please remember that the Review Questions are worth 50% of your final mark.
- 2. Attempts per question:
  - One attempt For True/False questions
  - Two attempts For any question other than True/False
- 3. Clicking the "<u>Final Check</u>" button when it appears, means your submission is <u>FINAL</u>. You will <u>NOT</u> be able to resubmit your answer for that question ever again
- 4. Check your grades in the course at any time by clicking on the "Progress" ta

## Question 1

1/1 point (graded)

Consider the dataframe "df". What method provides the summary statistics?

odf.describe()	
df.head()	
df.tail()	
<b>✓</b>	
Submit	You have used 1 of 2 attempts

## Question 2

1/1 point (graded)

Consider the following dataframe:

df\_test = df['body-style', 'price']

The following operation is applied:		
<pre>df_grp = df_test.groupby(['body-style'], as_index=False).mean()</pre>		
What are resulting values of <pre>df_grp['price']</pre> ?		
The average price for each body style.		
The average price.		
The average body style.		
<b>✓</b>		
Submit You have used 1 of 2 attempts		
Question 3		
1/1 point (graded) Correlation implies causation:		
False		
○ True		
Submit You have used 1 of 2 attempts		
Question 4		
1/1 point (graded) What is the minimum possible value of Pearson's Correlation?		
What is the milliman possible value of Fearson's Correlation:		
1		
<u> </u>		

Question 5		
1/1 point (graded) What is the Pearson correlation between variables X and Y if X=Y:		
1		
O 0		
<b>✓</b>		
Submit You have used 1 of 2 attempts		