

[Curso](#) > [Module 1 - Introduc...](#) > [Graded Review Que...](#) > Graded Review Que...

Graded Review Questions

Graded Review Questions Instructions

1. Time allowed: **Unlimited**

- We encourage you to go back and review the materials to find the right answer
- Please remember that the Review Questions are worth 50% of your final mark.

2. Attempts per question:

- One attempt - For True/False questions
- Two attempts - For any question other than True/False

3. Clicking the "**Final Check**" button when it appears, means your submission is **FINAL**. You will **NOT** be able to resubmit your answer for that question ever again

4. Check your grades in the course at any time by clicking on the "Progress" tab

Question 1

1/1 punto (calificado)

What does CSV stand for?

☒ Comma-separated values

☐ Car sold values

☐ Car state values

☐ None of the above



Enviar

Ha realizado 1 de 2 intentos

✓ Correcto (1/1 punto)

Question 2

1/1 punto (calificado)

In the data set, which of the following represents an attribute or feature?

☐ Row

☒ Column

☐ Each element in the dataset



Enviar

Ha realizado 1 de 2 intentos

✓ Correcto (1/1 punto)

Question 3

1/1 punto (calificado)

What is the name of what we want to predict?

☒ Target

☐ Feature

☐ Dataframe



Enviar

Ha realizado 1 de 2 intentos

✓ Correcto (1/1 punto)

Question 4

1/1 punto (calificado)

What is the command to display the first five rows of a dataframe `df` ?



`df.head()`



`df.tail()`



Enviar

Ha realizado 1 de 1 intento



Correcto (1/1 punto)

Question 5

1/1 punto (calificado)

What command do you use to get the data type of each row of the dataframe `df` ?



`df.dtypes`



`df.head()`



`df.tail()`



Enviar

Ha realizado 1 de 2 intentos



Correcto (1/1 punto)

Question 6

1/1 punto (calificado)

How do you get a statistical summary of a dataframe `df` ?



`df.describe()`



`df.head()`



`df.tail()`



Enviar

Ha realizado 1 de 2 intentos



Correcto (1/1 punto)

Question 7

1/1 punto (calificado)

If you use the method `describe()` without changing any of the arguments, you will get a statistical summary of all the columns of type "object".



False



True



Enviar

Ha realizado 1 de 1 intento



Correcto (1/1 punto)